# INDEX NUMBER.

Title page and Index.] [July-December, 1915.

# TROPICAL DISEASES BULLETIN

IMPERIAL INSTITUTE
21 FEB. 1916
LIBRARY

Vol. 6.

ISSUED UNDER
THE DIRECTION OF THE
HONORARY MANAGING COMMITTEE
OF THE
TROPICAL DISEASES
BUREAU.

COMMONWEALTH MYCOLOGICAL INSTITUTE
26 MAY 1971

General Editor:
THE DIRECTOR OF THE BUREAU.

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C.

Price 1/6 net.] [All Rights Reserved.

# TROPICAL DISEASES BULLETIN

ISSUED UNDER THE DIRECTION OF THE HONORARY MANAGING COMMITTEE OF THE TROPICAL DISEASES BUREAU.

General Editor:
THE DIRECTOR OF THE BUREAU.

VOL. 6.

JULY, 1915—DECEMBER, 1915.

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C.

1915.

Digitized by the Internet Archive
in 2025

https://archive.org/details/tropical-diseases-bulletin_july-december-1915_6

## HONORARY MANAGING COMMITTEE.

*Chairman:*

The Right Honourable Sir J. West Ridgeway, G.C.B., G.C.M.G., K.C.S.I., LL.D.

*(who is also Chairman of the Advisory Committee of the Tropical Diseases Research Fund).*

Sir John Rose Bradford, K.C.M.G., C.B., F.R.S.

*(representing the Royal Society).*

Surgeon-General Sir David Bruce, C.B., F.R.S.

Surgeon-General Sir R. Havelock Charles, I.M.S., G.C.V.O.

Colonel Sir William B. Leishman, C.B., F.R.S., K.H.P.

Sir John M'Fadyean, M.R.C.V.S.

Sir Patrick Manson, G.C.M.G., F.R.S.

Sir Ronald Ross, K.C.B., F.R.S.

Sir S. Stockman, M.R.C.V.S.

Mr. J. A. C. Tilley.

*(representing the Foreign Office and Sudan Government).*

Mr. H. J. Read, C.B., C.M.G.

*(representing the Colonial Office), with*

*of the Colonial Office, as Secretary.*

## STAFF OF THE BUREAU.

*Director:*

A. G. Bagshawe, C.M.G., M.B., D.P.H. Cantab., *of the Uganda Medical Staff.*

*Assistant Director:*

*Librarian and Secretary:*

R. L. Sheppard.

*Sectional Editors:*

P. S. Abraham, M.D., B.Sc.

Andrew Balfour, C.M.G., M.D., D.P.H. Cantab.

Fleet-Surgeon P. W. Bassett-Smith, R.N., C.B., M.R.C.P.

R. T. St. John Brooks, M.D., D.T.M. & H.

H. B. Fantham, B.A., D.Sc.

Edward Hindle, Ph.D.

Colonel W. G. King, C.I.E., I.M.S. (retd.).

J. C. G. Ledingham, M.B., Ch.B., D.Sc.

R. T. Leiper, D.Sc., M.B., Ch.B.

J. B. Nias, M.D., M.R.C.P.

W. J. Penfold, M.D., D.P.H.

F. M. Sandwith, M.D., F.R.C.P.

H. Schütze, M.D.

J. Henderson Smith, M.B., Ch.B.

C. M. Wenyon, M.B., B.S., B.Sc.

Warrington Yorke, M.D.

*Editor of the Tropical Veterinary Bulletin:*

A. Leslie Sheather, B.Sc., M.R.C.V.S.

# CONTENTS.

## SECTIONS.


| | PAGES. |
|---|---|
| Amoebiasis and Dysentery | 48–74, 443–50 |
| Beriberi | 142–55 |
| Blackwater Fever | 108–10 |
| Book Reviews | 75–6, 111, 236–8, 357–61, 433–6 |
| Cholera | 25–47, 479–513 |
| Fevers in the Tropics, and Dengue | 314–18 |
| Helminthiasis | 295–313, 437–42 |
| Hygiene, Applied, in the Tropics | 239–94, 515–79 |
| Kala Azar | 218–32 |
| Leprosy | 113–31, 399–409 |
| Malaria | 77–107, 325–40 |
| Miscellaneous | 341–56, 419–32 |
| Pappataci Fever | 319–21 |
| Plague | 410–18 |
| Protozoology | 179–210 |
| Relapsing Fever | 211–17 |
| Sleeping Sickness | 166–78, 363–83 |
| Tropical Skin Diseases | 132–41 |
| Typhoid and Paratyphoid in the Tropics | 13–24 |
| Typhus | 1–12, 384–98 |
| Undulant Fever | 156–65 |
| Verruga Peruviana and Oroya Fever | 322–4 |
| Yellow Fever | 233–5 |

| | |
|---|---|
| Index of Authors | 581 |
| Index of Subjects | 589 |
| Quarterly List of References | Appendix, pp. i–xxviii, xxix–lix |


## ILLUSTRATIONS IN THE TEXT.


| | PAGES. |
|---|---|
| Apparatus for Dealing with Faecal Matter on Railway Trains | 574 |
| Apparatus for Supply of Cholera Vaccine | 493 |
| Diagram Illustrating Transport of Excreta | 278 |
| Diagram Showing Incidence of Undulant Fever in Malta | 158 |
| Tins for Production of Cholera Vaccine | 492 |


## CHARTS.


| | |
|---|---|
| Showing Death Rates, General, and Infantile; Years 1895–1914; State of Western Australia | 562 |
| Typhoid Fever with a Temperature Curve markedly similar to Malaria Fever | 89 |
| Showing Types of Malarial Infections, VI–XII | 84–5 |


(C224) Wt. P2928/59. 2,000. 2. 16. B.&F.Ltd. Gp.11/4. A2

## MAPS.

PAGES.

Mission de Délimitation Afrique-Equatoriale-Française-Cameroun, 1912–13 .. .. .. .. .. *facing* 364
Showing Distribution of Undulant Fever .. .. .. 157
Sketch-Map of Algeria, showing the Foci of Blackwater Fever 110

## PLANS.

Mandalay Cantonment, showing its relation to the Municipality .. .. .. .. .. .. .. .. . 81

## PLATES.

Night Soil Depôt and Shone Ejectors .. .. .. *facing* 281
Typical Town in the Tropics: Evolution of Night Soil Conservancy and Sewerage Systems .. .. .. *facing* 281

## TABLES.

Age Mortality of Cholera under the Old and the New Treatments .. .. .. .. .. .. .. 485
Alkalinity of the Blood in Cholera .. .. .. .. 487
Analyses of Remaining Causes of Death from Cholera from 1912 to 1915 .. .. .. .. .. .. 486
Atropine Hypodermically, in Cholera, &c. .. .. .. 489
Cases of Trypanosomiasis treated in England [showing Results and Duration of Disease] .. .. *facing* 368
Olsson's, showing Cyclic Development in *V. cholerae* in Seven Stages.. .. .. .. .. .. .. .. 505
Results of Cultivation of *B. typhi-exanthematici*, in Various Media in Deep Tubes .. .. .. .. .. 385
Serum Agglutination in Mixed Inoculation with Cholera and Typhoid Vaccines .. .. .. .. .. *facing* 501

## ERRATA.

Vol. 5, No. 6, p. 388 (tenth line from foot), *for* "dissolved in 10 per cent. acetone," *read* "in ten per cent. solution in acetone" .. .. .. .. .. .. .. 210
Vol. 6, No. 6, p. 345, Summary of KNAPP, line 5, *for* 14 *read* 4.
Vol. 6, No. 7, p. 424, last line of page, *for* 4088 *read* 1088.

# INDEX OF AUTHORS.

## A.

Achard, C., & Fox, C., 447.
Acton, H. W. *See* Harvey & Acton.
Adie, H., 189.
Africa, 108.
Algérie, 86.
Allison, Le Roy W., 290.
Alter, 456.
Alvares, M. G. de A. *See* da Costa, Sant'Anna, dos Santos, & Alvares.
Amaral, A. *See* Borja & Amaral.
Ammerman, C. C., 350.
Amoss, H. L. *See* Flexner & Amos.
Anderson, J. F., 2, 9, 265.
Aoki, K., 214.
Arabantinos, A. I., 148.
Aragão, H. de B. *See* Dias & Aragão.
Archibald, R. G., 428.
——. *See* Chalmers & Archibald.
Aronson, H., 495.
Arthur, 292.
Arzt, L., 29.
——. *See* Buidwid & Arzt.
Asakura, T. *See* Nakajo & Asakura.
Ascoli, M., 477.
Ashburn, P. M., 360.
Assam, 242.
Atkinson, E. L. *See* Leiper & Atkinson.
Aubert, P., 168, 370.
Australian Institute of Tropical Medicine, 342.
Axter-Haberfeld, R., 74.

## B.

Baehr, G. *See* Plotz, Olitsky & Baehr.
Baerthlein, K. *See* Gildemeister & Baerthlein.
—— & Gildemeister, E., 496.
Baetjer, W. A. *See* Sellards & Baetjer.
Baetz, W. G. F., 429.
Bahr, P. H., 237.
Bahadur Baij Nath, 571.
Bailey, W. F., 428.
Balfour, A., 347, 397.
Bambarén, C. A. *See* Ribeyro & Bambarén.
Barber, M. A., 409.
——, Raquel, A., Guzman, A., & Rosa, A. P., 325.
Barbézieux, G., 119, 120, 124.
Barlow, N., 303, 335, 467.
Barnard, E. M. *See* Trowbridge, Finkle & Barnard.
Barrett, M. T. *See* Smith & Barrett.
——. *See* Smith, Middleton & Barrett.
Bass, C. C., 332.
—— & Johns, F. M., 55.
Bassett-Smith, P. W., 156.
Basutoland, 523.
Bates, J. P., 87.
Bayon, H., 113.
Beaujean, R. *See* Mathis & Beaujean.
Becerra. *See* Guayaquil.
Beckwith, H. L. *See* Force & Beckwith.
Bell. *See* Burma.
Bellamy, R. L., 294.
Belleval, G. *See* Sergent, Lhéritier & Belleval.
Bentzen, G. E., 116.
Beneke, 477.
Benoni, F. *See* Giugni & Benoni.
Bequaert, J., 375.
Bernard, 15.
Bertrand, L., 474.
Beverley, E. P., & Lynn, W. J., 314.
Bihar & Orissa, 515.
Birt, C., 319.
Bishopp, F. C., 346.
Bitter, L. *See* Fischer, Bitter & Wagner.
Blacklock, B. *See* Yorke & Blacklock.
Blaker, G. H., 20.
Blanc, G. *See* Nicolle, Blanc & Conseil.
Blaschko, A., 11, 404.
Bogan, F. M., 92.
Bombay, 516.
Boral, H., 388.
Borja, A., & Amaral, A., 232.
Bourke, E. A., Evans, I. D., & Rowland, S., 17.
Brachio, J. J. A., 33.
Braide, G. W. *See* Punjab.
van den Branden, F., & Dubois, A., 50.
——. *See* Dubois & van den Branden.
Braddock, C. S., 28.
Brahmachari, B. B., 26.
Brazil, V., 236.
Bréaudat, 146.
—— & Lalung-Bonnaire, 145.
Breinl, A., 132, 141, 353.

Breinl, A. *See* Australian Institute of Tropical Medicine.
——, Priestley, H., & Fielding, J. W., 314.
Brignone, E., 338.
Brissaud, H. *See* Sartory, Lasseur & Brissaud.
British Guiana, 239.
Brockman, R. E. Drake, 211.
Brodribb, C., 91.
Broeck, C. Ten, 455.
—— & Norbury F. G., 454.
Bronfenbrenner, J., 217.
Brooke, G. E., 397, 435.
Brooks, R. St. J., 411.
Brosch, 463.
Bruce, D., 363.
Brug, S. L., 185, 200.
Bryson, J. G., 460.
Buchanan, W. J., 261, 271.
Buidwid, O., & Arzt, L., 46.
Bulletin de l'Office International d'Hygiène Publique, 116, 159.
Burge, W. E., & Burge, E. L., 312.
Burke, G. *See* Hassin, Burke & Nuzum.
Burkitt, R. W., 109.
Burma, 516.
Burnet. *See* Sacquépée, Burnet & Weissenbach.
Burns, W. C., 4.
Busson, B., 467.

## C.

Cadbury, W. W., & Hofmann, J. A., 32.
Cameron, J., 6.
Canaan. *See* Muehlens, Hegeler & Canaan.
Candido, J., 406.
Cano, U. *See* Fermi & Cano.
Cantieri, C., 161.
Carchidio, U. *See* Perugia & Carchidio.
Cardamatis, J. P., 339.
Carini, A., 208.
—— & Maciel, J., 196, 208, 209.
Carment, 526.
Carnot, P., & Weil-Hallé, B., 19.
Carpano, M., 190.
Carr, D., 352.
Carter, H. R., 90, 327.
Castellani, A., 17, 22, 40, 135, 222.
Cawston, F. G., 298.
de Cazotte, M., 116.
Chagas, C., 317.
Chalmers, A. J., & Archibald, R. G., 444.
—— & Drew, C. M., 139.
—— & Macdonald, N., 135.
—— & Marshall, A., 134.
—— & O'Connor, A. P., 133.
—— & Papatheodorou, D., 445.
Chamberlain, W. P., 142.
Chandra Sekar, 260
Chapman, W. H. *See* Wolbach, Chapman & Stevens.
Chatterjee, G. C., 470, 471.
Chatterton, 284.
Chipman, E. D., 402.
Christie, W. L., 443.
Ciavaldini, 387.
Clark, F., 13.
——, H. C., 417, 424, 425.
Clarke, F., 255.
——, J. T., 429.
Clegg, M. T., McCoy, G. W., & Hollmann, H. T., 129.
Cleland, J. B., 87.
Clemesha, 269.
Coles, A. C., 378.
Concepción, I., 140.
——. *See* Gibson & Concepción.
Conseil, E. *See* Nicolle, Blanc & Conseil.
——. *See* Nicolle & Conseil.
Corbett, C. H., 1.
Corlett, W. T., 139.
Corlette, C. E., 444.
da Costa, B. F. B., Sant'Anna, J. F., dos Santos, A. C., and Alvares, M. G. de A., 166.
de Cottes, J. D., 159.
Couret, M., 54.
Craig, C. F., 422.
Creel, R. H., 255, 414.
Cremona, 292.
Crendiropoulo. *See* Violle & Crendiropoulo.
Crisóstomo, E., 151.
Crohn, B. B., 317.
Crosswell, O. *See* Jamaica.
Crowell, B. C., 30.
Cruikshank, J. A., & Wright, R. E., 305.
Cunning, J., 436.
Currie, D. H., 399.
Curry, F. A., 570.

## D.

Daniels, C. W., 368.
Danila, P., 501.
Dansey-Browning, G. *See* Gibraltar.
Danysz, J., 19.
Darling, S. T., 200, 299.
Dass, B. *See* Mukerji & Dass.
Davis, N., 540.
Debuys, L. R., 50.
Dedekind, F., 30.
Deeks, W. E., 314.
Delanoë, P., 171.
——, M. & Mme. *See* Fiori & Delanoë, M. & Mme.
Delépine, S., 404.
Démétrescu, C. A., 41.
Denney, O. E. *See* Goff & Denney.
Dias, E. C., & Aragão, H. de B., 197.
Dickenson, G. O. M., 147.

Dietsch, C., 390.
Ditthorn, F., & Loewenthal, W., 491.
Dopter, C., 46, 60, 464.
Doty, A. H., 345.
Dowden, R., 316.
Drake-Brockman, R. E., 211.
Drew, C. M. *See* Chalmers & Drew.
Dreyer, G., Walker, E. W. A., & Gibson, A. G., 20, 22.
Drummond, J. C., & Funk, C., 152.
Dubois, A., & van den Branden, F., 167.
——. *See* van den Branden & Dubois.
Dudley, S. F., 17.
Dumas, J. *See* Remlinger & Dumas.
DuMez, A. G., 446.
Dutcher, B. H., 478.
Duval, C. W., 126.
Dyer, A. W., 23.

## E.

Eager, J. M., 116.
Ealand, C. A., 358.
East Africa Protectorate, 341.
Ekins, C. M., 300.
Elkington, J. S. C., 410.
Eminson, R. A. F., 174.
Emrys-Roberts, E., & Stephens, J. W. W., 312.
Esch, P., 499.
Escomel, E., 136.
Evans, I. D. *See* Bourke, Evans, & Rowland.
Eysell, 396.
Eytinge, E. O. J., 311.
von Ezdorf, R. H., 94, 328.

## F.

Falta, W., & Kohn, H., 465.
Fambri, H., 124.
Fantham, H. B., 179, 211, 217.
—— & Porter, A., 181, 183.
Federated Malay States, 125.
Fermi, C., & Cano, U., 501.
Fernandez de Ybarra, A. M., 413.
Fielding, J. W. *See* Breinl, Priestley & Fielding.
de Figueiredo, A. G., 337.
Finkle, B. A. *See* Trowbridge, Finkle & Barnard.
Fiori, C., & Delanoë, M. & Mme., 377.
Fischer, B., Bitter, L., & Wagner, G., 492.
——, W., 309, 473.
Fletcher, W., 408.
——. *See* Fraser & Fletcher.
Flexner, T., & Amoss, H.L., 65.
Flu, P. C., 38, 100, 137.
Force, J. N., & Beckwith, H. L., 527.
Foster, G. B., Jr., 386.
Fox, C. *See* Achard & Fox.
Fraenkel, E., 389.
França, C., 193.
Franchini, G. *See* Laveran & Franchini.
—— & Mantovani, M., 183.
Frank, L. C., 574.
Fraser, H., & Fletcher, W., 126, 407.
—— & Stanton, A. T., 153.
von Frendl, E. R., 33.
Frisch, J., 11.
Frouin, A., & Roudsky, D., 40.
Funk, C. *See* Drummond & Funk.

## G.

Gabbi, U., 320.
—— & Others, 424.
Gaertner, G., 26.
Galambos, A., 458.
Galli-Valerio, B., & Rochaz de Jongh, J., 347.
Garrett, F. D., 443.
Gasbarrini, A., 100, 110.
Gautron. *See* Noc & Gautron.
Geddes, 576.
Gelpi, P., 131.
Georges, 292.
Gerwin, 395.
Gettings, H. S., 58.
—— & Waldron, E., 68.
Ghigoff, B., 477.
Ghon, A., 9.
—— & Roman, B., 457.
Giblin, W. E., 246.
Gibraltar, 241.
Gibson, A. G. *See* Dreyer, Walker & Gibson.
——, R. B., & Concepción, I., 140.
Gieszczykiewicz, M., & Sierakowski, S., 509.
Gilbert and Ellice Islands, 355.
Gildemeister, E., & Baerthlein, K., 501.
——. *See* Baerthlein & Gildemeister.
Gimlette, J. D., 111.
Giugni, F., 224, 232, 321.
—— & Benoni, F., 220.
Goff, A. P., & Denney, O. E., 34.
Gomez, M. E., 324.
Gonder, R., 189.
Goodwin, W. R. P., 17.
Graham, G. F., 320.
Greenwood, M., & Udny Yule, G., 509.
Greig, E. D. W., 13, 34, 35, 36, 37, 503.
Grijns, 149.
Groák, F., 33.
von Groeer, F., 460.
Gutierrez, P., 14.
Guayaquil, 523.
Guayomarc'h. *See* Ringenbach & Guyomarc'h.
Guzman, A. *See* Barber, Raquel, Guzman & Rosa.
Gwyther, A., 122.

## H.

Hadwen, S., 541.
Haffkine, W. M., 416.
Hall, I. W. *See* Norgate & Hall.
——, M. C., 300.
Hallenberger, 69, 140.
Harper, P., 301.
Harvey, W. F., & Acton, H. W., 344.
Hassin, G. B., Burke, G., & Nuzum, J., 405.
Hatori, 246.
Head, G. D., 6, 143.
Heckenroth, F. *See* Lafont & Heckenroth.
——. *See* Lafont, Lecomte & Heckenroth.
Hegeler. *See* Muehlens, Hegeler & Canaan.
Heiser, V. G., 25, 143, 249, 525, 529.
Hermant, 421.
Herschmann, H. *See* Weisskopf & Herschmann.
Heymann, P. *See* Mathis & Heymann.
Highet, H. C., 151, 265, 276, 301.
Hill, L. C., 248.
Hindle, E. *See* Nuttall & Hindle.
Hiramatsu, T. *See* Sakai & Hiramatsu.
Hoesen, H. W. *See* Swellengrebel & Hoesen.
Hoffmann, G. L., 378.
Hofmann, J. A. *See* Cadbury & Hofmann.
Hollman, H. T. *See* Clegg, McCoy & Hollmann.
Honeij, J. A., 123, 401, 407.
Hope, 563.
Hopkins, R., 121.
Hort, E. C., 3, 6.
Hossack, 553.
Hostalrich, 120.
Houston, J. W., 319.
Hughes, 292.

## I.

Ichikawa, S., 18.
Ismail, A., 303.

## J.

Jackson. *See* Bombay.
Jacobitz, 495.
von Jagíc, N., 59.
von Jaksch, R., 61.
Jamaica, 523.
Jamieson, S., 87.
Jarno, L., 213.
Jaximoff, W. J., & Wassilewsky, W., 172.
Jeanselme, E., & Vernes, A., 131.
Jeffrey, E., 444.
Jiménez, R. Medina, 136.
Johannsen, O. A. *See* Riley & Johannsen.
Johns, F. M. *See* Bass & Johns.
Johnson, F. B., 307.
Johnston, H., & Tryon, H., 578.
——, J. A., 128.
Johnstone, R. W., 410, 479.
Jones, G. I., 50.
de Jongh, J. Rochaz. *See* Galli-Valerio & Rochaz de Jongh.
Jorge, R., 159.
Justi, K., 456.

## K.

Kantnor, J. L. *See* Levy & Kantnor.
Katsainos, G. M., 400.
Kawashima, K., 146.
Kellogg, V. L., 419.
Kennan, R. H., 266.
Kenwood, H. R., 361.
Ker, A. M., 280.
Kerr, W. M., 233.
Kersten, H. E., 315.
Kesava Pai, M., 466.
Kindleberger, C. P., 356.
Kingston. *See* Jamaica.
Kirby-Smith, J. L., 138.
Klemperer, G., & Zinn, W., 5.
Klempfner, 397.
Klima, C., 59.
Knapp, H. H. G., 345.
Knuth, P., 195.
Kohn, H. *See* Falta & Kohn.
Kolmer, J. A., 205, 380.
von Korányi, 19.
Kraus, R., 12.
Kreibich, C., 391.
Kuenen, W. A., 55.
Kuraoka, 254.
Kuriazides, K. N., 387.
Kusama, S., 150.

## L.

Lacava, F., 151.
Lafont, A., Lecomte, A., & Heckenroth, F., 413.
—— & Heckenroth, F., 223.
Lalung-Bonnaire. *See* Bréaudat & Lalung-Bonnaire.
Lamborn, W. A., 174.
Lancet, 389.
Lane, C., 300, 302.
Lanfranchi, A., 381.
Lange, C., 499.
La-Puente, I., 339.
Lara, N. A.
Lasseur, P. *See* Sartory, Lasseur & Brissaud.
Laufberger. *See* Roubitschek & Laufberger.
Launoy, L., & Lévy-Bruhl, M., 217.
Laveran, A., 10, 177, 226, 230, 381.
—— & Franchini, G., 184.

Lawson, M. R., 105.
Lecomte, A. *See* Lafont, Lecomte & Heckenroth.
Lee, A. W. *See* Morrow & Lee.
Legendre, J., 394.
Leiper, R. T., 295, 437.
—— & Atkinson, E. L., 296.
Leishman, W., 21.
Lelean, 266.
Lemaire, G. *See* Sergent, Edm., & Et, Lemaire, & Sénevet.
Lentz, O., 43.
——, G. H., & Kantnor, J. L., 392.
——, R. L., 302.
——, S., 338.
Leschke, E., 72.
Levy, G. H., & Kantnor, J. L. 392.
——, R. L., 302.
——, S., 338.
Lévy-Bruhl, M. *See* Launoy & Lévy-Bruhl.
Lewis, N. P., 576.
Lhéritier, A. *See* Sergent, Lhéritier & Belleval.
Liefmann, E., 334.
Lindner, E., 3.
von Lingelsheim, W., 499.
Linnell, R. M. C., 329.
Lipp, H., 42.
Lipschuetz, B., 390.
Liston, 262.
Livierato, S., 479.
Loewenthal, W. *See* Ditthorn & Loewenthal.
van Loghem, J. J., 424.
Low, G. C. *See* Wenyon & Low.
Lucibelli, G., 163.
Ludlow, C. S., 338.
Lynch, K. M., 469.
Lynn, W. J. *See* Beverley & Lynn.
Lyons, R., 446.

## M.

Macarthur, W. P., 18.
McCay, 270.
McClure, J. C., 433.
McCombie, F. C., 73.
McConnell, R. E., 308.
McCowen, G. R., 147.
McCoy, G. W., 115, 121, 127, 399.
——. *See* Clegg, McCoy & Hollmann.
McDaniel, O. *See* Wade & McDaniel.
McDonald, G. A., 293, 294.
——, W. M., 526.
Macdonald, N. *See* Chalmers & Macdonald.
Macfie, J. W. S., 211, 345.
MacGilchrist, A. C., 104.
McGuire, L. W., 95.
McHattie, 269.
Maciel, J. *See* Carini & Maciel.
Mackie, F. P., 218. 250.
Mackinnon, D. L., 186.
MacKinnon, J. M., 148.
Maclean, 253.
McMillan, J. F., 44.
Macnamara, 270.
MacNeal, W. J., & Schule, P. A., 206.
McNeil, H. L., 310.
McPherson, J. C., 526.
Macri, P., 139.
MacTaggart, C. *See* United Provinces.
Maddock, C., 483.
Madeley, 572.
Madras Govt. Order, 551.
de Magalhães, J. A., 421.
Maggiore, S., 107.
Maibon, J., 236.
Maitland, T. G., 391.
Malegin, 125.
Maloney, E. A., 569.
Manteufel, 56.
Mantovani, M. *See* Franchini & Mantovani.
Marcovici, E., 65.
—— & Schmitt, M., 491.
Marek, R., 459.
Marett, P. J., 321.
Marmer, R. *See* Yakimoff & Marmer.
Marshall, A. *See* Chalmers & Marshall.
——, D. G., 450.
Martelli, P. N. *See* Memmi & Martelli.
Massaglia, A., 429.
Massey, A. Y., 422.
Matas, R., 121.
Mathieu, A., 476.
Mathis, C., & Beaujean, R., 130.
—— & Heymann, P., 102.
Mathis, L., 306.
Matsuoka, Y., 311.
da Matta, A. A., 232, 337.
Maxwell, E. J., 6.
——, J. P., 125, 146.
Mayer, M., 471.
Mazzetti, L., 506.
Medical Missions in India, 229, 334.
Medina Jiménez, R., 136.
Memmi, G., & Martelli, P. N., 99.
Mense, C., 10.
Merelli, L., 42.
Mesnil, F., 204.
Michie, H. C., 1.
Middleton, W. S. *See* Smith, Middleton & Barrett.
Mignacca, P., 308.
Migone, L. E., 229.
Milne, C., 31.
Minerbi, G., 299, 332.
Mink, O. J., 51.
Missiroli, A., 466.
Mitra, G. C. *See* Sutherland & Mitra.
Mitzmain, M. B., 327.
Mollow, W., 392.
Montgomery, A. G., 287.
——, D. W., 401.
Moore, J. T., 301.
Morgenroth, J., 465.
Morlot & Zuber, 308.

Moroff, T., 201.
Morison, J., 472.
Morrow, H., & Lee, A. W., 402.
Mosby, W. L., 462.
Mouat-Biggs, C. E. F., 302.
Muehlens, Hegeler & Canaan, 214.
von Mueller-Dehan, A., 453.
Mukerji, J. G., & Dass, B., 309.
Munson, E. L., 502.

## N.

Naamé, 491.
Nagahama, M., 305.
Nagayo, M., 149.
Nakajo, S., & Asakura, T., 408.
Nath, Bahadur Baij, 571.
Nazare-Aga, A. K., 116.
Nègre, L. *See* Sergent & Nègre.
Neiva, A., 383.
Neligan, A. R., 91.
Nelson, J. J. Harper, 266.
Nesfield, 266.
Neufeld, F., 396.
Neumann, H., 26.
——, R. O., 481.
Nicolas, C., 413.
Nicoll, W., 308.
Nicolle, C., 8, 106, 159.
——, Blanc, G., & Conseil, E., 7.
—— & Conseil, E., 11.
Nixon, P. I., 51.
Noc, F., 70, 461, 475, 476.
—— & Gautron, 316.
Noguchi, H., 264.
Norbury, F. G. *See* Ten Broeck & Norbury.
Norgate, R. H., & Hall, I. W., 455.
de Nunno, R., 164.
Nuttall, G. H. F., & Hindle, E., 379.
Nuzum, J. *See* Hassin, Burke & Nuzum.

## O.

Obregia & Pitulesco, 31.
O'Brien, C. M., 405.
O'Connell, M. D., 107, 339.
O'Connor, A. P. *See* Chalmers & O'Connor.
Olitsky, P. K. *See* Plotz, Olitsky & Baehr.
Olsson, P. G., 504.
O'Reilly, B. C. N. *See* Gilbert and Ellice Islands.
Orme, W. B., 313.
Orticoni, 395.
Otto, R., 498.
Ottolenghi, D., 494.
Ouzilleau, F., 175.

## P.

Paget, 252.
Pai, M. Kesava, 466.
Palacios, G. D., 233.
Paltauf, R., 4.
Papatheodorou, D. *See* Chalmers & Papatheodorou.
Papendieck, R. M., 213.
Parr, A. E., 284.
Parrot, L., 99, 109.
Pasley, C. B., 52.
Paulian, D. E., 312.
Pečirka, J., 397.
Peiser, H., 71.
Pelosi, G., 99.
Pellegrino, P. L., 320.
Penschke, 421.
Pepere, A., 138.
Perekropoff, G. J., 102.
Perry, J. C., 545.
Perugia, A., & Carchidio U., 318.
Peter, W. W., 549.
Phillips, L. P., 75.
Pick, E. P., & Wasicky, R., 204.
Pinto da Rocha, A., 308.
Pirie, J. H. Harvey. *See* East Africa Protectorate.
Pitulesco. *See* Obregia & Pitulesco.
Plotz, H., Olitsky, P. K., & Baehr, G., 384.
Pollock, C. E., 93, 98.
Porter, A. *See* Fantham & Porter.
Pottevin, H., 30.
Powell. *See* Stamp & Powell.
Prašek, E., 32.
Pribram, E., 464.
Priestley, H., 197.
——. *See* Breinl, Priestley & Fielding.
Pulido, A., 116.
Punjab, 517.
Purdy, J. S., 530, 558.
Pyman, F. L., 431.

## Q.

Quincke, H., 72.

## R.

Ragavendra Rao, K., 247.
Ramoino, P., 153.
Ram Taran Sen, 269.
Raquel, A. *See* Barber, Raquel, Guzman & Rosa.
Razetti, L., 51.
Rebagliati, R., 324.
Reed, E. U., 92, 352.
Reeves, I. S. K., 91.
Rembold, 494.
Remlinger, P., & Dumas, J., 60, 460.
Renault, 31.
——, J., 393.
Ribeyro, R. E., & Bambarén, C. A., 58.
Rice, 245.
Riley, W. A., & Johannsen, O. A., 357.
Ringenbach, J., & Guyomarc'h, 115, 347, 364.

Rivas, D. *See* Smith & Rivas.
da Rocha, A. Pinto, 308.
Rodhain, J., 186.
Rogers, L., 31, 220, 221, 448, 484.
—— & Shorten, A. J., 219.
Roman, B. *See* Ghon & Roman.
Ross, R., 347.
Rosa, A. P. *See* Barber, Raquel, Guzman & Rosa.
Roubitschek, R., 392.
—— & Laufberger, 463.
Roudsky, D. *See* Frouin & Roudsky.
Rousseau, P., 121.
Roussel, 20.
Rowland, S. *See* Bourke, Evans & Rowland.
Rucker, W. C., 414.
Rumpel, T., 64.
Russell, F. F., 207.
Ruysch, W. P., 116.

## S.

Sabella, P., 389.
van Saceghem, R., 169.
Sacquépée, Burnet & Weissenbach, 450.
Sakai, S., & Hiramatsu, T., 154.
Salimbeni, A. T., 44.
Salm, A. J., 346.
Salomon, H., 72.
Salus, G., 29.
Sangiorgi, G., 200, 209.
Sant'Anna, J. F. *See* da Costa, Sant'Anna, Dos Santos & Alvares.
Santoliquido, 159.
dos Santos, A. C. *See* da Costa, Sant'Anna, dos Santos & Alvares.
Sarkar, S. L., 223.
Sartory, A., Lasseur, P., & Brissaud, H., 369.
Savas, C., 45, 490.
Schaumann, H., 144.
Schmidt, A., 461, 477.
Schmitt, A., 461,
——, M. *See* Marcovici & Schmitt.
Schockov, N. F. *See* Yakimoff & Schockov.
Schoebl, O., 38, 137, 500, 502.
Schule, P. A. *See* MacNeal & Schule.
Schultz, C. H., 187.
Schwalb, J., 445.
Scott, Bodley. *See* McCombie Young & Bodley Scott.
Scott, H. H., 249, 426.
Seidelin, H., 234, 235.
Seidl, C., 116.
Sekar, Chandra, 260.
Sellards, A. W. *See* Strong, Tyzzer & Sellards.
—— & Baetjer, W. A., 48.
Semon, H. C., 137.
Sénevet, G. *See* Sergent Edm. & Et, Lemaine & Sénevet.
Sergent, Ed., 107, 341.
—— & Et., 86, 107.
——, ——, Lemaine, G., & Sénevet, G., 227.
—— & Foley, H., 394.
——, Lhéritier, A., & Belleval, G., 376.
—— & Nègre, L., 116, 159.
——Et. *See* Sergent, Edm., & Et., Lemaine & Sénevet.
Sfameni, A., 138.
Shearman, C. H., 559.
Sheldon, J. H., 414.
Shircore, J. O., 334.
Shorten, A. J. *See* Rogers & Shorten.
Sierakowski, S. *See* Gieszczkiewicz & Sierakowski.
Siler, J. F., 349.
Simpson, W. J., 25, 259.
Singer, G., 61, 62, 452.
Singh, B. J. *See* Bihar & Orissa.
Skelton, D. T., 258, 294, 540.
Skutetzky, A., 388.
Smeet, E., 263.
Smith, A. J., & Barrett, M. T., 449.
——, Middleton, W. S., & Barrett, M. T., 56.
—— & Rivas, D., 306.
Smits, J., 475.
Snell, J. A., 447.
Soldin, M., 63, 458.
Soltmann, H., 494.
Sonne, E.; 66.
South Africa. *See* Union of South Africa.
Spaet, W. *See* Weil & Spaet.
Spagnolio, G., 224.
Stamp & Powell, 566.
Stanley, A., 248, 540, 549.
Stannus, H. S., 542.
Stanton, A. T. *See* Fraser & Stanton.
Stein, 504.
Stephens, J. W. W. *See* Emrys-Roberts & Stephens.
Sternberg, C., 28.
Steven, W. S. R., 106
Stevens, H. W. *See* Wolbach, Chapman & Stevens.
Stevenson, A. C., 188.
Stitt, E. R., 75.
Stott, H., 77, 335.
Strauss, H., 451.
Strickland, C., 411, 525.
Strine, H. F., 52, 90.
Strong, R. P., & Tyzzer, E. E., 322.
——, Tyzzer, E. E., & Sellards, A. W., 322.
Studi di Medicina Tropicale, 359.
Suessmann, P. O., 509.
Suhr, A. C. H., 315.
Summa, 92.
Sutherland, W. D., & Mitra, G. C., 101.
Swellengrebel, N. H., 411.
—— & Hoesen, H. W., 412, 418.

## T.

Takaki, Y., 304.
Tasawa, R., 155.
Ten Broeck, C., 455.
——— & Norbury, F. G., 454.
Thoinot, L., 3.
Tirumurti, T. S., 202.
Torres, O., 232.
Townsend, C. H. T., 323.
Trowbridge, E. H., Finkle, B. A., & Barnard, E. M., 24.
Tryon, H. *See* Johnston & Tryon.
Townsend, C. H. T., 323.
Turner, R. E., 174.
Tuttle, H. K., 371.
Tyau, E. S., 548.
Tyzzer, E. E. *See* Strong & Tyzzer.
———. *See* Strong, Tyzzer & Sellards.

## U.

Umber, F., 6.
Union of South Africa, 518, 543, 546, 564.
United Provinces, 518.
U.S. Public Health Reports, 415, 521, 568.

## V.

Veglia, F., 198.
Vernes, A. *See* Jeanselme & Vernes.
Verrotti, G., 129.
Vialatte, C., 342.
Vincent, H., 46.
Violle, H., 41, 43.
——— & Crendiropoulo, 500.
Virgillo, F., 162. 163.
de Vogel, W. T., 29.

## W.

Wade, E. M., & McDaniel, O., 23.
Wagner, G. *See* Fischer, Bitter & Wagner.
Waldron, E. *See* Gettings & Waldron.
Walker, E. L., 306.
———, E. W. A. *See* Dreyer, Walker & Gibson.
Walko, K., 212.
Walton, H. J., 52.
Wasicky, R. *See* Pick & Wasicky.
von Wasielewski, 395.
Wassilewsky, W. *See* Jaximoff & Wassilewsky.
Watkins-Pitchford, W., 298.
Watson, E. A., 382.
Wehrbein, H., 170.
Weil, E., & Spaet, W., 5.
Weil-Hallé, B. *See* Carnot & Weil-Hallé.
Weinberger, M., 62.
Weissenbach. *See* Sacquépée, Burnet & Weissenbach.
Weisskopf, A., & Herschmann, H., 482.
Wenyon, C. M., 192.
——— & Low, G. C., 235.
Wertheimer, H., 393.
West, F. D., 267, 532.
Wharton, L. D., 304.
Whyte, G. D., 489.
Wickware, A. B., 194.
Wiener, E., 484.
Willets, D. G., 15.
Willoughby, W. M., 416.
Wilson, A. H., 420.
Wise, F., 133.
———, K. S. *See* British Guiana.
Wolbach, S. B., 216.
———, Chapman, W. H., & Stevens, H. W., 380.
Woodcock, H. M., 178.
Wright, R. E., 305.
———. *See* Cruickshank & Wright.
Wrightson, W. D., 328.
Wu Lien Teh, 549.

## Y.

Yakimoff, W. L., 172, 378.
——— & Marmer, R., 173.
——— & Schockov, N. F., 225.
de Ybarra, Fernandez, 413.
Yokokawa, S., 304.
Yorke, W., & Blacklock, B., 366, 371, 373, 375.
Young, F., McCombie, 269.
——— & Bodley Scott, 250.
Young, W. J., 432.
Yule, G., Udny. *See* Greenwood & Udny Yule.

## Z.

Zinn, W. *See* Klemperer & Zinn.
Zuber. *See* Morlot & Zuber.
Zschokke, E., 202.

# INDEX OF SUBJECTS.

Compiled by Miss M. H. James.

The Sanitation Numbers (5 and 9) are indexed separately as **Hygiene, Applied, in the Tropics,** and this Index follows the Index of Subjects.


**AMOEBIASIS** (Amoebic Dysentery and Liver Abscess, *see also* **DYSENTERY**), 48–74, 443–50
General References
Arthritic Affections, possibly associated with Amoebae, 57
Emetine, *see also under* Prophylaxis, *and under* Treatment
Action of, on Entamoebae, 446
in Arthritic and Anaemic Affections, 57
Liver Cirrhosis with Amoebic Miliary Necrotic Nodules, in France, 447–8

Amoebic Dysentery
Amoebae
in Atypical cases, 48–9
Called Paramoecia by First Describer, 475
Cultivated from Normal Human Intestine Study on, 54–5
Cyst-like Bodies in Atypical Cases, 48, 49
Encysted, as Cause of Recurrence, 443, 446
List of those Approximated to, in Cultivations from Normal Human Intestine, 54
Non-pathogenic, in Malays, Borneo, 443
to which Oral and Arthritic. &c., Conditions are probably due, 57
in Pus and in Faeces, New South Wales, 444
in Pyorrhoea Alveolaris, 449
Symbiotic Experiments; Results, 54, 55
Two only, Parasitic of Man, 48
in Urine, 52
Probably *E. tetragena*, 53

**Amoebiasis**—*cont.*
Amoebic Dysentery—*cont.*
Amoebae—*cont.*
Entamoebae
Action on, of Emetine: Best Mode of Administration, 446
in Atypical Cases at Baltimore, 48–9
Diagnosis, Differential; Method Advised, 55
*E. buccalis, see also E. gingivalis, infra*
Organisms resembling, in Tonsils, 57
and Pyorrhoea, 55, 56, 57, 448, 449–50
*E. coli, Craigia hominis* Mistaken for, 469
Morphology, 55
Non-pathogenic to Man, 48
at Shanghai, 473
Rare, 474
Unaffected by Emetine, Hypodermically given, 446
*E. gingivalis*; Morphology Nomenclature and Identity, 449–50
*E. histolytica*, Amoeba Resembling, in Stools, New South Wales, 444
Biological Characters of; Variations in, 49
Life-cycle, Three Stages in, 55
in Borneo, 443
*Craigia migrans*, Mistaken for, 469
Effect on, of Emetine, in different Phases, 474
Cysts, and Form, found at Shanghai, 474
Morphology, 55
Morphological Similarity to *E. gingivalis*, 450
Pathogenic to Man, 48, 468
Prevalence of, in U.S.A., 423
at Shanghai, 473

**Amoebiasis**—*cont.*
AMOEBIC DYSENTERY—*cont.*
Amoebae—*cont.*
Entamoebae—*cont.*
*E. minuta*, a Stage of *E. histolytica*, 55
*E. pyrogenes*, Identity, 450
*E. tetragena* (called here *Löschia tetragena*), 445
in Cameroons Cases, 69
One Probably Identical with, in Urine, 53
Route of Entry, 53–4
Löschia, *see* Entamoebae, *supra*
Amoebic Infections, Cryptic, Importance, and Methods of Diagnosing, 444–5
Blood Conditions in, 475
Anaemias, Mild, associated with, 444, 445
Pernicious, Possibly associated with Amoebae, 57
Eosinophilia in, after Emetine Treatment, 444, 475
Leucocytosis : Prognosis, 476
Carriers, Importance of Discovery of, 423
Prophylaxis and, 443
Colitis and, 50, 475, 476
Cure ; Diagnosis of, 444–5
Diagnosis
Leucocyte-Counts in, 444–5, 475
Microscopical, 443
Emetine in (*see also under* Treatment, *infra*), Source, 431
Experiments on Animals, with Amoebae from Normal Human Intestine, 54–5
Helminths present in, together with Amoebae, 70–71
Immunity, Extent of, Borneo, 443
Incidence
Age, 48–9
Children, 49, 50
Geographical
Amazon Valley, 350
America, U.S.
Baltimore, 48–9
New Orleans, 50
North and South, 423
Texan Seaports, 443
Assam (in Tea-gardens), 73
Australia (N. S. Wales), 444
Barbados, 349
Borneo (Sarawak), 443
Cameroons, South, 69
China (Shanghai), 474
Cochin-China, 474–5
Congo, Belgian, 50
German East Africa, 57
India (Lucknow), 52–4
Nicaragua, 51
Philippine Islands, 50, 353
Samoa, 353
Sumatra, 475–6

**Amoebiasis**—*cont.*
AMOEBIC DYSENTERY—*cont.*
Incidence—*cont.*
Race, 50, 52, 443, 474
Infection from Liver Abscess, Pus Causing, 445
Intestinal, When to be Considered as Ulcerative Colitis, 50
Intestine, Normal Human, Amoebae from, 54
Menstruation as affected by Emetine, 445–6
Miliary Nodules on Cirrhosed Livers, 447, 448
Mines as Infection-Centres, 444
More Frequent in India than Bacillary Dysentery, 466
Mortality-Reduction since Introduction of Emetine (Belgian Congo), 50
Opium-Habit in relation to, 431
Panama Canal Opening, in relation to Spread, 443
Pathology, 443
Post-Cure Prophylaxis, 443
Pregnancy as affected by Emetine, 445–6
Prognostic from Leucocytosis, 476
Prophylaxis
Emetine, 443
for Europeans in Borneo, 443
Quinine Enemas, 443
Stool-Examination after Recovery, 443
Recurrence, due to Encysted Entamoebas, 443, 446
References to Literature, i–ii, xxix–xxx
Relapses in not Prevented by either Emetine or Ipecac. alone, 50
Symptoms, 48–9, 50, 447
in Atypical Forms, 48–9
Clinical, 443
Three Obscure Cases, 48–9
Transmission by
Carriers, 423
Panama Canal Opening and, 443
Mines, as Endemic Centres, 444
Treatment by
Chaparro amargosa, 49, 51
Diet, 50
Emetine, 48, 49, 50, 51, 52, 57, 444, 445, 474
Accompanied by Ipecacuanha, 50
Compounds, 446–7
Delayed Effect in Confirmed Opium Eaters, 431
Death of Child probably due to, 447
Dosage, 446, 447

**Amoebiasis**—*cont.*
AMOEBIC DYSENTERY—*cont.*
Treatment by—*cont.*
Emetine—*cont.*
Effect, in Pregnancy and Menstruation, 445–6
Mode of Action, 446
Modes of Administration, 446
Saline Solution, 445
Iodides, Bismuthous, and Mercuric, of Emetine, 446-7
Ipecacuanha, 49, 50, 51
Conjointly with Emetine, 50
Efficiency in reference to Mode of Administration, 446
Irrigation with Emetine, Ipecac. and Quinine, 51
Magnesium Sulphate, 51
Operative, 51
Quinine, 51
Salvarsan, Intravenously, 51
Specific and Non-Specific Means, 476
Tinct. Opii, before Ipecac., 50

VARIOUS FORMS
Acute, Amoeba Causing, Borneo, 443
Amoebic Hepatitis in Persia, 352
Symptoms, &c., 447–81
Amoebic Tonsilitis, Emetine in, 57
Atypical, 48–9
Recognition of, 48–9
Chronic, *see* Atypical, *supra*
Cryptic Infections: Diagnosis Important in, 444–5
Experimental Emetine Compounds in, 447
Intestinal; Atypical forms: Three Cases, 48–9
Latent, Blood-Conditions in, 444-5
in Borneo, 443
Diagnosis, 444
Symptoms; Appendicitic, 444
Oral
Pyorrhoea Alveolaris and Dentalis
*E. buccalis* and, 55, 448, 449–50
Streptococci and Staphylococci in, 448
Treatment by
Emetine (specific), 56, 57, 446, 449
Ipecacuanha, Variously given, 56
Vaccine; Streptococcal, 448, 449
True Nature: Pericementitis, rather than Alveolitis, 56
Urinary; Symptoms, 52–3
Treatment by Emetine, 53

**Amoebiasis**—*cont.*
LIVER ABSCESS
Complicating Amoebic Dysentery, 50
Cured by Emetine, 51–2
Doubtful Cases: Advice on, 450
Enormous: Cure, 52
*Entamoeba histolytica* alone found in, 55
Incidence, Geographical
Amazon Valley, 350
America, U.S., 423
Australia (New South Wales), 444
Cochin-China, 474
Infection with Pus from, Causing Amoebic Dysentery, 445
Malignant Primary Adenoma of Liver Simulating, 450
References to Literature, i–ii, xxix–xxx
Treatment by
Aspiration, 52
Emetine, 52, 53, 476
Successful; Method described, 51–2
Evacuation, 476

**Ankylostomiasis,** *see under* **HELMINTHIASIS**

**Ascariasis,** *see under* **HELMINTHIASIS**

**BERIBERI,** 142–55
Anti-neuritics, the Chief, 144
Blood-Conditions in, 149, 150, 151
Bran, Value of, in Diet, 149
Carbohydrate Diet and, 350
Cardiac Failure as Cause of Death, 151
Cholesterin-deficiency and, *see under* Etiology, Theories
Cooking in regard to Vitamine-destruction, 147
Curative Substance for; Attempts at Isolating, 152–3
Death-rate of Leper Colony, with use of Polished and Unpolished Rice, 143
Diet in relation to (*see also* Etiology, *and* Prophylaxis), 142, 143, 147, 149, 155, 423
Etiology
Investigations and Conclusions, 144–5
Rice in relation to, *see* Rice
Theories
Cholesterin Deficiency, 151–2
Dietetic, 144, 145, 148, 149
Fly-contamination of Food as causal agent, 146
Infection, 148
Evidence against, 142

**Beriberi**—*cont.*
Etiology—*cont.*
Theories—*cont.*
Intestinal Fermentation, 145, 146
Intoxication, by as yet Unisolated Agent, 147
Microbic, 149
Nerve-food-stuff Deficiency, 149
Primary Nerve Lesion, 150
Vegetable Parasite, 429
Vitamine Deficiency, 144, 147, 155
Two main Points, 143
Food, other than Rice, Deficient in Vitamines, 143
Protection from Flies, 146
Vitamines in, 143, 144, 147, 155
Temperature as affecting, 143
Glandular changes in, 150
Incidence
Class, 142–3
Geographical
Amazon Valley, 350
America, U.S., 423
Barbados (imported), 350
China (Fukien), 146
East African Protectorate (Jubaland), 148
Greece (question of), 148–9
India, 151
Italy, 151
Japan, 146, 155
Persian Gulf, 147–8
Philippine Islands, 142, 143, 152
Straits Settlements, 146
Locality, 155
Leper's Colony, 143
Race, 148
Relative to that of other Diseases, in the Philippines, 143
Seasonal, 155
on Shipboard, 147
Incubation-period, in Man
Europeans, 142
Filipinos, 142
Jubaland Neuritis akin to; Causation: Treatment, 148
Lipoids in Treatment, *see* Cholesterin, *under* Treatment, *infra*
Malt as Anti-neuritic, 144
Metabolism, 144, 145
Muscular Changes, 149
Nerve-Changes, 149, 150
Pathogenesis, 144–5
Pathological changes; Three Stages, 149–50
Patella reflexes after Recovery, 151
Personal Experience recorded, 147–8
Phosphorus changes, 144, 145, and the true Anti-neuritics, 144
Phosphotungstate Precipitate from Rice-polishings, Researches on, 152–3

**Beriberi**—*cont.*
Post-mortem Findings as to Cardiac Hypertrophy, &c., 151
Pre-Cooking Destruction of Rice-food Efficiency, 147
Predisposing Causes on Ship-board, 147–8
Preventable character, 143
Prophylaxis
Diet and Food Precautions, &c., 142, 146
Feeding Experiments, 146–7
Modification in, 142
Protection of Food from Flies, 146
References to Literature, ii, xxx–i, lvi
Rice in relation to (all forms), 142, 143, 144, 146–7, 151, 154, 155
Bacteria spores in, and Fly-contamination, 146
Rice-bran as Anti-neuritic, 144, 145
Rice-food Disease to be differentiated from, 155
Rice-polishings, Phosphotungstate, Precipitate "from," Researches on, 152–3
Scurvy in relation to, 155
Sequelae, 151
Serum of Patients with, as affecting Toads, 154
Symptoms, 145
Temperature as affecting Vitamine-quality in Foods, 143
Treatment by
Cerebrin, 152
Cholesterin, 152
Paratoxin, 152
Phytosterin, 152
Pro-secretine, 145
Rice-Bran extract, 145, 153
Secretine, 145
Vaso-constrictor action of Serum of Patients, 154
Vegetables, Fresh, and Lime-juice as affecting, 147
Vitamine-deficiency, Jubaland Neuritis from, 148
Theory, *see under* Etiology, Theories, *supra*
Vitamines; Attempts to Isolate, 152–3
Nature of, Schaumann's views, 144

**Varieties**
Avian, or Polyneuritis
Action on, of Rice Bran, 155
Distinct from Human, 155

Experimental, Action in, of Cholesterin, &c., 152
of Animals, as affected by Rice, &c., 144
Frogs, Action on, of Serum of Beriberi Cases, 154

**Beriberi**—*cont.*
Varieties—*cont.*
EXPERIMENTAL—*cont.*
Not Identical with Human, 155
in Pigeons, Human forms resembling, 145
Oxygen consumption and Carbonic Acid Gas expiration, as observed in, 154
Results, 153–4

HUMAN
Acute, 147
Cardiac; Symptoms, 149, 150–1
Chronic; How Evolved, 150
Mild forms; Etiology, 145
Ship; Etiology, 145
Symptoms, 147

**Bilharziasis,** *see* SCHISTOMIASIS *under* **HELMINTHIASIS**

**Biting Anthropods and Ticks,** *see under* **ENTOMOLOGICAL REFERENCES**

**BLACKWATER FEVER**, 108–10
Experimental, 110
Haemoglobinuria, Experimental: Production technique, 110
House-history of, 108–9
Incidence
Age, 108
Geographical
Algeria, 109–10
Areas, in reference to Elevation and Water, 109–10
Amazon Valley, 350
America, U.S., Southern States, 423
East Africa Protectorate, 108, 109
Gold Coast, 108
Nigeria, Northern, 108
Southern, 108
Nyasaland, 108, 109
Sierra Leone, 108
Uganda, 108
Kidney-damage following, 108
Malarial Infection associated with, 86, 108, 109, 110, 423
Quinine-taking, in relation to, 108, 110
References to Literature, iii, xxxi
Tick-fever as Pre-disposing cause, 108
Treatment by
Calcium Chloride, 109
Hyoscine, 109
Morphine, 109

**Blackwater Fever**—*cont.*
Treatment by—*cont.*
Neosalvarsan, 109
Pituitary Extract, 109
Saline Infusions, 109

**Bubo, Climatic,** References to Literature, xxiii, lv

**Carrion's Disease,** *see* **Oroya Fever,** *under* **VERRUGA PERUVIANA** and **Oroya Fever**

**Chagas' Disease,** *see* TRYPANOSOMIASIS, HUMAN, AMERICAN, *under* **SLEEPING SICKNESS**

**CHOLERA** 25–47, 479–513
Acidosis in: Effects, 488
Adrenalin Content of Suprarenal Capsules of Rabbits Inoculated with Cholera Cultures, 41
Adrenalin Therapy, *see under* Treatment, *infra*
Age, in relation to Mortality, 484, *table*, 485
Alkalinity of Blood (*table*), 487
Alkaline Cultural Media, *see* Esch's, *and* Lange's, *under* Bacteriology, Cultural Media, *infra*
Bacteriology
Agglutination in relation to, 479-81
Diagnosis by, 482–3
Frequency, 480
Inoculation as Affecting, 480
Titres in Cases of, 36–7
Relationship between, and
Degrees of, or Absence of, Inoculation, 480
Fatality of Cases, 480
Height of, and Time elapsed between Inoculation and Onset of Disease, 480
Severity of Case, 480
Bacteriological Diagnosis, *see* Diagnosis, Bacteriological, *infra*
Examination of Stools: Emergency Method, 481
Cultural Media
Alkaline Blood-agar, 499
Meat-agar, 499
Aronson's, 495
Dieudonné's, 43, 496–8, 499
Modifications of, 499
Substitutes for, 502
Dorr's, Value of, 482–3
Esch's Alkaline Meat-agar, 499

**Cholera**—*cont.*
Bacteriology—*cont.*
Cultural Media—*cont.*
Enriching, Classification of Bacteria likely to Grow in, 500
Hofer and Hoverka's, 496–8
Kabeshima's, 496–8, 499
Kraus's, 500
Lange's New, 499–500
Ottolenghi's, 500
Pilon's, 496–7, 499
Selective; Comparative Studies on, 496–8
Violle's, 43–4
Safety Apparatus for Washing Cultures from Petri Dishes, 509
*Vibrio Cholerae*, 26
Absent in Ascertained Case, 504
Action on, of
Lanthanum Sulphate, 40
Thorium, 40
Various Disinfectants; Experiments on, 501
Agglutinating with Cholera Serum: Presence of in Stools: Indications from, 30
and *B. typhosus*, from Stools of Healthy Persons, in Cholera-Infected Areas 29
Biological Variations in, 42
Mutation not so-far Established in Variants, 506–7
Studies on, 504–6, *table*, 505
and Cholera-like Vibrios, in Tissues, together, 35
Haemolytic Action of Indian Strains, 36
in Contacts, 26
Cultural Media for, 496–8, & *see above* for details
Cyclic Development, Ohlssen's Table Shewing, 505
in Danube Water, 482
in Drinking-water: Infection from, 26
El Tor Strain: Variability shewn, 506
in Experimental Disease, 41, 500
in Gall-Bladder, in Post-mortem Examinations, 34
History, 479
Inagglutinable and Weakly-Agglutinable in Diagnosis, 38–40
Locations in which Found (*see also under* Persistence), 29, 35, 38, 41, 503, 504
Lymphatic System as Channel of Distribution, 35
Occult Stage predicated, 26

**Cholera**—*cont.*
Bacteriology—*cont.*
*Vibrio Cholerae*—*cont.*
Persistence of (Viability)
After Death, 28
in Carriers, 502, 503
in Experimental Disease, 500
in Intestine and Stools, 28, 481, 482, 501–2, 503
in Manila Waters, 38
Outside Human Body, 37
Reducing Powers: Variability in, 506–9
Why not Isolated during Life: Theory on, 35
Wide Dissemination in Body, 35
*Vibrio Kegallensis* Cast., Differentiation of, 40–1
Vibrios resembling, from
Carrier, 503–4
Diarrhoea Case, 509
Non-Pathogenic Nature of, 36–7
Bile-Flow, Intermittent, and, 42
Bile-Secretion, Suppression of, in Experimental Animals: Deductions, 41–2
Biliary Passages, Lesions of, 34–5
Blood-Alkali Powder: Preparation with, of Dieudonné's Agar, 43
Blood Conditions in, *see also* Uraemia, *infra*
Agglutinins in, 36–7
Alkalinity (*table*), 487
after Inoculation, 42–3
Low Pressure, 487
Pressure Tests, 489
Lowspecific gravity: Prognosis, 488
Specific Gravity Tests, 489
Cardiac Failure, as Cause of Death, 488, *table*, 486
Carriers, Human (*see also under* Transmission), 26, 28, 424
Actual and Suspect, Isolation of, 30
Agglutination Titre, Raised; Retention of, by, 36
Calcutta Water-supply Infected by one, 503–4
Percentage of, in Manila, 502–3
Prevention of, by Serum, with Hypertonic Saline Injections, 504
Stools of, Persistence in, of *V. cholerae*, 502, 503
Treatment as affecting, 503
in Relation to *V. cholerae*, in Liver and Biliary Passages, 34–5
Case in which no Vibrios were Found, 504
Cellulitis, after Inoculation, 30
Chromaffin Substance in Suprarenal Capsules of Rabbits, Action on, of Cholera Endo-toxins, 41

**Cholera**—*cont.*
Collapse as Cause of Death, 484, 488, *tables*, 485, 486, 487, 489
Treatment: Prognosis, 488
Atropine in Control of, 489
Complement-deviation in Cholera Strains of Three Years old, 42
Contacts, *V. cholerae* in, 26
Convalescents and Inoculated Persons, Sera of, Comparison of, 44
Intestinal Haemorrhage in: Cause, 31
Uraemia in, *see* Uraemia, *infra*
Corrosive Sublimate, as Disinfectant, 501
Cresolin, as Intestinal Disinfectant, 501
Crystal Violet, Action on *V. cholerae*, 501
Deaths in; Causes, 484, 488–9, *tables*, 485–7
Delayed Development [possible], 28
Diagnosis
Bacteriological
by Agglutination (*q.v.*, *supra*), 482–3
Alkaline Blood-, and Meat-agars for, 499
Enriching Media for, 500
In-agglutinable and Weakly-Agglutinable Cholera Strains, Importance for, 38–40
New Method, 495
Series of Examinations, 495–6
Special Tests Essential in, 35
Differential, of Asiatic, from Cholera Nostras, and from other Diseases, 479
Post-mortem, 30
Digestive glands, Part played by in Attacks, 42
Diseases with similar Symptoms, Differential Diagnosis of, 479
Disinfection of
Intestine: Experiments on, 501
Travellers, Ineffective, in Eastern Europe, 482
Embryos of Cholera-dead Mothers, generally Free from *V. cholerae*, 503
Endemic, Bengal; Chief Factors in, 26
Endotoxins of, Action of, on Suprarenal Capsules in Rabbits, 41
Eosine, as Intestinal Disinfectant, 501
Epidemics, *see under* Incidence, *infra*
Epidemiology, 479, 482–3
Ether-Sterilized Vaccine for, 46
Experimental, 500

**Cholera**—*cont.*
Experimental—*cont.*
Action in, of
Lanthanum sulphate, 40
Thorium, 40
Lesions of Gall-Bladder and Biliary Passages observed in, 34–5
Mixed Inoculation with Typhoid and Cholera Vaccine, 501
Vibrio-persistence in, 510
Flies as Vectors, 45, 479
Formalin, as Intestinal Disinfectant, 501
Fuchsin, Acid, and Basic, as Intestinal Disinfectants, 501
Gall-Bladder Lesions in, 34–5
Giemsa as Intestinal Disinfectant, 501
Haemolytic Action of Indian Strains of Cholera, and Cholera-like Vibrios, 36
Haemorrhage, Intestinal, in Convalescents: Cause, 31
Historical account of the Disease, 44
History of the Vibrio, 479
Hyperpyrexia in; Control, 488–90, *table*, 486
Immunity, in relation to Inoculation, 25, 510–11, 513
Incidence
Age, 484, *table*, 485
Attack, in Inoculated and Uninoculated Persons, 511–13
Class
Lunatics in Asylums, 32–3
Mecca (and other) Pilgrims, 424, 479
Soldiers, 479, 482, 483
Geographical
Austria-Hungary, 26, 479, 483
Epidemic of 1914, 25
Bohemia, 29, 30, 47–8
Moravia, 30
Przemysl (during siege), 27, 32
Slavonia (epidemic), 482–3
Balkan countries, 479
War Area, 31
Bulgaria (Balkan War period), 25, 31, 482
Roumania (epidemic), 481–2
Batavia (epidemic, 1913), 38–40
Ceylon, 25
China
Canton (epidemic, 1913), 32
Swatow (epidemic), 489
Egypt
Alexandria (epidemic), 484
Red Sea Shores
El Tor (epidemic), 484
Germany (epidemic, 1914), 25, 495–6

**Cholera**—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Greece, 479
Athens (ancient: surmises), 44
Balkan War Epidemic of 1913, 25, 456, 490–1
India, British, 25, 26, 34, 479
Admednagar (epidemics of 1912 and 1913), 483
Bengal (endemic at Cossipur-Chitpur), 26
Fly-borne, 479
Calcutta, 34, 503–4, 511
Epidemic, 484
French (Pondicherry), 31
Japan, 25
Persia (epidemic of 1904), 352
Philippine Islands, 25–6, 38
Manila (epidemic of 1914), 502
Russia, 479
Epidemic of 1914, 25
Throughout the World (1913), 410, 479
Turkey-in-Europe, 479
Epidemic of 1914, 25
Religion, 479
Season, 504
Shipboard, 479
Inoculated Persons and Convalescents, Sera of, Comparison between, 44
Inoculation, *see* Vaccination, *under* Prophylaxis, *and under* Treatment, *infra*
Insect Vectors, *see* Flies
Intestinal Disinfectants, *see* Disinfection, *supra*
Haemorrhage, *see* Haemorrhage, *supra*
Liver, *V. cholerae* in, 35
Lysol, as Intestinal Disinfectant, 501
Malachite Green, as Intestinal Disinfectant, 501
Methylene Blue, Action of, on *V. cholerae*, 501
Mode of Attack, (*see also under* Incidence, *supra*), Deduced from Experiments on Rabbits, 42
Mortality (*see also* Death, *supra*),26–7
At Certain Ages, 484, *table*, 485
Causes, 484, *tables*, 485, 486, 487
As Affected by Emetine, 31–2
in Greek Epidemic (1913)
(*a*) Rough, 45
(*b*) Comparative, in Inoculated and Non-Inoculated Cases, 45
India, 479, 483
in Uninoculated, Once Inoculated, and Twice Inoculated Cases, 25, 47, 483, 490
in relation to Serum Treatment, 481

**Cholera**—*cont.*
Mortality—*cont.*
and Severity of Attack, in Inoculated Soldiers from near Cracow, 46–7
Slavonia Epidemic, 482
Nitrite-Conversion of Nitrates by *V. cholerae*, Variability in, 506–9
Nitrous Acid produced by *V. cholerae* in Human Intestine. Variability in : Experiments, 506–9
Pancreatic Secretion, Suppression, &c. of, as Affecting Cholera Virulence in Experimental Animals, 41
Paracholera, *Vibrio kegallensis* Cast, Isolated from, 40–1
Pathogeny of, Tested on Rabbits, 41–2
Pathological Conditions found in Post-mortem Examinations, 30
Pneumonia in, 488, *table*, 486
Poisoning, Illnesses from, with Similar Symptoms ; Differentiation, 479
Post-Choleraic Uraemia : Sodium Bicarbonate Treatment Effective, 488
Post-mortem Diagnoses, *see* Diagnosis, *supra*
Potassium Permanganate, as Intestinal Disinfectant, 501
Prophylaxis, 25, 26, 28, 29, 44, 45, 46, 47
Control of Carriers, 26, 30
Along Danube, 482
Disinfection of Excreta, 26
*versus* Isolation, 26
Examination of Stools of Persons from Infected Regions, 29
Experimental, by Vaccine Sterilized with Ether, 46
Guarding Food and Water Supply, 26
Inadequate, 482
Inoculation, *see* Vaccination, *infra*
Isolation of Contacts : Case of Ineffectual, 28
of Sick, and of Carriers, 26
at M., 1914, 483
Quarantine
Effective, 482
Inadequate, 482
Roumanian Measures, 481–2
Serum and Hypertonic Saline Injection given Simultaneously, 504
Successful, at Bukharest, 481
Vaccination and Vaccines, 25, 29, 44, 45, 46, 47, 483

**Cholera**—*cont.*
Prophylaxis—*cont.*
Vaccination, &c.—*cont.*
Beneficial: basis of view, 513 *et proevi*
Comparison with Inoculation with some other Disease, 513
Experimental, by Ether-Sterilized Vaccine, 46
Methods
Haffkine's, 25
Hankin's, in reference to India, 25
Kolle's, 45
Fulminating Cholera and Death after, 45
Mixed, Castellani's, 25
Plea for, 46
Researches on Sera of Convalescents and Inoculated Persons, 44
Statistics, Comparative, as to Results, 480, 481, 483, 490, 509 *et sqq.*
as affecting Troops, 45
Well-"Pinking" with Potassium Permanganate, 483
Psychoses, 31
Quarantine, *see under* Prophylaxis, *supra*
Rash, 27, 29, 484
References to Literature, iii–iv, xxxi–iii
Sera of Convalescents and Inoculated Persons: Comparison of, 44
Serum Agglutination in Convalescence, Rise of Titre in, 44
Sodo-Glycerine Medium for Isolation of Cholera Vibros, 43–4
Stool-Examination for Longevity of *V. cholerae*; Method employed, 501–2
Stools, Length of Time *V. cholerae* is Passed in, 28, 481, 501–2, 503
Suspect
Examination on Large Scale; Method employed, 498
Rules for Taking, Dispatching and Examining, 30
Suprarenal Capsules of Rabbits as affected by Cholera Endotoxins, 41
Symptoms, 25, 26, 27, 481, 482, 484, 488, 489, 490, *tables*, 485, 486, 487, 489
in Convalescents, 29, 31
Dermic, 27, 29, 484
after Inoculation, 25, 30,
Mental, 31
Nervous, 484
Renal, *see* Uraemia, *infra*

**Cholera**—*cont.*
Symptoms—*cont.*
Respiratory, 29, 35, 488
Vascular, 484, 486
Those of Other Diseases Resembling: Differentiation, 479
Tissue Invasion in, by *V. cholerae*, 34–5
Transmission, by Various Means, and Predisposing Causes
Carriers, 26, 28, 30, 34–5, 36, 424, 479, 482, 502–3, 503–4
Contact, 28, 45, 479
Flies, 45, 479
Fouling of Ships' Sides by Night Soil Scuppers, 29
Infected Persons, 45
Ill-digested Meals during and after Ramazan, 479
Insanitary Conditions, 26, 479
Sun-dried Fish, Contaminated by Flies, 479
Water
Jute-Soaked, 479
Vibrio-Infected, 20
Travellers, Infective, Disinfection of, in Eastern Europe and Italy, 482
Treatment by
Adrenalin, 33, 491
Allphen, 491
Animal Charcoal, 33–4, 482
Anti-Cholera Sera, 46
Atropine, 488–9, *table*, 489
Baths, Hot, &c., 27, 28, 32
Bolus Alba, 27, 482
Caffein, Sod. Benzoic, 32
Calomel, 27, 489
Camphor, 27
Cardiac Stimulants, 481
Castor Oil, 27
Cerium Oxalate, 28
Cocaine, 28
Creosote, 28
Cupping (in Uraemia), 490
Digitalis, in Large Doses, 28
Emetine, 31–2
Eucalyptus, Tincture of, in Large Doses, 28
Fasting, 29
Glucose Enemata, 484
Solution, 28
Hydrogen Peroxide, 484
Hypertonic Saline Injections, 27, 28, 32, 33, 402, 481, 484, 488, 489–90, 491, 504, *table*, 485
Iodine, Tincture, 27, 32, 33, 46, 482, 491, 501
Lanthanum Sulphate, 40
Massage, 28, 32
Nitroglycerine, in large Doses, 28
Nursing, great Importance of, 27

**Cholera**—*cont.*
Treatment by—*cont.*
Old and New Methods Contrasted, 484, *table*, 485
Opium, 27
Potassium Permanganate
Beverage, 33
Disinfectant, 501
Pills, 483, 484
Proctoclysis, 34
Protan, 29
Salol, 503
Serum, Dosage, Early use, and Effect on Mortality, 481, 490–1
Opinion of Greek Doctors, 490–1
Sodium Chloride and Bi-carbonate Injections (in Uraemia), 488
Sodium Sulphate, 477
Sulphuric Acid, dilute, 33
Thorium, 40
Vaccine (Inoculation), 45, 481
Effect on Agglutination, 480
Blood-Cells after, 42–3
in reference to Indian Native Susceptibilities, 25, 31
Moldovan's, 482
Results, 483
Warmth, Mustard Bath: Rubbing, Warm Sand Bags, Stimulants, &c., 27
Troops as affected by Inoculation, 45
Trypan Blue, and Trypan Red, as Intestinal Disinfectants, 501
Two-form Theory, of Naamé, 491
Uraemia as Cause of Death, 484, 488, *tables*, 486, 487, 489
in Convalescence: Treatment by Bicarb.-sod., 488
Treatment, 488
Aims of, 490
Cupping, &c., 490
Saline Injections, 490
Vaccines for, *see also under* Prophylaxis, *and under* Treatment, *supra*
Bacterial Contents, 494–5
Efficacy-Tests, 494
Preparation-Methods, 45, 481, 491–2, 494, 495
Simplification and Cheapening; Apparatus used, 492–3
Standardisation; Difficulties, 491
Methods Actual and Suggested, 494, 495
Testing, 494
Water, and Water-Supplies in relation to, 26, 479

**Chyluria**, *see under* ELEPHANTIASIS, *under* **HELMINTHIASIS**

**Craigiasis**, *see under* **DYSENTERY,** FLAGELLATE

**DENGUE**, *see also* **FEVERS, UNCLASSED,** *and* **PAPPATACI FEVER**
Differential Diagnosis, 314
Incidence, Geographical
America, U.S., Southern States, 423
Panama Canal Zone (epidemic), 314
Samoa, American, 352
Points concerning, needing Investigation, 423
References to Literature, vi, xxxvi
Symptoms, 314

**Dermal Leishmaniasis**, *see under* TROPICAL SORE, *under* **KALA AZAR**

**Disease Prevention**, *see under* **HYGIENE, APPLIED, IN THE TROPICS**

**Dracontiasis**, *see under* **HELMINTHIASIS**

**DYSENTERY** (BACILLARY, FLAGELLATE, MIXED or UNCLASSED, *see also* AMOEBIC DYSENTERY, *under* **AMOEBIASIS**
BACILLARY, 57–69, 450–67
Ambulant [Military] Cases, 64
Anti-Dysenteric Serum (*see also* Serum, *under* Treatment, *infra*), Rapid Production Method, 65–6
Aspect of Patient with Acute Supra - Renal Syndrome, 460
in Post-Typhoid Cases, 458
Bacteriological Diagnosis, *see* Diagnosis, *infra*
Examination of Stools
Early, Important, 451
Need of, in Cases of Suspicion, 72
Bacteriologist's Task in War-Time as to, 464–5
Bacteriology
Agglutination, by Patients' Sera in Diagnosis, 452
Agglutination Reaction of Sera, 57–8
Unreliable, 59
Bacteria and Bacilli found in French Troops, 451, *see also* Spirilla, *infra*
Infectious Diarrhoea of Children, U.S.A., 454–5

**Dysentery**—*cont.*
BACILLARY—*cont.*
Bacteriology—*cont.*
Bacteria, &c.—*cont.*
Test-Strains, for Diagnostic Agglutination work, 452
Used in Vaccine-Therapy, 462, 467
Bacilli Associated with
*B. dysenteriae*
Bloody Stools associated with, in Children, 68
Detection, Microscopical 460
Detention in Hospital till Free of, 464
in Excreta of Children with Gastro-Enteritis, 66–8
Grouping, New, Proposed, 58
Infection, in Camps, &c., Pre-disposing factors, 61
Organisms resembling, found at Nairobi, 341
Search for as Diagnostic Essential, 475
Tests of Isolated Strains by Agglutination and Fermentation Reactions, 57–8
Variability in Strains from Galician-Russian Epidemic (1914), 465-6
Viability in Intestinal Canal, 65
Atoxic Strains, Prognosis of Cases due to, 452–3
Flexner, 72
Accidental Invasion by, of Infants' Blood, 455
with Amoebae and Helminths also Present, 70–1
Atypical Strains, 453
in Diagnostic Cultures, 475
Forms resembling, 57
Found by Agglutination, 452
in Epidemic Cases, Variations in Reactions from Same Stool, 59
Infection, *see also* Pseudo-Dysentery
Convalescence after, 463
in French Troops, 451
in German Troops, 72
in Indian Cases, 466
Mortality-reduction in, by use of Entero-cleaner, 464

**Dysentery**—*cont.*
BACILLARY—*cont.*
Bacteriology—*cont.*
Bacilli Associated with—*cont.*
*B. dysenteriae*—*cont.*
Flexner—*cont.*
Jointly found with Typhoid and Paratyphoid Bacilli, 64
Occasional Severe Cases due to, 69
Serum Treatment, 476
and the Thermoprecipitin Reaction, 466
in Vaccine, 462
Flexner Type, 69
Variations in Cultures, 69
Flexner Y-type (*see also infra*), in Dysentery in Children, 68
Mannite fermenting Group: Form of Disease due to : Features of, 66–8
Associated with the Disease in Lunatics, 456
from Stools of Lunatic, Thus proved a Carrier, 68–9
Morgan's, No. 1, 59
Agglutination Tests, 454
in Infectious Diarrhoea, U.S.A., 454–5
Shiga, Agglutinated by Patients' Serum, 58, 452
in Argonne Epidemic, 60
from Blood in Paratyphoid Relapse Case, 458
in Case of Suspected Typhoid, 457
Cultivation Experiments with, 69
Differentiation, from Group of *B. Flexner*, &c., Use of Mannite and Maltose for, 57, 58
Infections ; Light form, 61, 69
Convalescence after, 463
in Indian Cases, 466
in Rheumatoid Form, 62
Serum Treatment, 453, 476
in Troops, 72
in Vaccine, 462
Shiga-Kruse Type, in Flies, Sumatra, 475
and the Thermoprecipitin Reaction, 466
Strong, 58, 66, 69, 72
Unaffected by Thermoprecipitin Reaction, 466

**Dysentery**—*cont.*
BACILLARY—*cont.*
Bacteriology—*cont.*
Bacilli Associated with—*cont.*
*B. dysenteriae*—*cont.*
W., in French Troops, 451
Y-form, Found by Agglutination, 452, 456
in Argonne Epidemic, 60
in Blood: Significance, 457–8
Forms resembling, 57
in French Troops, 60, 451
in German Troops, 72
in Indian Cases, 466
in Infectious Diarrhoea, U.S.A., 454
Infection, Most Prevalent in Troops, 72
from Stools, 456
Children's, 454
Use of Term suggested by Manteufel, 58
and the Widal Reaction, 458–9
Gas-forming, 57
*B. paratyphosus*, A. & B., 451
Found by Agglutination, 452
in Infectious Diarrhoea, U.S.A., 455
*B. proteus vulgaris*, in Infectious Diarrhoea, U.S. America, 454
*B. pseudodysenteriae*, Vaccine as affecting, 462
*B. pyocyaneus*, in relation to Dysentery, &c., in Children, 456–7
in Epidemic Case, 456
in the Gut, 456
in Wells, 457
*B. typhosus*, Agglutinated in Case, where Dysentery Bacilli also Found, 457
from Stools, 457, 458
*B. welchii* (*B. enteritidis sporogenes*), in Infectious Diarrhoea, U.S.A., 454
*Cocci* associated with
*Enterococcus*, in French Troops, 451
in Rheumatoid Case, 61, 62
*Staphylococci*, from Rheumatoid Case, 62
*Streptococci*, in French Troops, 451
Bacteriology the Best Guide to Diagnosis, 459
Doerrs' Medium for Diagnostic Work, 465
Negative Findings, 451, 453
Thermo-precipitin Reaction in Diagnosis, 466
Widal Reaction in, 458–9

**Dysentery**—*cont.*
BACILLARY—*cont.*
Blood of Infant Yielding *B. dysenteriae*, Flexner type, 455
Blood in Stools, 451, 452, 454, 455, 457, 461
Blood-Conditions in, 63
Blood-Stained Stools in Children with Gastro-Enteritis, associated with Presence of *B. dysenteriae*, 68
Bowel Ulceration in relation to Rheumatoid affections, 61
Bowel-Washing, *see under* Treatment, *infra*
Carriers, *see also* Transmission
Detection of one in Lunatic Asylum, 68–9
Entero-cleaner Treatment for, 464
Military, Difficulty of dealing with, 65
in relation to Lunatic Asylum Epidemics, 59
Chronic Diarrhoea and, 68–9
Clinical Notes on, 452–3
Clinical Types, in French 4th Army, 450–1
Clinician's Needs in War-Time, 464–5
Colitis, Forms of, Mistaken for, 452, 453, 457
Colitis gravis, Difficulty of Differentiating from Chronic, 452
Bacilli Found in, by Agglutination, 452
Complications, 65, 476
in Convalescents, 463
List, 63
Convalescence; Conditions and Complications during: Treatment, 63, 463
Rectoscopic Examination during: Value, 62
Temperature-Rises during: Possible Cause, 59
Course, in Texas, 460
Diagnosis, 453, 455
Bacteriological
Agglutination Tests in, 464
Best Guide to, 459
Essential, 464
Clinical, 459
Polyvalent Anti-dysentery Serum in: Value of, 466
Serological, 459
Thermoprecipitin Reaction, 466
Diarrhoea, Infectious, of Children, U.S.A., Stools of, Blood, Pus, and Bacteria in, 454–5

**Dysentery**—*cont.*
BACILLARY—*cont.*
Dyspepsia of Convalescents: Treatment by
Hydrochloric Acid, 463
Pancreon, 463
Elephantiasis, following Post-Dysenteric Lymphangitis, 65
Entero-cleaner, the, *see under* Treatment, *infra*
Epidemic of Disease Clinically, but not Bacteriologically, Resembling, 456
Epidemics, *see under* Incidence, *infra*
Etiology of each Form (*see also* Bacteriology, *supra*), Importance of Ascertaining Factor, 451–2
Quincke and Leschke's Theory, 453
in South Kamerun, 69
Flies as Vectors, 353, 475
Gastro-Enteritis of Children in relation to, 66, 67, 68
Immunisation Experiments, with Mixtures of Toxin and Anti-toxin, 467
Incidence
Age, 66–8, 455
Class
Armies, in Peace and in War, 59, 60–1
Present War, 60, 63, 64–5
French 4th Army, 450–1
French Troops, 460
Russian and German Troops, 64, 465–6
Civilians, 466
Jail Prisoners, 466
Lunatics, 59, 68, 456, 466
Workhouse Inmates, 455–6
Geographical
Amazon Valley, 350
America, U.S., 68, 454–5, 460
Austria (epidemics), 61–2, 65, 453
Barbados, 349
British Isles, 58–9
England (epidemic), 455–6
London, 68
Yorkshire, 68
Cameroon-French borders, 348
Denmark, 66–8
East Africa Protectorate (Nairobi), 341
France (Argonne), 60, 460
German East Africa (epidemic), 57–8
Germany, 62–3
Hamburg (rarity of), 64
Troops, wounded in Present War, 64
India, 466

**Dysentery**—*cont.*
BACILLARY—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Peru (Lima), 58
Russo-Galician region, 465–6
Samoa, 352, 353
Epidemic, Annual, 353
Sumatra, 475
Race, 57
Indolent Ulcers of Lower Bowel, Silver Nitrate for, 62
Infection-Severity of B. Flexner and B. Shiga, 69
Insect Vectors, *see* Flies, *supra*
Jaundice, Acute, Developed during Convalescence, 463
Joint-Affections, as Complications, 61-2
Liver Abscesses associated with, 452
Loss of Weight: Diet to Compensate, for Convalescents, 463
Lymphangitis after, followed by Elephantiasis, 65
Maltose for Differentiation of Strains of Bacilli, 58
Mannite, for Differentiation of Strains of Bacilli, 57–8
Mixed Infection, with Typhoid-Causing Bacilli, 451, 452, 454, 455, 457–9
Mortality in
Armies, 60
Lunatic Asylums, 59
Uncomplicated Cases, Rare, 453
Nomenclature, 455
Polyarthritis as Complication, 61-2
Post-mortem Findings, 452, 460
in Case with Helminths also Present, 71
Post-Typhoid; Incidence: Aspect of Patient: Prognosis: Symptoms, &c., 458, 459
Pre-disposing Factors Affecting Soldiers, 61, 451
Prognosis in Cases due to Atoxic Bacilli, 452–3
Prophylaxis, 61, 451, 464
Regarding Suspect Cases, 464
Vaccination, 462, 467
Recovery, Spontaneous, 454
Rectoscopic Examination During, and in Convalescence; Value, 62
References to Literature, iv–vi, xxxiii–iv
Rheumatism, as Complication, 452, 453, 454, 463
Rheumatoid Conditions associated with: Symptoms: Treatment, 61–2

**Dysentery**—*cont.*
BACILLARY—*cont.*
Relapse-danger to be borne in Mind, 461
Relapses in
Asylum Cases, 467
Soldiers : Precautions, 452
Renal Conditions in reference to Vaccine Therapy, 462
as Secondary or Mixed Infection to, or with, Typhoid, 457–8
Serum of Patients, Agglutination by, of Bacilli, in Diagnosis, 452
Spirilla in, in French Troops, 451
Supra-renal Glands as Affected in, 460
Strongyloidosis as Cause, 70–1
Summer Diarrhoea in relation to, 68
Two Forms, 68
Symptoms (*see also* Complications, *supra*), 61, 62, 63, 451, 452, 453, 454, 455–6, 457, 458, 461, 476
Acute Suprarenal Syndrome, 460
in Convalescence, 62, 63, 463
in Sporadic form, 67
Those Characterising the Malady, 454, 455
Temperature-records in Convalescents, 59, 454
Transmission by
Carriers, 455
Difficulty of Detecting in Lunatic Asylums, 59
and Variation in Predominant Bacteria borne by, 458
Warning on, 461
Flies, 353, 475
Treatment by
Adrenalin, 460–1
Various Modes of Administration, 460–1
Enemata of Special Value, 461
Animal Charcoal, 61, 62, 453, 454, 463, 464
Anti-Streptococcal Serum (*see also* Serum, *infra*), 62
Bismuth, 58, 63, 462
Bolus Alba, 61, 62, 63, 453, 454, 461, 463
Bowel-Washes, Saline, and Medicated, 453, 460, 464, 476, 477
Bowel-Washing by the Entero-cleaner (or Automatically-Acting Washer), for War Use, 463–4
Caffein, 63
Calomel, 61, 62, 454, 461
Camphor, 63, 461
Castor Oil, 61, 62, 461
with Sodium Bicarbonate, 462

**Dysentery**—*cont.*
BACILLARY—*cont.*
Treatment by—*cont.*
Colon-Irrigation, Solutions for, 462
Diet, 63, 64, 453, 460, 462, 463
Digitalis, 63
Dopter's Anti-Dysenteric Serum, 58
Electrargol, 62
Emetine, 58, 454, 461
Enemata, Medicated, 454, 461, 462
Eucalyptol, 62
Fasting, 462
Hexamethylentetramin Solution, Used in Entero cleaner, 464
Hypertonic Saline Injections, 62, 63, 454,
Kho Sam, for Bowel Wash Solution, 476
Mercury Perchloride, 460
Milk, various kinds, 453
Morphine, 61, 64
Normal Horse Serum, 63
Normal Saline Enema, 462
Olive Oil Enema, 462
Opium, 61, 64
Warning on, 453, 454
Osmosyl, 454
Purges (various), 462
Ringer's Solution, Used in Entero-cleaner, 464
Rochelle Salts, 462
Saline Solution (*see also* Hypertonic, & Normal, *supra*), 61, 461,
with Alcohol and Tannin, Used in Entero-cleaner, 464
Serum, 58, 60, 61, 62, 63, 65–6, 454, 461, 462, 465
Specific, 451
When Indicated, 451, 453, 476, 477
Silver Nitrate Solution, 454
in Bowel Washing, 476
for Indolent Ulcers, 62
Simaruba, 454
with Pomegranate-root, 453
Sodium Sulphate in Bowel Wash, 476, 477
Suppositaries of
Belladonna with Opium, 461
Cocaine, &c., 462
Tannalbin, 454
Tannin, Enemas, 61, 63
Turpentine, 462
Uzara, 57, 454
Vaccine, 461–2
Yeast-Preparation, Jaroschka-Richter, 59–60
Typhoid Developed during Convalescence, 463

**Dysentery**—*cont.*
BACILLARY—*cont.*
Ulcerative Intestinal Lesions in Convalescents, 59
Widal Reactions, Typhoid and Paratyphoid, in Cases Clinically Resembling, 458, 459

**Various Forms**
Acute and Subacute Sero- and Vaccine-therapy in, 461–2
Chronic, Etiology, Problems of, 452, 453
Misdiagnosed, 452, 453
Rare in Vienna, 454
Treatment by
Caustics, 453
Enemata of
Bolus Alba, 454
Silver Nitrate, 454
Insufflation, 453
Surgery, and Bowel Lavage, 453
Pseudo-dysentery : Bacteriology and Symptoms, 456
*Pyocyaneus*, Symptoms : Location, &c., 456–7
Sporadic, Cause : Clinical and Epidemiological Features, 66–8
CILIATE
Balantidiosis
*Balantidium coli*, in Faeces, 74, 473, 474
Incidence
Brazil, 74
Porto Rico, 478
Shanghai, 473, 474
Symptoms, 74
Treatment by
Emetine, 74, 478
Salvarsan, 478
Uzara, 74

FLAGELLATE, 74, 467–71
Craigiasis, 467–8
Causative Agents, 467–9
Craigia
*C. hominis*
Life-cycle, 467
Mistaken for *Entamoeba coli*, 469
*C. migrans*,
Life-cycle, 468
Mistaken for *Entamoeba histolytica*, 469
Diagnosis, 468–9
Incidence, Honduras, 467 *et sqq.*
Treatment by
Emetine, 469
Ipecacuanha, 469
Lamblia-caused, Treatment by Emetine, 471

**Dysentery**—*cont.*
FLAGELLATE—*cont.*
Macrostoma, from Human Intestinal Dejecta, Bengal, 471
Trichomoniasis
Clinical and Experimental, 469–71
Incidence in America, U.S., 469
Trichomonas in Man, Borneo, 443
Biology, Cultivation : Infection-Route : Morphology : Pathogenicity, &c., 469–70
Five-Flagellate n. sp.
*Pentatrichomonas bengalensis*, Morphology, &c. 470–1
*Hexamastix ardin-deteili*, to be Compared with the above, 470
*T. hominis*, 469
*T. intestinalis*, 469, 473
at Shanghai, 474
*T. vaginalis*, 469

MIXED, or UNCLASSED (*see also* Mixed Infection, *under* BACILLARY, *supra*), 69–74, 472–8
Anguillula-Caused, in Cochin-China, 474–5
Bacteriology, Indian, at Poona, in relation to, 473
Carbohydrate Metabolism as affected, 71
Carriers : Two Types, 474
Cercomonas in, in
Borneo, 443
U.S.A. (Texas), 310
Convalescence : Symptoms, 71
Diagnosis
Differential
Agglutination Tests in, 475
Diseases Calling for, 477
Serum-diagnosis, 475
Microscopic, Necessity for, 474, 475
Drinking-Water in Relation to, 472–3
Etiology, 72, 472–3, 476
Factors of, other than Bacteriological, 72
Gangrene in, 458
Incidence
Class, 70
German Troops, present war, 72–3
Mecca Pilgrims, 424
Geographical
Assam (Tea-gardens), 73
Cameroon, South, 69
China (Shanghai), 473–4
Cochin-China, 70–1, 475

**Dysentery**—*cont.*
MIXED, &c.—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Eastern Frontier, present War, 72–3
India, (Poona), 472–3
Libya, 70
Seasonal: Etiology, 472–3
Infections Met with in Troops: Form Most Frequent, 72
Intestinal Affections Simulating, 72–3
Internal Secretions as Affected, 71
Lake Fife, Poona, in relation to, 473
Parasites found in Stools, European and Chinese, Shanghai, 473–4
Perforations of Bowel, but no Peritonitis: Case of, 477–8
Precautions advisable, 72
References to Literature, iv–v, xxxiv–vi
Sewage Pollution of Drinking Water as Cause, 473
Stools of Europeans and Chinese, Shanghai: Parasites found, 473–4
Symptoms, 71
Treatment by
Adrenalin, 71
Belladonna, 71
Absorbents, *see* Bolus Alba, &c., *infra*
Bolus Alba *and* Animal Charcoal, 73, 477
Diet (Fluid), 73
Emetine, 73, 74, 474
Combined with Serum, 476
Sodium Sulphate, with Opium; Solution, 477
Poultices, Abdominal, 73
Purgatives, 477
Rest in Bed, 73
Simaruba, 72
Vaccine, 462
Uzara, 72, 74

**Various Forms**
"Poona Diarrhoea," 472–3
Pseudo-Dysentery, in the Nervous; Cause: Diagnosis: Prophylaxis: Treatment, 474–7
Severe: Bowel Perforation Present: Peritonitis Absent, 477–8

**Elephantiasis,** *see under* **HELMINTHIASIS**

**ENTOMOLOGICAL REFERENCES,** *see also Anopheles, and* Mosquitoes, *under* **MALARIA**; Fleas, *under* **PLAGUE,** Phlebotomus, *under* **FEVERS** *and* **PAPPATACI FEVER**; *Simulidae, under* **FEVERS** *and Stegomyia, under* **YELLOW FEVER**; *see also* Handbook of Medical Entomology (*Riley and Johannsen*), *under* **REVIEWS**
*Anopheles*, Absent from Gilbert and Ellice Islands, 355
Hibernating in Switzerland
Larvae found of
*A. bifurcatus*, 347
*A. nigripes*, 347
Arachnolysin, from *Latrodectes* Spider; Haemolytic action of, 420
Bacteria, in Mosquitoes: Queensland, 344
Biting Arthropods and Ticks; References to Literature, xxvi, lix–lx
Biting Flies, Insecticides for, 396
Bloodsucking Insects of Australia, Report on, 344
Bugs, Destruction by
Powder, 396
Solution, 396
Chigoes, French-Cameroon borders, 348
Prophylaxis, 421
Copper Sulphate Solution for Destroying Mosquito Larvae in Storage Vessels, 346
*Corethra velutinus*, Hibernating in Switzerland, 347
*Culex fatigans*, Control of, Barbados; Results as to Elephantiasis, 350
*Culex punctulata*, in B.N. Guinea, 353
*Culicelsa vigilax*, Bacteria in: Queensland, 344
Culicidae Hibernating in Switzerland, 347
*C. nemorosus*, 347
*C. pipiens*, 347
*Homalomyia scalaris*, Herpetomonas found in Larvae of, 185
Insecticides, for
Bugs, 396, 397
Fleas, 396
Flies, Biting, 396
Lice, *see under* **TYPHUS FEVER**
Ticks, 396

**Entomological References**—*cont.*
*Latrodectes* genus : Distribution, 419
*L. mactans*, the " Black Widow " Spider of California, Effects of Poison from Bite of, 419–20
Lynchia Flies, associated with Pigeons, Parasites of, 190
Lysol for Destroying Mosquito Larvae in Storage Vessels, 346
Lysol (or Cresol) Soap Solution, with Vaseline, for Chigoe-Prevention, 421
Mallophagous Insect, found on Lynchia, 190
Mosquito-borne Diseases
Comparative Rarity in Gilbert and Ellice Islands, 355
Work on, of Beauperthuy, 347
Mosquitoes
Australian ; Bacteria in : Examination for, 344
Papuan ; List of, 354
Destruction, Various Methods
Dealing with Receptacles for Stored Water, 346
Destruction of Breeding-places, 345–6
Ducks, as Larvicides, Drawbacks to, 346
Results as to Elephantiasis, of Barbadian Campaign against *Stegomyia fasciata*, and *Culex fatigans*, 350
Hibernating in Switzerland ; Species Found, 347
Pediculi, *see also under* **TYPHUS FEVER**, Prevalent in Persia, 352
*Porocephalus armillatus*, Infection of, in Man, Nigeria, 420
References to Literature, xxvi, lv, lvi, lviii, lix–lx
Scorpion Sting, Reference to Literature, lv
Spider Bite, *see Latrodectes, supra*
*Stegomyia*, of Gilbert and Ellice Islands, 355
*S. fasciata*, Bacteria in ; Queensland, 344
Campaign against, Barbados ; Results as to Elephantiasis, 350
*S. scutellaris*, in British New Guinea, 354
*Stomoxys nigra*, Coincident with Animal Trypanosomiasis, 376
*Theobaldia annulatus*, Hibernating in Switzerland, 347

**Entomological References**—*cont.*
Ticks
Cattle, Sierra Leone, 376
*Ambylomma variegatum*, 376
*Boophilus australis*, 376
Contact-Insecticide for, 397
Toxalbumen, distinct from Secretion of Poison Glands, in *Latrodectes* Spiders, 420
" Uta venemosa," Bite of, Disease from, Peru, 428

**Espundia**, *see under* **SKIN DISEASES, TROPICAL**

**FEVERS IN TROPICS**, Unclassed (*see also* **DENGUE**, *and* other Fevers *under* Names), 314–18
Curious Forms, in British New Guinea, 354
Glandular Fever, Endemic, or Mossman Fever, in Queensland, 314–15
Indefinite Fever, in Queensland, 343
Kedani River Fever
Disease Resembling, in Korea, 316
Incidence, Geographical
Japan, 316
Malaya, 316
Philippines, 316
Sumatra, 316
Suspected Case : Malaya, 316
Mossman Fever, *see* Glandular, *supra*
Pseudo-Typhus Fever (*see also* Kedani River Fever, *supra*), Cases Resembling, at Saigon, 316-17
References to Literature, vi, xxxvi
Sand-fly Fever (*see also* **PAPPATACI FEVER**), Fevers resembling at Singapore, 315
Six-day Fever, Rash of, &c., 314
Small-pox, Doubtful Case, at Rabaul, 315-16
Unclassed Form in Persia, 352

**Filariasis**, *see under* **HELMINTHIASIS**

**FLAGELLATE DYSENTERY**, *see* **DYSENTERY**, FLAGELLATE *with* **DYSENTERY** (BACILLARY, &c.)

**Gangosa**, *see under* **SKIN DISEASES, TROPICAL**

**Guinea-Worm**, *see* DRACONTIASIS, *under* **HELMINTHIASIS**

**Heat Stroke**, References to Literature, vi, xxxvi

**HELMINTHIASIS**, 295–313, 437–42

**General and Unclassed References**

Abdominal Pains in relation to, 305, 310
Appendicitis; Worms in the Appendix in relation to, 311
Banana Debris, in Faeces, Parasites Simulated by, 312
Diagnostic Indications of Parasitic Infections, 310
Eosinophilia, as evidence of Parasitic Infection, 310, 312
Intestinal Parasites in
  Adults: Study of Symptoms due to, 310
  Faeces, Chinese and European, at Shanghai, 309, 473
  United Provinces, India, 309
Mixed Infection by Various Parasites at one time, Borneo, 443
Parasitism and Eosinophilia, 310, 312
Pathological Meaning of Worms in Vermiform Appendix, 311
References to Literature, viii, xxxviii
Toxins of Various Helminths: Inoculation Experiments: Results, 312
Worm-nodules in Cattle: Study of, Queensland, 344
Worms in Vermiform Appendix; Pathological Results, 311

**Cestode Infections**

*Dibothriocephalus latus*, in
  Dogs, Shanghai, 295, 296
  Europeans, Shanghai, 309
*Hymenolepis nana* and Hookworm (mixed) Infection; Symptoms, 310
  Simulated by Banana-débris in Faeces, 312
  in U.S.A., 423
*Sparganum mansoni*
  Incidence
    America, U.S. (Texas), 301
    Japan, 301
Tape-Worms; Action on, of Pumpkin Seeds, 348

TAENIASIS
  *Dipylidium caninun, see T. cucumerina, infra*
  References to Literature, vii
  Taenia, in Europeans and Chinese, Shanghai, 473
    Segments; Banana-débris in Faeces, Simulating, 312

**Helminthiasis**—*cont.*
Cestode Infections—*cont.*
TAENIASIS—*cont.*
  *T. cucumerina*, Toxin of, Eosinophilia due to, 312
  *T. nana* Infection; Symptoms, 310
  *T. saginata*; Abnormalities, 300–1
    Infection in
      Chinese and Europeans, Shanghai, 309
      Indians, Lucknow (probable), 309
    Symptoms, 310
  *T. serrata*, How Protected against Digestive Enzyme Action, 312
  *T. solium* Infection; Symptoms, 310

**Nematode Infections**

General References
  Anguillula Infestation in Cochin-China, 474–5
  in China, 295–6, 473

ANKYLOSTOMIASIS (Uncinariasis)
  Campaign against in Fiji: Results, 301–2
  as Complication of Malaria: Treatment, 331, 332
  Immunity of Adult Negroes, Texas, 310
  Incidence, Geographical
    Amazon Valley, 350
    America, U.S., 302
      Texas, 310
    Australia (Queensland), 343
    Barbados, 350
    Borneo, 443
    China, Hangchow, 296
      Shanghai, 295–6, 309, 473
    Fiji, 301–2
    French-Cameroon border, 348
    Guam, 311
    India, 302–3
      Lucknow, 309
    Samoa, 352, 353
    Siam, 301
    Venezuela, 302
  Race, 301–2
  Mines as Centres of Endemicity, 444
  Mitral Murmurs in: Origin, 303–4
  Mixed Infection, with *Hymenolepis nana*: Symptoms, 310
  Parasites Causing
    Ankylostome Ova and Embryos as affected by Salt, &c., 343–4

**Helminthiasis**—*cont.*
Nematode Infections—*cont.*
ANKYLOSTOMIASIS—*cont.*
Parasites Causing—*cont.*
Ankylostomes in Faeces: Chemical Manures to Destroy: Experiments on, China, 296
Ova, met on French-Cameroon borders, 348
*A. caninum*, at Shanghai, 295, 296
*A. duodenale*, in Borneo, 443
in China, in Animals and Man, 295–6, 309, 473
in Siam, 301
*Necator americanus*, in Europeans and Chinese, Shanghai, 47
in Siam, 301
References to Literature, vii–viii, xxxvii
Symptoms, 301, 303–4, 310, 311
Treatment by
American Worm Seed Oil, *see* Chenopodium, *infra*
Beta-Naphthol, 303
Poisoning from, 313
Eucalyptol, 303
Higueron Milk, followed by Salts, 302
Oil of Chenopodium, or Chenopodiol, 302, 303, 431, 432
Salicylic Acid, 303
Santonin, 311
Thymol, 302, 303, 311
Various Drugs: Relative Efficiency and Cost, 303
Uncinarial Dermatitis: Treatment by Salicylic Acid in Ethyl Alcohol, 303
ASCARIASIS
Incidence, Geographical
China (Shanghai), 309, 473
Guam, 311
Samoa, 352
Parasites Causing
Ascaris in Europeans and Chinese, Shanghai, 309
Pseudo-Fibroid of Uterus due to, Guam, 311
*A. lumbricoides*, in Borneo, 443
on French-Cameroon borders, 348
in Indians; Lucknow, 309
Intestinal Obstruction Caused by, 304–5
Ova; Development: Temperature in relation to Destroying, 304
Pain, Severe Abdominal, due to, 305
*A. megalocephala*; Toxin of, Eosinophilia from, 312

**Helminthiasis**—*cont.*
Nematode Infections—*cont.*
ASCARIASIS—*cont.*
References to Literature, viii, xxxviii
Symptoms, 304, 305, 306, 311
Treatment by Santonin, 305
DRACONTIASIS (Dracunculosis)
Incidence
Class, 309
Geographical
India, 309
Sudan (White Nile Province), 309
Race, 309
Occurrence, alleged, on Backs of Indian Water Carriers, 309
References to Literature, xxxviii
Summary of Knowledge of, 308–9
FILARIASIS
Blood-films, as taken in British New Guinea, 353
Hydrocele Attributed to: French-Cameroon borders, 348
Incidence
Geographical
Amazon Valley, 350
America, U.S.
Charleston, S.C., 307
Philadelphia, 307
Australia (Queensland), 343
Barbados, 349, 350
British New Guinea, 353–4
Cameroons, 306–7
Cochin, 305–6
French-Cameroon borders, 348
Gilbert and Ellice Islands, 356
Indo-China, 306
Philippine Islands, 306
Samoa, 352, 353
Race, 307
Sex, 307
Parasites (Filaria and Microfilaria)
in Blood, in Multiple Angiosarcoma, 141
Night-Blood of Whites and Negroes, Barbados, 350
Concentration - Technique, for Detection of Embryos, 307
Embryos; Appearance, Periodical, in Blood-Stream: Causal Theory, 307
Intermediate Hosts, Actual and Suspect
*Culex fatigans*, 305

**Helminthiasis**—*cont.*
Nematode Infections—*cont.*
FILARIASIS—*cont.*
Parasites, &c.—*cont.*
Intermediate Hosts, &c.—*cont.*
*Culex microannulatus*, 305
*Nyssomyzomyia rossii*, 305
*Stegomyia scutellaris*, 305
Mosquito-vectors, 305–6
Nocturnal Periodicity, in Carriers, British New Guinea, 353
*Dirofilaria immitis*, found at Shanghai, 295, 296
*F. bancrofti*, in
Cochin, 305
Philippine Islands, 306
Porto Rico, 306–7
U.S.A., 423
Transmission Experiments with, and *Cimex lectularius*, 307
*F. loa*, Infection acquired in
Africa, 307
Cameroons, 306–7
Portuguese West Africa, 308
Symptoms, 307
Treatment, by Neosalvarsan, 308
*F. philippinensis*, Identity and Morphology, 306
*M. nocturna*, one in British New Guinea Resembling, 353–4
Prophylaxis, Actual and Suggested, 306
References to Literature, viii, xxxviii
Symptoms, 305, 306, 307, 308
Treatment by
Emetine, 306
Phenocoll, 353
Potassium Iodide, 306, 353
Salvarsan, 353
Thymol, 306
Tr. ferri chloridi, 353
Urotropin, 353

**Various Forms**

ELEPHANTIASIS
Incidence, Geographical
Barbados (decreasing), 350
British New Guinea, 354
Cochin, 305
Colombia, 133
Gilbert and Ellice Islands, 355
Indo-China, 306
Samoa, 352, 353

**Helminthiasis**—*cont.*
Nematode Infections—*cont.*
FILARIASIS—*cont.*
Various Forms—*cont.*
ELEPHANTIASIS—*cont.*
Mission-work as Vector, 355
References to Literature, xxxviii
Spread of, Precautions [advised], 355
Tattooing in relation to, 353

CHYLURIA
Nitrogenous Metabolism in, 343
Protein-Estimation in Urine in, 343

FILARIAL ABSCESSES, in Samoa, 353

OCULAR FILARIASIS
Symptoms, 307, 308

ONCHOCERCIASIS
Onchocerca Larvae, found in Human Blood, 308
*Onchocerca gibsoni* Larvae; Migration through Capsule of Worm Nodule, 308

OXYURIASIS
*Oxyuris* in the Appendix, 311
at Shanghai, 309, 473
*Oxyuris vermicularis*, on French-Cameroon boundaries, 348
in Indians, Lucknow, 309
Toxin of, Eosinophilia from, 312

STRONGYLOIDOSIS, in Cochin-China, 304
*Strongyloides*, in Chinese and Europeans, Shanghai, 309, 473
Embryo, in Indians, Lucknow, 309
*S. stercoralis* Larvae; Pathogenicity of, 304
Symptoms, 310

TRICHINELLIASIS
*Trichinella spiralis* Rare in Chinese Pigs, 296

TRICHOCEPHALIASIS
Treatment by Higueron Milk, followed by Salts, 302
*Tricocephalus*, in the Appendix, 311
in Chinese and Europeans, Shanghai, 309, 473

**Helminthiasis**—*cont.*
Nematode Infections—*cont.*
TRICHOCEPHALIASIS—*cont.*
*Tricocephalus*, &c.—*cont.*
*T. dispar*, in Borneo, 443
Toxin of, Eosinophilia from, 312
*T. trichuris*, on French-Cameroon boundaries, 348
in Indians, Lucknow, 309

**Trematode Infections**
*Artyfechinostomum Sufrartyfex*; New Parasitic Echinostome of Man, 300
Cercariae in Fish, China and Japan, 295
*Clonorchis sinensis*, in Chinese and Europeans, Shanghai, 295, 309, 473
in Japan: Trout as Carrier, 295
in U.S.A., 423
*Dicrocoelium lanceolatum* in U.S.A., 423
*Distomum haematobium*, 296
Echinostome, n.g., in Assam, Classed in *Himasthlinae*, 300
at Shanghai, 295, 296
*Fasciola hepatica*, in U.S.A., 423
*Fasciolopsis*, in Pigs, Southern China, 296
near Shanghai, 295
*F. buski*, Echinostome Ovum resembling, 296
New Echinostome resembling, 300
*Himasthlinae*, New Echinostome classed in, from Assam, 300
Infections common in U.S.A., 422–3
*Katayama nosophora*, described; Transmission Experiments, 297-8
*Metorchis*, n. sp., at Shanghai, 295, 296
*M. truncatus*, 296
*Opisthorchis sibericum*, form resembling, at Shanghai, 296
*Paragonimus westermanni*, Endemic in Hogs, U.S.A., 423
Parasites of Man found in Dogs, in China (Shanghai region), 295–6
References to Literature, vi–vii, xxxvi–vii

SCHISTOSOMIASIS (Bilharziasis)
Ammonium Sulphate, for Puddle Treatment, to Destroy Molluscs, 441
Asiatic form; Spread of, 296–8

**Helminthiasis**—*cont.*
Trematode Infections—*cont.*
SCHISTOSOMIASIS—*cont.*
Bionomics of, 299
Character and Cost, 437
Conditions in Maritime (Suez) Canal Zone (1915), 441
Diagnosis; Possible Source of Error, 341
Etiology, 437, 439, 440, 441, 442
Loos Theory, 437, 438, 439
Mollusc (Fresh-water) Theory, 438 *et sqq.*
Fresh-Water Molluscs, *see* Molluscs, *infra*
Incidence
Age, 438, 439
Class
Troops, 437, 440, 441
Geographical
Antigua, 299
Assam, 300
China, 295–6, 473
Egypt, 300, 437–8
Martinique, 299
Naos Island, 299
Natal, 298
Panama Canal Zone, 299
Season, 440, 441
Infection of: How Incurred and Avoided, 298, 439, 440, 441
Inoculation Experiments: Unsuccessful, 437
Invertebrate Intermediary of, Search for, 437, 438 *et sqq.*
Found in Fresh Water Molluscs in Egypt, 438 *et sqq.*
Irrigation, Perennial, in relation to Spread of, 439, 440, 441
Lasting Effects, and Financial Burden imposed by, 437
Marshes as Source of Infections, 441
Molluscs, Fresh-Water, Egyptian, as Hosts of Schistosoma, 438 *et sqq.*
Parasites of
*Hemileia vastatrix*, Uredospores and Teleutospores of, in Urine, as Possible Sources of Error in Diagnosis, 341
*Bilharzia*, *see Schistosoma*, *infra*
*Distomum haematobium*, *see Schistosoma haematobium*, *infra*
*Schistosoma* (*Bilharzia*)
Bionomics of Extra Corporeal State, 439, 441

**Helminthiasis**—*cont.*
Trematode Infections—*cont.*
SCHISTOSOMIASIS—*cont.*
Parasites of—*cont.*
*Schistosoma*—*cont.*
Cercariae
Destruction of, 439, 441-2
How Identifiable, 438
Infection Experiments; Successful, 438–9
in Molluscs, and Spread of Asiatic Schistosomiasis, 297–8
Temperature Fatal to, 441
Reproductive periods, 441, 442
Reproductive Stage, 297–8
*S. haematobium*, Man only Known Host, 437
Transmission Experiments with, 298–9
in U.S.A., 423
*S. japonicum*, 295, 296, 298
in Chinese and Europeans, Shanghai, 309, 473
Pathological Features of Case, in Large Bowel, 299
Physical Conditions in Egypt, Favourable to Eradication, 439
Prophylaxis, Importance of, 437
Destruction of
Molluscs, 440, 441
Schistosoma Cercariae, 439, 441
Water Supply Control, 439, 440, 441, 442
Puddles and, 441
References to Literature, vii, xxxvii
Results of Mission on, in Egypt, 1915, 437–42
Sand-filters not Reliable, 442
Sodium bisulphate to Destroy Bilharzia Cercariae, 441 442
Spread, *see* Transmission, *infra*
Swimming Pools as Sources of Infection, 298
Tap-Water Fatal to Schistosoma Cercariae, 441
Transmission by
Fresh-water Molluscs in Drinking Water, 438 *et sqq.*
Irrigation, 439, **440**, 441
Man to Man, 437
Treatment by Thymo-Benzol, 300
Urine as Affecting Schistosome Larvae, 298
Centrifugalization of, for Demonstrating Casts in, 299, 300

**Helminthiasis**—*cont.*
Trematode Infections—*cont.*
SCHISTOSOMIASIS—*cont.*
Water Essential to Schistosoma Cercariae (Extra-Corporeal Stage), 439, 441
Storage Fatal to Cercariae, 439
Tap-Water Fatal to Cercariae, 441
Unfiltered, as Cause of the Disease, 439, 440, 441, 442
Water-Supplies in relation to, 438 *et sqq.*

Shrimps, Fresh-water, *Fasciolopsis* larvae Encysted in, China, 291
*Yokogawa yokogawai*, Endemic, Shanghai district, 295

**HYGIENE, APPLIED, IN THE TROPICS,** *see* Separate Index, following Subject Index, at page 647

**KALA AZAR** (and **Tropical Sore**), 218–32, *see also* p. 180 small type
in Animals, *see* **Canine**, *and* **Experimental**, *infra*
Human, and General
Atoxyl in (*see also under* Treatment)
Action by Reduction Product, rather than by itself, 223
Bed Bugs as Vectors, 218
Blood-Conditions in
Alkalinity, 219–20
Leucocyte Reduction, 221
*Bodo*-like Parasite, in Phlebotomus Flies, 218
Death in, Usual Cause, 221
Herpetomonas, in Phlebotomus Flies, 218
Fleas, Unsuccessful Transmission Experiments with, 224
Incidence
Geographical
Anglo-Egyptian Sudan, 220
Assam, 219
Ceylon, 222
India, 218, 222
Race, 222
Insect Vectors, *see* Bed-bugs, Fleas, Lice, Mosquitoes, Phlebotomus Flies
Leishmania, *see also under* **PROTOZOOLOGY**

**Kala Azar**—*cont.*
Human, and General—*cont.*
Leishmania—*cont.*
Action on, of
Atoxyl, 223
Tartar Emetic, alone and with other Drugs, 222–3
*L. canis*, *L. donovani*, *L. infantum*, and *L. tropica*, Cultures of, Effects of Inoculating with Bacteria, 220
Not Transmitted by Leeches fed on Patients with, 218
Leeches as Vectors, 218
Lice, Body, and Head, as Vectors, 218
*Micrococcus melitensis*, Cultures of *Leishmania* Surviving Inoculation with: Deductions as to Undulant Fever and, 220
Mosquitoes as Vectors, 218
*Paramecium caudatum*, Action on, of Quinine, 223
Phlebotomus Flies as Vectors; Parasites harboured by, 218
Quinine, Action of, on Parasites of, 223
References to Literature, ix, xxxix–xl
Sporozoon-like Parasite, in Phlebotomus Flies, 218
Transmission, by Insect Vectors, 218
Treatment by
Alkalies, per Mouth, 221
Arsenic, 221
Bone-Marrow Tabloids, 221
Castellani's Yaws Mixture, 222–3
Iodine, 221
Phylacogen, 221
Potassium Iodide, 221
Spleen Substance Tabloid, 221
Sodium Bicarbonate Injections, Intravenous, 221
Nucleate, 221
Tartar Emetic, 221
Intravenously given, 222
Turpentine Injection, 221
Vaccine
Staphylococcus, 223
Dead, 221
Sensitized, 221
Living, Sensitized, 221
Facts indicating More Hopeful Lines for, 221
Trypanosomes
Action on, of
Atoxyl, 223
Soamin, 223

**Kala Azar**—*cont.*
Human, and General—*cont.*
Undulant Fever (*q.v.*), Clinical possibility of Concomitance with, 220
Virus of, Animal Susceptibility to, Experiments on, 218–19

**Variant Forms**

Buba, or American Leishmaniasis
Etiology, 229
Incidence in
Brazil, 229
Probable Vector, 230
Paraguay, 229–30
Leishmania in, 230
Misdiagnosis, 229–30
Symptoms, 229–30
Treatment by
Antimony Tartrate, 230
Arsenic, 230
Caustics, 230
Hectine, 230
Orsudan, 230
Potassium Iodide, 230
"606," 230
Soamin, 230
Thermo-cautery, 230

Cutaneous Leishmaniasis in Paraguay: Alleged Cause, 226
Tartar Emetic Injections in, 222

Muco-Cutaneous Leishmaniasis
Treatment by Tartar Emetic, 232

**Canine**
Association of, with Human, 224
Clinical course, 224
Incidence, Geographical
Mediterranean Littoral, 224
Senegal (Dakar), 223–4
Sicily (Messina), 224
Insect Vectors, 223
Experiments with, 224
*Leishmania* in, in
Blood (peripheral), 224
Encysted Worm, 224
Liver, 223–4
Prophylaxis; Dog-destruction, Success of, 224
*Spiroptera sanguinolenta* in, Leishmania in, 224

**Experimental**
Animals Naturally Immune, Assam, 219
Transmission Experiments, 218, 219, 224

**Kala Azar**—*cont.*
TROPICAL SORE (*see also* Leishmaniasis, *under* **PROTOZOOLOGY**), 225-32
Blood-conditions, 225
Canine, Leishmania of, 226
Crithidia from Serbian *Simulium* in relation to, 227
Diagnosis, Unconfirmed by finding Leishmania, 229
Experimental, in
Lizards, 226–8
Mice, with *L. tropica*, &c., 230–1
Monkey, 232
Filarial Embryos in Lizards, 228
Flagellates of Fleas and Mosquitoes, Experimental Infection by, 227
Fleas and Mosquitoes, Flagellates of, Infectivity of, 227
Herpetomonad of Algerian Geckos, in (probable) relation to, 182
Syrian and Indian Phlebotomus, in relation to, 227
Incidence
Class, 225
Geographical
Algeria, 182
Amazon Valley, 350
British New Guinea, 355
Italy, 232
Persia, 352
Russian Turkestan, 225–6
Seasonal (as to onset), 225
Insect Vectors; Agency not proven, 225
Leishmania of
*L. donovani*, Infection by, 231
*L. infantum*, Infection by, 231
*L. tropica*, as Causal Agent, 182
Experiments with, 232
on Mice, 230–1
and *L. infantum*, Experiments with, on Lizards, 226–8
Reptile as Host, 227
Suggested Vectors, 227
Two forms, in Russian Turkestan; Morphology, 225
var. *canina*, in a Dog, 226
*Leptomonas* from Lizards: Morphology, 228
Lizards (Geckos, &c.), Parasites of Leishmaniform, 228
*Pirhemocyton tarentolae*, 228
as Vectors, Experiments on, 226–7
Phlebotomus Flies, in (probable) relation to, 182
*Phlebotomus minutus africanus*, as possible Vector, Lizard to Man, 226,227
Group: Feeding on Man and on Reptiles, 226, 227, 228

**Kala Azar**—*cont.*
TROPICAL SORE—*cont.*
Phlebotomus Flies, &c.—*cont.*
*P. papatasii* group, Feeding Chiefly on Man, 227
References to Literature, ix–x, xxxix–xl
Reptiles as Reservoir-Hosts of *Leishmania tropica*,227
Spindle-bodies in Gecko Blood, resembling Toxoplasma, 226
Transmission by, and viâ
Insects
Ixodidae, 226
Phlebotomus, 226, 227
Simulidae, 226, 227
Lizards,Experiments on,226-8
Snakes, hissing, 226
Treatment by
Methylene blue, 226
Scarlet-red Ointment, 229
Scraping, followed by Antiseptics, 229
*Trypanosoma platydactili* in
Geckos, 226
Lizards, 228
Two Types: Identity of, 225

**Lands and Buildings**, *see under* **HYGIENE, APPLIED, IN THE TROPICS**

**Leishmania**, *see under* **KALA AZAR**, *and under* **PROTOZOOLOGY**

**Leishmaniasis**, *see* TROPICAL SORE *under* **KALA AZAR**, *and under* **PROTOZOOLOGY** (Diseases)

**LEPROSY**, 113–31, 399–409
Acarus, of Scabies as [possible] Vector, 402
Agglutination Test, Value of, 114,130
Antigen of Clegg, 399
Arabic and Hebrew Names for, 401–2
Arneth's Leucocyte Count in, 345
Bacteriology, Workers in, referred to, 399
Bacilli
Acid-fast in, 125, 126
Agglutination Test and, 130
in Blood and Excretions, 407
as Cause, 399
Culture of, by use of Symbiotic Organisms: Technique, 127–8
Kedrowsky's; Experiments with, 126
Probably not that of Leprosy, 126, 407

**Leprosy**—*cont.*
Bacteriology, &c.—*cont.*
Bacilli—*cont.*
Acid-fast in—*cont.*
in Later Stages, Possible Nature, 123
in Mosquitoes, 116
in Skin-Lesions, 114, 122
*B. leprae*, Different Strains, possibly Cause of Variant Forms of Disease, 403
Culture Experiments, 125–6
Discussed, 407
Fly-conveyed, 116
Found in
German Prisoner of War, 404
Irish ex-Soldier, 405
Leper Nodules ; as Causal Agent, 399
Leprous products, 120
Nasal Cavities, 399, 403
Nasal Mucus ; Diagnostic Search for, 406
Intra-cellular Parasite ; Selective Affinity for Endothelial Leucocyte, 127
Koch's *B. tuberculosis* associated with, 124
Various Locations in which Found, 120
Hansen's, 130
Barbézieux's views on, 119
and Causation of Leper Fever, 127
Cultivation, 114
Not always Present, in True Cases, 120
as Stage in Streptothrix-development, 128
Cultural Experiments with
Carrel's Method, 126
Clegg's Media, 125, 129
Duval's Modification, 130
Diphtheroid Organism met with, 407
Streptothrix, as possible Causal Agent, 123
Bed-bugs as Vectors, 402
Carriers, Nasal, Healthy, 399
Children to be Kept Apart from Lepers, 115, 122
Clinical Features, 114
Complement Binding and, 130
Complement Deviation and, 408
Contagiousness, 399, 400, 402, 403, 405
Control, *see* Prophylaxis, *infra*
Cresol as Parasiticide, 404
Curability, by Surgery, 121
Cures, 131
by I.K. Treatment, 125
Spontaneous, 115
Deaths of Lepers : Causes, 121–2
Dermal Nodules, Acid-fast rods in, 114

**Leprosy**—*cont.*
Diagnosis
Bacteriological, 403
Clinical, 116
Delayed, 401
Differential, from
Gangosa, 141
Syphilis ; Tests inadequate for, 114, 130, 131
Syringomyelia
Difficulty of, 405–6
Vitiligo, &c., 406
Early, Desirable : Difficulty of, 116
Microscopical, 115
Caution on, 399
Negative, in face of Clinical Positive, 116
Serological, 114, 130, 131, 403, 408
Diminution in ; Various Countries [apparent], 116, 117, 118, 401, 403
Dirt in relation to, 400, 402
Early Cases as Public Danger, 401
Diagnosis, *see under* Diagnosis, *supra*
Report of Cases : Value of, 131
Egyptian Army of 1825, as Vector, 400
Eitner's Test, Incapable of Distinguishing from Syphilis, 114, 131
Erythematous Leproid as Initial Lesion, 403
Etiology, *see also* Transmission
Theories
Accidental Acquirement, 119
Aerial and Gastro-Intestinal, 121
Bacteriological, *see* Bacteriology, *supra*
Commensalism, 133
Contagion, 123, 399, 400, 402, 403, 405
Diet, 123
Heredity, 117, 118, 119, 120, 400, 404, 406
Insect-bites, 116, 123, 126, 402, 404
Locality, 123
Nasal Infection, 123, 399
Streptothrix, 128
Summary by Chipman, 402
Fleas as Vectors, 404
Flies as Vectors, 402
Glandular Tubercular Infection prevalent in, 122, 399
Healthy Children born to Leper Parents, 123
Nasal Carriers, 399
at High Altitudes, 119
History, 401–2
Human, Identity with Rat, 403
Hypersensitiveness as Determining Factor, 126
Immunity of American Indians, 403
Individual ; possible Explanation, 404

**Leprosy**—*cont.*
Immunity Experiments, 129–30
Imported Cases in U.S.A., 401, 403
Incidence
Age, 120
Class and Occupation, 120
Factors, 400
Geographical
Africa, South, 401
Algeria, 117
America, South, 401
America, U.S.A., and Colonies, 118, 121, 123–4, 403
California (San Francisco), 402, 403
Louisiana, 118, 121, 131, 400
Massachusetts, 401
New Orleans, 131
New York City, 403
Northern States, 400
Three Centres, 118
Annam, 119, 120, 130
Austria, 119
Barbados, 349
Brazil, 118, 124, 406
British New Guinea, 132, 355
Canada, 119
Casamance, 121
China (Yunnan), 119, 120
Cochin China, 119
Colombia, 133
Crete, 400
Cyprus, 400
Desirade, 119
Dutch Indies, 119
England (in German War-prisoner), 404
France and Dependencies, 119, 120
French-Cameroon borders, 348
Equatorial Africa, 115
Indies, 119
Indo-China, 119, 124
West Africa, 119
West Indies, 119
Germany, 119, 404
Greece, 400–1
Hawaii, 115–16, 118, 400, 403
Honolulu, 403
Molokai, 121, 399
Ireland, 405
Italy (Venice), 124
Kashmir, 122
Madagascar, 119
Malaya (Kuala Lumpur), 125, 408
New Caledonia, 119, 120, 401
Netherlands, 119
Nigeria, 401
Norway, 117–18, 400, 405–6
Panama Canal Zone, 118
Persia, 116
Philippine Islands, 118
Porto Rico, 118
Russia, Eastern Provinces, 404
Siberia, 125

**Leprosy**—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Spain, 116–17
Tahiti, 119
Tonkin, 119, 120, 130
Upper Gambia, 121
Yucatan, 406
Race, 400, 401, 404
Sex, 115–16, 123, 400
Infection, Source, *see* Etiology, *supra*
Spread, *see* Transmission, *infra*
Infectivity of Various Forms, 122, 131, 402, 403
Initial Lesion in, 116, 122–3, 403, 406
Inoculation Experiments, 129
Failure of, 399, 402
Possible Cause, 400
with Leprosy Bacilli from Tubercular Leper ; Results, 409
Insanity Supervening, 121
Insect Vectors, Suspect, *see* Acarus, Bed-bugs, Fleas, Flies
Internal Lesions probably due to Tuberculous Complications, 114
Isolation for, *see* Segregation, *under* Prophylaxis
Legislation on, *see under* Prophylaxis
Leper (Lepra, or Leprous) Fever : Causation ; Theory on, 126–7
Fatalities, 121
Unusual Case, 122
Leprotic Lesions : Histological Appearances, 114
Leprosaria, *see* Segregation, *under* Prophylaxis, *infra*
Leprous Antigen, Reaction in, 399, 402, 408
Lesions
Cholesterin-bearing, 122
Cutaneous, Unusual, 122
Initial, 122–3, 403, 406
Lung-conditions, Post-mortem, 124
Maculae ; Possible Cause, 114
Married Persons and Infection, 116, 117, 121
Menstrual Perturbations during, 124
Mortality from ; Molokai, 121
Naphthaline as Parasiticide, 404
Nasal Cavities and Mucus as Harbouring Bacilli, 399, 403, 406
New Endemic Centres, 401
Noguchi's Luetin Test, and, 114, 402, 408
Nose-blowing with Fingers in relation to Spread of, 121
Not Spreading in U.S.A., 401, 403
Notifiability, under Dutch Consideration, 119
Ovaritis in ; Rarity of, 124

**Leprosy**—*cont.*
Present Status of Knowledge on, 113–15, 399
Discussion on, 399–400
Prophylaxis
Anti-Parasitics, 404
Cleanliness, 400, 402
Immigration Control, 117, 401
Legislation on, 115, 117 *et sqq.*
Co-operation essential to Enforce, 131
Leprosaria, Actual and Suggested in Spain, 117
U.S.A., 401, 403
Proposed, for German Troops in Eastern Russia, 404
Registration of Cases, 117
and Inspection of Dwellings, 115
Sanitation, 115, 131
Segregation, 115, 117, 118, 119, 131, 400, 401, 402, 403, 404
Exceptions, possible, 122, 131, 402, 403
Pulse and Temperature Observations, 123–4
References to Literature, x–xi, xl–ii
Response to Reactions
Leprous Antigen, 399, 402, 408
Noguchi's Luetin, 114, 399, 402, 408
Tuberculin, 399, 402, 405, 408
Wassermann, 114, 130, 131, 399, 401, 402, 405, 408
Scabies as Preliminary to, 402
Segregation, *see under* Prophylaxis, *supra*
Serology, 114, 130, 131, 403, 408
Serum, Fresh, of Lepers, Complement Content, Experiments on, 130
Signs of Onset, *see* Initial Lesion, *supra*
Simulating Syringomyelia, 405, 406
Sterilization of Lepers [suggested], by Roentgen Rays, 120
Symptoms, 114, 115, 121, 122, 124, 125, 126–7, 399, 401, 403, 404, 405–6
Syphilis and, 402, 408
Differential Serological Diagnosis, 114, 130, 131
Syringomyelia and: Differential Diagnosis, 405, 406
Tissue Autolysis as Cause of Subcutaneous Abscesses, 126
Tissue-Cell-Products, Absorption of, as Cause of Leper Fever, 126–7
Transmission, Ignorance on Method, 116; by
Carriers, Healthy [Nasal], 399
Contact, 114, 115, 116, 119, 120, 121, 399, 400, 402, 403, 405

**Leprosy**—*cont.*
Transmission by—*cont.*
Defective Hygienic Conditions, 114
Egyptian Army, in 1825, 400
Heredity, 117, 118, 119, 120, 400, 404, 406
Insect Vectors, Suspect, 116, 125, 126, 402, 404
Inoculation, Direct (discredited), 402
Nose-blowing with Fingers, 121
Treatment: all Forms; by
Asylum-Segregation, 349
Carbon Dioxide Snow, 122
Cauterisations, 402
Chaulmoogra Oil, 115, 117, 122, 399, 402
Similar oils, 432
with Camphorated Oil and Resorcin, 402
Eucalyptus, 117
Hot Baths, 402
Ichthyol, 117
IK Lepra (Spengler's), 125
Leprolin (Williams'), 125
Nastine, 117
Native Method: Powdered Redwood and Palm-oil, 115
Oleum Gynocardii, 125
Salvarsan, 117, 125, 401
"606," 117
Surgery, 121, 402, 403
Vaccine, 122, 399
Tubercular Leper Spleens, Inoculation Experiments with, 409
Tuberculin Reaction in, 399, 402, 405, 408
Tuberculosis associated with, 114, 124, 399, 409
Differential Diagnosis sometimes Impossible, 114
Tuberculous Origin, probable, of Internal Lesions, 114
Ulcerated Wound on Foot, as Beginning, 403, 406
Undiagnosed Case, U.S.A., 423
Vitiligo and; Differential Diagnosis of, 406
Ward-Segregation, 117
Wassermann Reaction in, 114, 130, 131, 401, 402, 405, 408

**Various Forms**
Forms not Calling for Segregation, 122, 131, 402, 403
Possibly due to Different Strains of the Bacillus, 403

ANAESTHETIC, or NERVOUS, 116
*B. leprae* in, 120
in relation to Control, 131, 403
Differential Diagnosis, 406
Infectivity, 402, 403

**Leprosy**—*cont.*
**Various Forms**—*cont.*
ANAESTHETIC, &c.—*cont.*
and Syringomyelia: Differential Diagnosis, Difficulties of, 405–6
Ulcerating, Isolation of, in Hawaii, 403
Wassermann Reaction in, 401, 402, 408

BIBLICAL, 401
No Modern form Identifiable with, 402

FORM described by Bayon, 114

MACULAR, 115

MACULO-ANAESTHETIC, 114

MIXED, Wassermann Reaction in, 401, 402

NERVOUS, *see* ANAESTHETIC or NERVOUS, *supra*

NODULAR, 114, 116
*B. leprae* in, 120
in England (War prisoner), 404
Infectivity, 402, 403
in Ireland, 405
Salvarsan in, 401
Wassermann Reaction in, 402, 408
Ulcerating, in relation to Control, 403

SERPIGINOUS, or LUPOID, 113

TUBERCULAR, 116
Wassermann Reaction in, 401

RAT LEPROSY, Bacteriology; and relation to Human, 399, 403
Experimental, 114

**MALARIA**, 77–107, 325–40
Absent from Sicilian Sulphur Mines, 396
Ankylostomiasis as Complicating: Treatment, 331, 332
Anopheles Associated with
Breeding places, 95, 106, 325–6, 327, 328, 346
Incomplete, 328
Distribution
Algeria (Oran district), 86
America, U.S., 94
Southern States, 327–8
Australia, 87
New South Wales, 87
British New Guinea, 353

**Malaria**—*cont.*
Anopheles, &c.—*cont.*
Distribution—*cont.*
Burma (Mandalay), 79
Ceylon, 338
India, 338
Bombay (Karachi), 106
Peru (Lima), 340
Philippine Islands, 79, 325–6, 338
Switzerland, 347
Haunts, 95
Hibernating: Study of, as Carriers-over of Malaria from Season to Season, 327
House-Seeking species, 325
Infection of, by Human Gametebearers, 327
List of those referred to
*albimanus*, 94
*alboapicalis*, 338
*annulipes*, 87, 353
*argyrotarsis*, 94
*barbirostris*, 79, 325, 326
*bifurcatus*, 347
*chaudoyei*, 86
*christophersi*, 338
*crucians*, 94
*culicifacies*, 79
*febrifer*, 325, 326, 338
*flavirostris*, 338
*fuliginosus*, 79
*funesta*, 338
*indefinata*, 338
*intermedium*, 94
*maculatus*, 325, 326, 330
*maculipennis*, 86
*mangyana*, 338
*minimus*, 338
*myzomyifacies*, 86
*nigripes*, 347
*pseudomaculipes*, 94
*pseudopunctipennis*, 94
*pulcherrima*, 106
*punctipennis*, 328
*punctulata*, 353
*quadrimaculatus*, 94, 327, 328
*rossii*, 79, 106, 325, 326, 338
*sinensis*, 79, 325, 326
*stephensi*, 106
*superpictus*, 340
*tarsimaculata*, 94
Nomenclature (of *A. febrifer*), 338
Resting places, 95
Anopheline Surveys, Methods of Conducting: Data and Apparatus needed, 945
Anti-Malaria Campaigns and Measures, *see under* Prophylaxis, *infra*
Anti-Malarial Effects, relative, of
Quinine, 105
Hydrochloride, 105
Sulphate, 104
Quinoidine, 104, 105

**Malaria**—*cont.*
Arneth's Count in, 343, 345
Bats as Larvae-Destroyers, 346
Blackwater Fever in relation to, Algeria, 86
Blood-Conditions in, 82, 86, 90, 92
in relation to Fever, 339
Pine-apple as affecting, 332
in Pseudo-Tabes, 337
Tertian Parasites attached to Exterior of Erythrocytes, 105–6
Blood Examination in Diagnosis, 82
Methods, 326
Bordet-Gengou, Reaction in
Acute, 100
Chronic, 100
Latent, 100
Carriers, Human (*see also under* Transmission, *infra*), 87
Quininisation of, and Anopheles-Infection, 327
Soldiers as, 422
Cases suited to Intramuscular Injections of Quinine, 91
Chemotherapy; *see* Laverain, Prophylaxis, Quinine, *and* Treatment
in Children, Control of, 88, 338
Parasite-index in, Philippines, 326
Percentages in
British New Guinea, 353
French Equatorial Africa, 348
Cinchona and (*see also* Quinine, *infra*), 431, 432
Derivatives, *see* Quinoidine, *infra*
Coastal Swamps as Nests of, 339
Complement Deviation, 100
Complications, *see* Ankylostomiasis, *and* Pseudo-Tabes
Continued Fevers, Discussed in Connection with, 88, 89
Copper Sulphate with Sulphuric Acid for Larvae-destruction in Stored Water, 346
Culex Breeding-places, 327–8
Diagnosis, Difficulties in; Causes, 88
Blood-Examination in, 82
Method, 326
Bordet-Gengou Reaction in; Results, 100
Quinine Test in, 82–3
Bacteriological; Early Blood Cultures requisite for, 88
Clinical, 82
Differential, of Pseudo-Tabes, 337
Distribution in Locality: Studies on, Philippines, 325–6
Epidemiology, *see also* Incidence, *infra*
Recurrent Epidemic Periods, Curves of, 77
Etiology
Insect-Borne Disease, 324
Water-Retention Theory, 339

**Malaria**—*cont.*
Fish, Larvivorous, *see under* Prophylaxis
Gall-Bladder with Haemorrhagic Cyst, of Malarial Origin, 337–8
Gamete-bearers, *see* Human, *infra*
Haemoglobinuria as Contra-Indication for Quinine, 334
Haemoglobinuric Fever associated with, 110
Haemorrhagic Cyst of Gall Bladder, of Malarial Origin, 337–8
Historical Study on, in Greece, 339
Human Gamete-bearers, Mosquitoes Infected by, 327
Immunity, Acquired or Natural, 78, 79
Reaction to Mosquito Bites in relation to, 421
Incidence
Age, 88, 107
Case, U.S.A., 329
Class and Occupation
Jail Prisoners, 77 *et sqq.*
Warders, 77 *et sqq.*
Rubber Coolies, 329–32
Seamen, 87
Troops
European, 77 *et sqq.*, 95–8
Indian, 77 *et sqq.*
Geographical: all forms
Africa, S.W. (Windhuk), 92
Algeria, 86, 99, 107, 341, 424
America, South
Amazonian Tropics, 350–1
Andes, 324
United States, 346, 422
Southern States, 327–8
Australia
New South Wales, 87
Queensland, 343
South Australia, 87
Batavia, 100
British New Guinea, 87, 353, 355
Burma; Mandalay (Epidemic), 77 *et sqq.*
Cameroon-French borderland, 348
Dalman, 332
Dalmatia (1774), 106
East Africa Protectorate, 341
French Indo-China, 102
Germany (Cologne), 338
Greece, 339
Holland, 101
Honduras, 80, 335
India, 334
Bombay
Karachi (epidemic), 106
Secunderabad, 91
Italy, 99, 338
Malaya, 316, 329–32
Singapore, 315

**Malaria**—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Mauritius, 87, 93
Mexico (Tampico), 91
Panama Canal Zone, 87, 98
Colon, 339
Culebra Station, 107
Persia, 91, 352
Peru, 339–40
Philippine Islands, 325–6
Sahara, 342
Sicily (Palermo), 107
Sierra Leone, 98
Solomon Islands, 87
West Indies (Culebra), 95
Race, 90, 329–32
Rainfall in relation to, 98
Season, 329, 332, 339–40, 341
Ship-board, on U.S. War-vessel from Tampico, 91
Indefinite Fevers Confused with, 88
*Histoplasma capsulatum*, Causing, 88
Infection, Complicating Splenectomy, 90
Exposure to, as affecting Incidence in Troops, 98
Indigenous, in Australia, 87
of Mosquitoes, by Human Gamete-bearers, 327
Night-incurred, by Troops, 95
Primary, Control of, 88, 89
Insect-borne Disease, 324
Insect Vectors, *see* Anopheles, *supra, and* Mosquitoes, *infra*
King, as Anti-paludist, Goethe's idea on, 107
Larvicides and Larvicidal Measures, *see* Bats; Ducks; Fish, Larvivorous, *&c., under* Prophylaxis, *infra*
Laverain, as Anti-Malarial Medicament, 104
*Lebias dispar*, Larvivorous Fish, used at Karachi, 106
Leucocyte Count in (*see also* Arneth's Count, *supra*), 82
Long-Continued, Obstinate Cases: Explanation assumed, 103
Lysol for Destruction of Mosquito Larvae: Drawback to, 346
Malarial Dysentery, postulated, 89
Malarial Index, in Children
Culebra, 95
Philippines, 325–6
Meteorology of (*see also* Incidence, Season), 107, 339
Misdiagnosis, in relation to Spread, 422
Mosquito-Nets, *see under* Prophylaxis, *infra*
Mosquito-Proofing of Privies, 95

**Malaria**—*cont.*
Mosquitoes and, *see also* Anopheles, *and* Culex
in Algeria, 342
Bites of, Reaction to, in relation to Immunity, 421
Breeding-places, 79
Moats, &c., 79
Water-Storage[Wooden]Vessels, Larvae-destruction in, 346
as Carriers, 106–7, 327
on Ceilings: Method of Catching, 328
Destruction of, *see also* Anti-Malarial, &c., Measures, *under* Prophylaxis, *infra*
Hibernating, in Switzerland, 347
Infection of, by Human Gamete-bearers, 327
Prevalence of, Not always Synchronous with Prevalence of the Disease, 340
Oiling Methods: Carbolic Acid with Resin and Soda, 328
Other Diseases Mistaken for, and (or) Complicating, 88, 89, 422
Paralysis in, *see* Pseudo-Tabes, *infra*
Parasite-index, in School Children, Philippines, 326
Parasites, *see also under* **Various Forms,** *infra*
Action on, of
Mercuric Chloride, 335
Salvarsan, 335, 336
in Blood, in
Case Complicating Splenectomy, 90
Curious Fevers of British New Guinea, 354
in Children
British New Guinea, 353
French Equatorial Africa, 348
Differentiation of, 82
One akin to, in *Lynchia* flies, 190
Pseudopodia of, in relation to their Extra-corpuscular situation, 105–6
Quinine-Resisting, 89
Reappearance after Salvarsan Treatment, 92–3
Trypanosomes, Alleged, in Blood, 369*n*
Virulence-Variation in 9
Plasmodia
Culture, 102–4
*P. falciparum*, Infection by
Arneth Count, in, 345
Malignant forms due to, 333
Large quantities present in such forms, 334
Maurer's Dots in, 103
in Peru, 340

**Malaria**—*cont.*
Parasites, &c.—*cont.*
Plasmodia—*cont.*
*P. falciparum*, &c.—*cont.*
Schizogomy and Sporogony observed *in vitro*, 102, 103–4
*P. malariae*, Least Frequent in Peru, 340
*P. vivax*, in Peru, 340
Pick and Pribram's Reaction in, 101
Plasmodia, *see under* Parasites, *supra*
Popular errors on ; How best Corrected, 107
Privies, Mosquito-Proofing of, 95
Prolonged Fevers of Malarial Type ; Causation and Nature, 88, 89
Prophylaxis
Ac.-hyd-dil, after Quinine, 330
Anti-Malarial and Anti-Mosquito Campaigns, Measures, &c., Actual and Proposed
Bases of, 326
Need for Continuance with, 342
Kingliness of, according to Goethe, 107
Methods of Conducting: Data and Apparatus for, 94-5
Algeria, 86, 342
America, U.S., Southern States, 328
Burma, 79
Dalman, 332
Italy, 99
Philippine Islands, 326
Copper Sulphate as Larvicide, 346
Coriander Decoction, 330–1
Ducks, &c., as Larvicides : Drawbacks, 346
Fish, Larvivorous, in relation to, 106, 346
Larvicides, Effect of, on Streams, 326
Lysol as Larvicide : Drawbacks, 346
Mosquito Destruction, 328
More effective than Quinine, 98
Various Methods, discussed, 345–6
Mosquito-Nets, 79, 80, 98, 329
Oiling : Methods of, 328
When Applicable, 346
Quinine and Quininisation, 79, 80, 82, 86, 98, 99, 332, 334, 338
Arresting or Masking, rather than Preventing, 98
Cost, 80*n*.
Derivatives
Quinoidine ; Characters, Composition, and Lethality to Protozoa, 104–5

**Malaria**—*cont.*
Prophylaxis—*cont.*
Quinine, &c.—*cont.*
Dosage, 80
Large Injections, Amazon region, 351
for Europeans in Tropics, 331
on Rubber Estates, 329–32
Various Forms Employed
Bihydrochloride, for Children, 99
Sulphate, 80
Test of, Mandalay, 79–80
Views on, in
Burma, 80
Honduras, 80
Tannate, in Chocolate Tablets, 99
Screening of Barrack rooms, 98
Protozoa, Lethality to, of
Quinine Hydrochloride, 105
Quinoidine, 105
Pseudo-Tabes as Complication : Symptoms : Differential Diagnosis : Treatment, 337
Quinine and, *see also* Prophylaxis, *supra*, Treatment, *infra*, & p. 431
Experiments with, on Small Animals, a Caution *re*, 83
Modes of Administration
Injection, 333
Hypodermic, 333
Intramuscular, 333, 334
Risks : Technique Obviating, 83
Intravenous, 333, 334
Fatal Result, 91–2
Oral, 329, 331, 332, 333, 334
Rash, 91
Reaction to Mosquito Bites, in relation to Immunity, 421
Recurrence : Neosalvarsan for, 331
References to Literature, xi–iii, xlii-iv
Relapses, after Salvarsan Treatment, 92–3
in relation to Quinine Prophylaxis, 80, 83
Rice-diet in relation to, 329
on Rubber Estates, 329–32
School Quininisation, Educational Effect of, 99
Severity of Attack : Criteria for, 80
Spider-webs and Cobwebs as Resting Places for Anopheles, 95
Spleen Census of Children in British New Guinea, 353
Spleen-Indexes of School-Children, Philippines, 325–6
Splenomegaly in Children, Sahara, 342
Slight, in Young Children : Percussion to Detect, 107
Pineapple Treatment, 331, 332

**Malaria**—*cont.*
Symptoms, (*see also* Complications, *and* Splenomegaly, *supra*), 90, 91, 92, 93, 331, 332, 334, 337, 342
Gastro-intestinal, 91
Pernicious, observed at Mandalay, 82
Tamil Coolies on Rubber Estates: Action on, of Quinine and other Treatment, 329 *et sqq.*
Transmission by, and in Consequence of
Carriers, 87, 237
Soldiers, 87, 422
Insects, *see* Anopheles, *and* Mosquitoes, *supra*
Misdiagnosis, 422
Trains, Algeria, 86
Treatment, Early, and Efficient: Plea for, 90
Treatment (all forms), by
Amyl Nitrite, 333
Aspirin, 92
Calomel, 92, 335
Change of Air, 337
Diaphoretics, 92
Ethylhydrocuprein, 334–5
Galvanization, 337
Laverain, 104
Mercury Perchloride, 335
Succinimid, 92
Milk and Sol. Quin., 331
Mist. alba, 331
Morphine, 91
Neosalvarsan, 90, 92, 93-4, 331, 332
Oleum Chenopodium, 331, 332
Pine-apple, for Splenomegaly, 331, 332
Quinine, 82, 88, 92, 100, 329, 331, 332, 335, 336, 337,
Administration modes of, 82, 83, 91, 333 334, 351
Dosage, 82, 83
of Human Carriers: Results to Anopheles, 327
Forms employed for Intramuscular Injections
Bihydrochloride, 83, 91, 92
Chlorhydrosulphate, for, 91
Hydrochlorate, 90
Hydrochloride, 93
Dosage, 98
Sulphate, 92
Tannate, 99
Quinoidine, 334, 431
Salvarsan, 92, 335, 336
Death following, 93
Intramuscular and Intravenous: Former preferable, 92
Relapse after, 92–3
Specific, 332–4
Stimulant, 331
Stomach Lavage, 332

**Malaria**—*cont.*
Treatment—*cont.*
Turpentine - Camphor - Creosote - Olive - oil Intramuscular Injection, 334
Trypanosomes, Alleged, in Blood, 369*n*
Typhoid Fever (mild), often Misdiagnosed as, 88
Wassermann Reaction in, 100, 101, 102, 430
Brendel-Müller Method, 101
with Desmoulière's Modified Antigen, 100
Water Fowl as Larvicides, 346

**Various Forms**

ACUTE; Bordet-Gengou Reaction in, 100

AESTIVO-AUTUMNAL
Age-incidence, Grosseto, 99
Amazon region, 350
Treatment by Quinine Injection, 351
in Children, Palermo
Spleen-condition in, 107
in Persia, 352
in U.S.A., Spread of, 422

CEREBRAL, *see infra, under* Pernicious

CHRONIC
Bordet-Gengou Reaction in, 100
Reservoirs of the Disease, 99
Treatment by Ethylhydrocuprein, 334–5
Winter in Italy, 99
Wassermann Reaction Unaffected by, 101

CRYPTIC or LATENT, 86
Bordet-Gengou Reaction in, 100
Pick and Pribram's Phenomenon not obtained in, 101

INFANTILE, at Palermo, 107

MALARIAL HAEMOGLOBINURIA, Quinine and, 334

MALIGNANT, Parasite of, 333
Treatment by
Amyl Nitrite Inhalations, 333
Quinine, Best mode of giving, 333
Specific, 332–4
Wassermann Reaction in, 101–2

MIXED INFECTION, Wassermann Reaction in, 101

PERNICIOUS
at Mandalay, 82
Red-ringed Erythrocytes in, 86

**Malaria**—*cont.*
Various Forms—*cont.*
PERNICIOUS—*cont.*
Cerebral
Complicated by Ileus, 90
Death after Salvarsan Treatment, 93
Question of, or of Case of Salvarsan Posioning, 93–4
Treatment by
Morphine, 91
Quinine, 91
Orally, 332
Salvarsan, 93–4
Stomach Lavage, 332

QUARTAN
Incidence
British New Guinea, 353
French Equatorial Africa, 348
Persia, 352
Sahara, 342
Wassermann Reaction in, 102

RECURRENT, in the Amazon Valley, 351
Neosalvarsan in, 331, 332

RELAPSE, Parasite in, 90

SUB-TERTIAN
Case of Long Duration, 88
Parasites of, Where noted, 90, 93
in Syphilitic Patient: Death after Salvarsan Treatment in spite of Quinine, 93
Treatment by
Neosalvarsan, 90
Quinine hydrochlorate, 90
Hydrochloride, 93
Salvarsan, 93–4

TERTIAN
Parasite : Absence of Crescent forms in, 90
Relapse in, after Salvarsan Treatment, 92–3
Treatment by
Mercuric Chloride, 335
Neosalvarsan, 92
Quinine, 335
Salvarsan, 92
Benign
Incidence
Cologne, 338
Persia, 352
Sahara, 342
Parasite of, attached to Exterior of Erythrocytes, 105–6
Wassermann Reaction in, 101, 102

**Malaria**—*cont.*
Various Forms—*cont.*
TERTIAN—*cont.*
Malignant, 92
Incidence
British New Guinea, 353
French Equatorial Africa, 348
Simple, in British New Guinea, 353

**Malta Fever,** *see* **UNDULANT FEVER**

**MISCELLANEOUS** (not including at this place references to Diseases which have separate Headings), 341–56, 419–32
Anaesthesia in Tropics, Native Dread of, 422
Spinal Method : Drugs Employed, 421
Analgesia, Spinal, for Natives ; Drugs, and Methods Employed, 422
Anti-opium Plant, *see Combretum, infra*
Arneth's Leucocyte Count
Significance of, 345
in Queensland [White] Schoolchildren, 343
Arthritis, *see also* Rheumatoid *do, infra*
Absence of, from Malaya, &c., 429–30
in Negroes, Panama Canal Zone ; Causes, Symptoms, &c., 429, 430–1
Acute, 429–31
Gonorrhoeal
Symptoms, 430
Treatment, 431
Bacteriological References
Bacillus of Weeks, and Purulent Conjunctivitis, Sahara, 342
Bacteria in Mosquitoes, *see under* **Entomology**
Diplobacillus of Morax, and Purulent Conjunctivitis, Sahara, 342
Gonococcus, and Purulent Conjunctivitis, Sahara, 342
Biliary Calculi, in
Ancon, 424–5
Calcutta, 425
Black Pigment from Skin of Australian Native ; Spectroscopic Examination of, 343
Blood of European-descended Children, Queensland : Examination: Results 343

**Miscellaneous**—*cont.*
Blood-Characters: Variation and Interdependence of, 344–5
Blood-Count, *see* Arneth's Leucocyte Count, *supra*
Body-Temperatures of White Persons in the Tropics, 343
Calculi, various kinds; Race Incidence in Employees, Panama Canal Zone, 424–5
*Calotropis procera*, Source, &c., 431
Camphor, Origin, &c., of, 431
Cancer, in Samoa, 352
Carvacrol Oil, Source, &c., 431
Cephaelin, Source, &c., 431
Cerebrospinal Meningitis, in Algeria, 341
Chaulmogra Oil (*see also under* **LEPROSY**), Source, &c., and other Oils resembling, 431, 432
Chenopodium, Oil of (*see also under* ANKYLOSTOMIAS (Treatment), in **HELMINTHIASIS**), Source, &c., 431, 432
Children, European, in Queensland
Arneth Count in, 343
Blood Count in, 343
Haemoglobin Estimation in, 343
Cinchona, *see also* Quinine, *under* **MALARIA**
Alkaloids of, 431
Differences between, 432
Cinchona Febrifuge, Nature of, 431
Cinchonidine, Source, &c., 431
Cinchonine, Origin, &c., 431, 432
Coca, Origin, &c., 431
Cocaine, in Anaesthesia, 421
*Combretum sundiacum*, Origin, &c., 431
Conjunctivitis
Purulent, in Sahara; Bacilli of, 342
Samoan, in American Samoa, 352
Countries referred to
Algeria, 341–2, 424
Amazonian Tropics, 350–1
America, U.S., 419, 422–3
Australia, 342
Queensland, 342–4, 432
Barbados, 349–50
British New Guinea, 343, 353–5
Burma, 345
Cameroons, 347–8
Congo, Belgian, 422
Cuba, 422
Dutch East Indies, 424
Egypt, 424, 429
French Equatorial Africa, 347–8
German East Africa, 421
Gilbert and Ellice Islands, 355–6
Guam (Ladrone Islands), 356

**Miscellaneous**—*cont.*
Countries referred to—*cont.*
India, 344, 424
Italy, and Dependencies, 424
Malaya, 429
Nigeria, Southern, 420
Panama Canal Zone, 422, 424–5, 425–6
Persia, 352
Peru, 428
Philippine Islands, 422, 423
Red Sea Shores (El Tor), 424
Sahara, 342
Samoa, American, 352–3
German, 353
Syria (Jerusalem), 424
Tripoli, 429
Tunis, 424
West Africa, 345
Deaf-mutism, on French-Cameroon borders, 348
Diagnostic Value of Arneth's Leucocyte, Count, 345
Diarrhoea, in Barbados, 349
Diphtheria, in Algeria, 341
Disposal of Excreta, in Barbados, 349
Drugs of Tropical Origin, used in
Ankylostomiasis, 432
Leprosy, 432
Malaria, 431–2
Elevation as affecting Blood Characters, 344, 345
Emetine (*see also under* **AMOEBIASIS** (Treatment), Source, &c., 431
Entero-colitis, in Guam, 356
Erythrocytes, Effect on, of Hypotonic Solutions, 344
Gall Stones, in West Indian labourers, Panama Canal Zone, 425–6
Gonorrhoea, on Cameroon-French boundaries, 348
Gonorrhoeal Arthritis, *see under* Arthritis, *supra*
Gum Acacia, Source, &c., 431
Gurjun Oil, Source, &c., 431
Health [apparent], in relation to Blood Characters, 344
Icterus, Infective, Epidemic, Tripoli, 429
Insects, *see under* **ENTOMOLOGY**, *and under* Diseases with which they are Associated
Ipecacuanha, Origin, &c., 431
Iso-quinoline, Drugs derived from, 341
Jalap, Origin, &c., 431
Joint Affections (*see also* **Tuberculosis** and **Yaws**), in B.N. Guinea, 354–5
Juxta-Articular Nodules, in British New Guinea, 355
Lead Poisoning in Children, Queensland, 343

**Miscellaneous**—*cont.*
Lithiasis at
Ancon, 424–5
Calcutta, 425
Measles, Arneth's Leucocyte Count in, 345
Epidemic, in Guam, 356
Mecca Pilgrims, Deaths among, from
Cholera, 424
Dysentery, 424
Malaria, 424
Metabolism, General, and Protein, of White People in the Tropics (Queensland), 343, 432
Military Authorities, Value to, of Pasteur Institutes of Algeria, 341
Mumps, Epidemic, in Guam, 356
Mycosis, from Unidentified Fungus, in Soldier, A.-E. Sudan 428–9
Nairobi Water Supply, Condition of, 341
Native Remedies, 428, 431–2
Plea for Collection of Information *re*, 432
Natives (Belgian Congolese), Spinal Analgesia for, by Stovaine Injections, 422
Negro Labourers, Panama Canal Zone: Diseases of, 425–6, 429–31
Arthritis, Acute, &c., 429–31
Calculi in:
Less than in Whites, 425
More than in Negroes in Temperate regions, 425
Gall-Stones, 425–6
Gastro-duodenal Ulcers, 425–6
Pancreatitis, 425–6
Nervous Irritability, in Persia, 352
Novocaine, in Anaesthesia, 421
Opium Alkaloids
Drugs derived from, 431
Synergism of, 432
Panama Canal, Opening of, in relation to Spread of Disease, 422
Panama Canal Zone, Sanitation of, as affecting Barbadian habits, 349
Pancreatitis, in West Indian Labourers, Panama Canal Zone, 425–6
Pasteur Institutes in Algeria; Work done by (1914), 341–2
Pathology, Tropical: Observations on, 425–6
Value in, of Arneth's Leucocyte, Count, 345
Phthisis, in Persia: Increase of, Causes, 352
Phyostigmine Source, &c., 431

**Miscellaneous**—*cont.*
Pneumonia, in
Amazon Valley, 350
Guam, 356
Protein Metabolism, in Queensland, 343, 432
Quarantine, and Research Work, at El Tor, 424
Quinidine, Origin, &c., 431
Quinine, Origin and Derivatives, 431
Quinoidine, Source and Nature, 431
Rabies, in Algeria: Treatment by Pasteur Institute, 342
Railway Construction: Health of Workers and Diseases met, Amazon Valley, 350–1
References to Literature, xxiii–vi,i lv-ix
Reports of Laboratories, &c., *see also* Index to HYGIENE, APPLIED
Beni Abbes, Microscopical Work at, Sahara, 342
Nairobi: Bacteriological Section (Jan.-June, 1914), 341
Pasteur Institute of Algeria (1914), 341–2
Rheumatic Fever
Absent from
India (Calcutta), 430
Malaya, 429
Tropics (probable), 429–30
Found in Egypt, 429
Rhubarb, Origin, &c., 431
Rhumatisme, on French-Cameroon borders, 348
Sanitary Improvements in Barbados, 349
Observations in Egypt, North Africa, Syria, &c., and at El Tor, 424
Santonin, Origin, &c., 431
Scammony, Origin, &c., 431
Senna, Origin, &c., 431
Scopolamine-morphine, Pre-Anaesthetic use, 421
Skin, Diseases of, *see under* **SKIN DISEASES, TROPICAL.**
Pigment of, in Australian Native, Rays absorbed by, 343
Small-pox, near Sangha river, 348
Sparteine - strychnine; Pre-Anaesthetic use, 421
Stomatitis, on Cameroon - French Boundaries, 348
Stova-cocaine, in Anaesthesia, 421
Stovaine in
Anaesthesia, 421
Analgesia, 422
Stovaine-Strychnine, in Anaesthesia, 421
Stricture, on Cameroon - French Boundaries, 348

**Miscellaneous**—*cont.*
Strophanthus, Source, &c., 431
Sunlight, Tropical, and Intensity of Violet and Ultra-Violet Rays, 343
Temperature, Bodily, of White Persons in the Tropics, Observations on, in Queensland, 343
Thymol, Source, &c., 431
Trachoma, in the Sahara, 342
Tropacaine, in Anaesthesia, 421
Tropical Diseases in
Italy and Dependencies, 424
U.S.A., 422–3
Misdiagnosis common, 422–3
Vaccine-, and Serum-work of Pasteur Institute of Algeria (1914), 341, 342
Violet and Ultra-Violet Rays, in Sunlight: Observations on, in Queensland, 343
Water Examination; Queensland, 344
Water-supply, Barbados, 349
White Children, *see* Children, European-descended, *supra*
People, in Tropics, Metabolism and Body Temperature, &c., of, 343, 432

**Myiasis,** References to Literature, xiii–viv, xliv

**Onchocerciasis,** *see under* **HELMINTHIASIS**

**Oriental Sore,** *see* TROPICAL SORE, *under* **KALA AZAR**; *see also* **Ulcus Tropicum,** *under* **SKIN DISEASES, TROPICAL**

**Oroya Fever,** *see* **VERRUGA PERUVIANA** and **OROYA FEVER**

**Oxyuriasis,** *see under* **HELMINTHIASIS**

**PAPPATACI FEVER,** 319–21
Attack-duration, Malta and India, &c., 319–21
Carriers, *see* Phlebotomus, *and* Stegomyia, *infra*
Diagnosis of, Chief Signs, 320
Differential from
Dengue, 319, 320
Malaria, 319
Endemicity, in Malta, and India, 319
Epidemiology, 319–21
Fevers resembling, at Singapore, 315
Immunity to, Acquired, 319, 320

**Pappataci Fever**—*cont.*
Incidence
Case, 319
Class, 319, 320
Geographical
India, 319, 321
Bombay Presidency, 319
Chitral, 320
North West, 319, 320
Peshawar, 319, 320
Italy (Lower Calabria), 320
Malta, 315, 319
Mediterranean regions, 321
Sicily, 320
in relation to Length of Residence, 319
Race, 319, 320
Seasonal, 19, 320
Insect Vectors, *see* Phlebotomus, *and* Stegomyia, *infra*
Misdiagnosed as Malaria, 319
Nomenclature, 320, 321
Phlebotomus Flies in relation to
Breeding Places, 320
Destruction, 321
Distribution in
Dalmatia, 320
Herzegovina, 320
India
Bombay Presidency, 319
Chitral, 320
North West, 319
Peshawar District, 319, 320
Italy (Lower Calabria), 320
Istria, 320
Malta, 321
Bionomics of Species found, 321
Sicily, 320
Elevation-limit of, 320
*Empusa papatasii*, Pathogenic to, Possible Effects on Children, 321
Fungus Pathogenic to, 321
Insect-Enemies, 321
Light, as Attracting, 321
Low Flight of, 321
Temperature in relation to Hatching, 320, 321
Varieties, and where found
*P. minutus*, 319, 321
*P. papatasii*, 319, 321
*P. perniciosus*, 321
Wood as Harbourage of, 321
Prevalence: Number of Attacks in British and Native Troops, India, 319
Prophylaxis, 320
Destruction of Phlebotomus Breeding Places, 321
Formalin Spraying, 321
Ointments of Boric Acid, Zinc, Oils of Eucalyptus and Verbena, 321
References to Literature, xiv, xliv, lvii

**Pappataci Fever**—*cont.*
Stegomyia as possible Carriers, 319
Symptoms, 319, 320, 321
Treatment, by Quinine (when mistaken for Malaria), 319
Various Forms: Duration and Symptoms (*q.v.*), 319, 320, 321

**Pellagra**, References to Literature, xiv–xv, xliv–vi

**PLAGUE**, 410–18
Australian Quarantine Service's Review on, 410
Australia's Dangerous Geographical Position in regard to, 410
Bacteriology
*B. pestis*, Cerebro-spinal Meningitis due to, 413–14
Other Bacilli resembling, in Rats, Cultural Experiments with, 418
Diagnosis, 410
Epidemics, *see with* Incidence, *infra*
Etiology, 410
Flea-rate in relation to Rat-Plague, 411–12
Fleas as Vectors, *see under* Transmission, *infra*
Incidence, all Forms
Geographical
Burma, 414
Ceylon, 410
China, Canton, 410
Hong Kong, 410
Cuba, 413
Dakar, 413–14
Europe, 411
Formosa, 410
India, 410, 411
Java, 410, 411, 412
New Caledonia, 410, 413
South Africa, 416–17
Throughout the World, in 1913, 410
United Kingdom, 416
England (East Anglia), 411
Racial, 417
Insect Vectors, *see* Fleas, *under* Transmission, *infra*
Investigations, Experiential Methods *versus* Statistical, 417
Mortality, India, 1911, 1912, and 1913, 410
Port-protection, *see under* Prophylaxis
Prophylaxis
Australian measures, 410
Food-protection against Rats, 414
Inoculation, 416, 417
Port-protection
Australia, 410
U.S.A., 414

**Plague**—*cont.*
Prophylaxis—*cont.*
Rat-destruction, 414, 416
Rat-exclusion, 415, 416
Rat-proofing, 414, 415, 416
Sanitary Officers Appointed, India, 410
Sanitation, 410
Rat-Destruction, *see under* Prophylaxis
Rat-Prevalence, and Rat-Plague, in relation to Presence of Human, 413
Rat-proofing, *see under* Prophylaxis
Rats in relation to, 410
Migrations in relation to Spread, 414–15
References to Literature, xv–xvi, xlvi–vii
Ships, and Powers of Port Sanitary Authorities as to Rat-mortality on board, 416
Spread, *see* Transmission, *infra*
Symptoms: Cerebro-spinal, 413–14, 414
Transmission, 410, by
Fleas, 411–12, 413
in Empty Bags (possible), 413
Rat to Man, Circumstances Conditioning, 412–3
Rats, Packed in box, 415
Migrations of, 414–15
Treatment
Experimental Study in, 416, 417

**Various Forms**

BUBONIC, in Cuba, 413
Prophylaxis, in U.S.A., 414

RAT, Diagnosis, 410
Bacteria causing Difficulties in, 418
Flea-rate in relation to Incidence, 411–12
in relation to Human, 412–13
Incidence, Geographical
America, U.S., Seattle (imported), 415
East Africa Protectorate, 341
East Anglia, 411
India, 411–12
Java, 411–12
Powers of Port Sanitary Authority regarding Ships, 416

**Polyneuritis gallinarum**, *see* **BERIBERI**, AVIAN

**PROTOZOOLOGY** (excluding Amoebae, and most Trypanosomes), 179–210
GENERAL
Amphibia, as Hosts of Herpetomonads, &c., 181–3

**Protozoology**—*cont.*
GENERAL—*cont.*
Animals harbouring
*Pneumocystis Carinii*, 208
Sarcosporidia, 200–1
Antelope, Herpetomonas found in Oestridae Larvae in, 186
Arteries, *Klossiella muris* as possible Parasite of, 189
Birds, Blood Parasites of (Leucocytozoa), 193
of Eritrea, *Halteridium danilewskyi* in, 190–2
Blood Parasites, New Mode of Transmitting, 205–6
Carabaos, Coccidiosis in, Philippines, 187–8
Cattle, Coccidiosis in, Philippines, 187–8
African, *Piroplasma bigeminum* in, 376
European, Piroplasmosis of: Parasite Causing, 196-7
*Ceratophyllus fasciatus*, probable host of *Herpetomonas pattoni*, 183
Chelonians, Pigmented Haemosporidia in, 192, 193
Cold-Blooded Animals, Pigmented Parasites of, 192–3
Comparative Methods in Study of, Urged, 179–80
Countries from which Observations are Noted
Algeria, 182
America, U.S., 201, 202
Argentina, 201, 202
Assam, 180
Australia (Queensland), 197
Austria, 201, 204
Brazil, 196, 198, 208, 209
Bulgaria, 201
Canada, 194
Ceylon, 202
Congo, Belgian, 186
England, 180, 182, 183
Eritrea, 190
European, bordering on North Sea, 195
France, 180
Great Britain, 195
India, 189, 202
Italy, 183
Panama Canal Zone, 200
Paraguay, 182
Peru, 201
Philippine Islands, 187–8
Senegambia, 180, 182, 183
South Africa, 202
Transvaal, 189, 198
Trinidad, 192
*Ctenophthalmus agyrtes*, 183
*Ctenopsylla musculi*, *H. ctenopsyllae* from: Cultural Experiments with, 184–5

**Protozoology**—*cont.*
GENERAL—*cont.*
Culicidae, Vectors of *Halteridium danilewskyi*, 191
*C. annulatus*, 191
*C. fatigans*, 191
*C. pipiens*, 191
Diptera as Vectors of Herpetomonads, 181
Diseases of Protozoal Origin
Anaplasmosis, Brazilian; True Nature, 198
Amoebic Dysentery (*q.v.*), suggested Treatment, 205
Balantidiasis, *see also* **DYSENTERY**, FLAGELLATE
Suggested Treatment, 205
Coccidiosis, in Cattle and Carabaos, in relation to Rinderpest, 187–8
Ducks', Parasite found, 194–5
Flagellosis of Plants: Causal Parasites, 180
Kala Azar (*q.v.*), Prophylaxis directed against Insect Vectors, 180
Leishmaniasis, *see also* TROPICAL SORE, under **KALA AZAR**
Experiments on the Evolution of, 180
Human, Dermo-mucosal: Possible Vectors, 182
Insect-carriers, probable, of; early Warning on, 179, 180
Prophylaxis against Arthropods, in relation to, 182–3
Reservoirs of, and Probable mode of Transmission to Man, 182–3
Theory of Nature of, 182
Nambi-uvú in Dogs, Brazil; Parasite: Symptoms, 196–7
Oriental Sore (*q.v.*), possible Vector, 182
Piroplasmosis in European Cattle: Etiology, 195–6
Rhinosporidial growths: Locale: Parasite: Transmission, &c., 202–3
Rinderpest in relation to Coccidiosis, 187, 188
Dogs', Disease of, Brazil, Nature, and Parasite, 196–7
*Herp. ctenocephali* Pathogenic to, 182
*Drosophila confusa* and *plurilineata*, *Octosporea-monospora* in, 200
Ducks, Disease of, in which *Leucocytozoon anatis* is found, 194–5

**Protozoology**—*cont.*
General—*cont.*
Echnidna, Australian, New *Theileria* from, 197
Emetines, Action of, on Protozoa, 204–5
Erythrocyte, Leucocytozoa Invading, 193–4
Fish, as Hosts of Herpetomonads, &c., 181, 182
Flagellates, Parasitic in Insects; Power of Living, &c., in Vertebrates: Prophylaxis indicated, 180
Fleas, Dog, Rat, and Human, *Herp. pattoni* harboured by, 183
Mouse, *Herp. ctenopsyllae* from: Cultures obtained, 184-5
Flies, Herpetomonads of *H. muscae domesticae*, Inoculation Experiments with, on Rodents, 183
Hipposbocid, *see Lynchia, infra* as Vectors of Human Leishmaniasis, 182
Frogs, Herpetomonads of Insects Pathogenic to, 181, 182
Geckos as Reservoirs of Leishmaniasis, 182
*Gedoelstia paradoxa*, Oestrid, Larvae of, Herpetomonad bearing, in Antelope, 186
*Haemaphysalis punctata* seu *cinnabarina*, Vector of *Piroplasma divergens*, 195
Hemiptera, as Hosts of *Herp. jaculum*, 181
as Vectors of Plant Flagellosis, 180
*Homalomyia scalaris*, *Herp. homalomyiae* of: Morphology: Location: Multiplication, 185
Larvae, Parasite of, 200
Horse, *Rhinosporidium equi* in, 202
Iguana of Trinidad, *Plasmodium minasense* in, 192, 193
Inoculation against Cattle Piroplasmosis, 196
Insects, Flagellates of, Pathogenicity of, in Vertebrates, 180 *et sqq.*
Insects and Insect Vectors, Actual and Suspect, *see Culicidae*; Diptera; Flies, Hippoboscid; Hemiptera; Oestridae; Pediculi; Phlebotomus; Ticks
*Ixodes ricinus*, Vector of *Piroplasma bigeminum* and *P. divergens*, 195

**Protozoology**—*cont.*
General—*cont.*
*Kirkia* sp. and *Kirkia minuta* Oestrids, Larvae of, Herpetomonad - bearing, in Antelope, 186
Koch's bodies, in *Theileria tachyglossi*, n. sp., 197
Form resembling, in Guinea-pigs, infected with *Paraplasma flavigenum*, 235
Lice, *see* Pediculi, *infra*
Lizards, Newts, &c., Herpetomonads of Insects Pathogenic to, 181, 182
Pigmented Haemosporidia in, 192–3
Papaverine, Action of, on Protozoa, 204–5
*Lynchia* Flies, as Hosts of *Haemoproteus columbae*, 189-90
*L. offersia capensis*, 189
*L. maura*, 189–90
Mammals, Pathogenicity to, of Insect Herpetomonads; Experiments on, 180–3
Mice, Experimental Infection with *Herp. muscae domesticae*, 183–4
Herpetomonads of, 180
of Insects, Pathogenic to, 181, 182
White, *Klossiella muris* in Urinary System of, 188–9
Moles, Graham-Smith bodies in, 208
*Nepa cinerea*, as Host of *Herp. jaculum*, 181
Oestridae, Cavicolous, of Antelope and River Hog, Belgian Congo, Herpetomonads in; Morphology: Classification, 186
Five species found in Antelope: Larva all Herpetomonadized, 186
Pediculi, *Herpetomonas pediculi* from, Pathogenic to Mice, Lizards, &c., 181, 182
Pigeons, *Halteridium columbae* of, 189-90
Life-cycle in *Lynchia* Fly, 189–90
Inoculation Experiments, 189
Transmission and Sporogony of Parasite, 189–90
Pigmented Parasites of Cold blooded Animals, and their Hosts, 192–3
Rats, Blood- and other Parasites of, Brazil, 209
Experimental Infection, with *Herp. muscae domesticae*, 183–4

**Protozoology**—*cont.*
GENERAL—*cont.*
Rats, &c.—*cont.*
Graham-Smith bodies in, Brazil, 208
White, New Toxoplasm from Lung of, 200
Rattle-snakes, *see under* Snakes, *infra*
References to Literature, xxvi-vii, lx
Reptiles, as Hosts of Herpetomonads, &c., 181–3
*Rhinoestrus nivarleti* Larvae, in River-Hog, Herpetomonad-bearing, 186
River-Hog, Herpetomonas found in Oestridae larvae in, 186
Sarcocysts in Man, 201
Schizonti-gametes, New Gametocytic forms observed in *Halteridium danilewskyi*, 191, 192
Snakes, Pigmented Haemosporidia in, 192, 193
Grass, Herpetomonads of Insects Pathogenic to, 181, 182
Vectors of Herpetomoniasis, 181
Rattle-, Vectors of Herpetomoniasis, 182
Staining Method for General Examination of Blood-Films, 206–7
Combined, for Malarial Parasites and Blood Smears 207–8
Sticklebacks, Herpetomonads of Insects Pathogenic to, 181, 182
*Stratiomyia* Chameleon, Host of *Herp. stratomyiae*, 181
Study of, Lines to be followed, 179
Ticks as Vectors of
Human Dermo-mucosal Leishmaniasis, 182
Piroplasmosis, 195
Prophylaxis, 196
Toads, Herpetomonads of Insects Pathogenic to, 181, 182
Tortoise, Indian River, Pigmented Parasites in, 192
Trichopterous Larvae, Slipper-shaped Flagellates of (Embadomonas), 185-6
Trypan-blue in Dog-Disease, Brazil, 197
Virulence of Protozoal Infection in Young Hosts, 182

**Protozoology**—*cont.*
PROTOZOA
Action on, of Papaverine and Emetine, 204–5
*Chilomastigines* genera ; Affinities discussed, 187
*Craigia, see under* **DYSENTERY,** FLAGELLATE
Flagellate Stage in various Protozoa (*see under* Names), Significance of, 179
Haemamoebae, *see under* Haemosporidia, *infra, see also* Plasmodium
*Haemocystozoon brasiliense*, in Man 179
Haemoflagellates, and Flagellates, Points to Heed in Classifying, 185
*Cercomonas*, in Mixed Infections, 310, 443
*Crithidia* of Insects ; Experiments with, on Mammals, 180
*C. gerridis*
Pathogenic to Mice, Lizards, &c., 181, 182
Three Passages of, in Lizards, 181
*Embadomonas* genus, Diagnosis of, 186–7
*E. agilis*, 187
*E. alexeieffi*, 187
Encystment of, 187
Herpetomonas
Flagellate, in Blood, &c., of Algerian Geckos ; possible Connection with Tropical Sore, 182
Herpetomonad Stage of Trypanosomes, Probable True Nature of, 180
of Insects, Experiments with, 180, 181–3
in Larvae of Cavicolous *Oestridae* of Antelope and River Hog, Belgian Congo, 186
Life-cycle of, in relation to Disease, 179
in Mice : Natural Occurrence of : Researches on, 183
Varieties of, used in Experiments on Pathogenicity to Mammals ; Hosts of, 181–3
*H. ctenocephali*, Pathogenic to Dogs, 182
*H. ctenopsyllae* in Mouse Flea Cultural Experiments Morphology, 184–5
*H. davidi*, of Plants, 180

**Protozoology**—*cont.*
PROTOZOA—*cont.*
Haemoflagellates, &c.—*cont.*
Herpetomonas—*cont.*
*H. homalomyiae*, where Found: Morphology: Multiplication, 185
*H. jaculum*, from *Nepa cinerea*, Pathogenic to Mice, 181
*H. muscae domesticae*, Inoculation Experiments with, on Rats and Mice, 183–4
Oestrid-larvae Herpetomonad, Classed with, 186
*H. pattoni*, Probably that from Fleas of Rats, Dogs, and Man, 183
*H. pediculi*, Pathogenic to Mice, &c., 181, 182
*H. stratomyiae*, Pathogenic to Mice, 181
*Histoplasma capsulatum*, Flagellate Stages in, 179
*Leishmania*, *see also under* **KALA AZAR**
Herpetomonad Stage in, Significance of, 179–80
(*a*) in Man, 179
(*b*) in Animals, 180
*L. donovani*, Flagellate Stage of, 179
*L. infantum*, Flagellate Stage in, 179
*L. tropica*, 181
Flagellate Stage in, 179
Oriental Sore due to (*see also* TROPICAL SORE, *under* **KALA AZAR**), 182
Leishmaniform Parasites seen in Rodents Inoculated with *Herp. muscae domesticae*, 184
Leptomonas as equivalent to Herpetomonas; Wrong Use of Term: Ignorance regarding, 180
*Prowazekia asiatica*, at Shanghai, 473
Trichomastigine, and Cysts of, Division Phenomena in, 187
Trichomonas in Borneo, 443, *see also under* **DYSENTERY,** FLAGELLATE
*Trypanosoma*, *see also under* **MALARIA,** and *under* **SLEEPING SICKNESS**
Herpetomonad Stages of, Probable True Nature of, 180
Pneumocysts not related to, 208

**Protozoology**—*cont.*
PROTOZOA—*cont.*
Haemoflagellates, &c.—*cont.*
*Trypanosoma*, &c.—*cont.*
*T. akodoni*, n. sp., in Rats: resemblances of, 209
*T. brucei*, action on, of Papaverin and Emetine, 204, 205
Haemosporidia, Classification and Nomenclature discussed, 204
*Haemamoebae*
*Babesia*, *see Piroplasma*, *infra*
*H. metchnikowi*, in Indian River Tortoise, 192
*Plasmodium malariae*, one akin to, in *Lynchia* Flies, 190
Haemocystidium genus; Validity discussed, 204
*Haemogregarinae*, Classification disputed, 204
*H.* (*Leuco*) *akodoni*, n. sp., in Rats, Brazil, 209
*Haemoproteus*, *see* Halteridia, *infra*
*Halteridium* genus, Closely allied to *Plasmodium*, 204
of Cold Blooded Animals, 192–3
*H. columbae*
Experiments with, on Pigeons, 189
Hippoboscid Host, 189
Sporogony of, in the Host, 189–90
Transmission, 190
*H. danilewskyi*, in Birds, Eritrea, 190–2
Culicidae acting as Vectors, 191
Development Cycle, 191-2
New Gametocyte-forms observed, 191, 192
Two Types, 191, 192
*Leucocytozoon* genus, Classification of, 194, 204
Generic Character, 193
Host Cells, 193, 194
Nomenclature: Type Species, 194
Schizogony, 193, 194
*L. anatis*, as possible Causal Agent of Disease in Ducks, 194–5
*L. danilewskyi*: Not Type Species, 194
*L. lovati*, and the Shape-variations of the Parasite, 194
*L. majoris*, Occasional Pigment-formation by, 194

**Protozoology**—*cont.*
PROTOZOA—*cont.*
Haemosporidia, &c.—*cont.*
*Haemogregarinae*, &c.—*cont.*
*Leucocytozoon*, &c.—*cont.*
*L. mathisi*, Parasite of Avian Erythrocytes, 193
*L. mirandae*, Parasite of Avian Erythrocytes, 193
*L. ziemanni*: Type Species, 194
*Paraplasma flavigenum*, *see under* **YELLOW FEVER**
*Piroplasma* (*Babesia*), *see also* Anaplasmata, *infra*, *in* UNCERTAIN
*Nuttallia equi*, Culture Medium for, 199
*P. bigemina(um)*, and *Anaplasma marginale*: Results of Mixed Infection with, 199
in Cattle, Sierra Leone, 376
Tick-spread, 195
*P. canis*, 196
Infection (Canine Piroplasmosis), Novo-Tryposafrol in, 379
*P. divergens*, in European Cattle: Tick vector, 195
*P. vitalii* (*Rangelia vitalii*, n. sp.) Causal Agent of Dog disease, Brazil, 197
*Rossiella rossi*, of Jackals, one like in Dogs, Brazil, 197
*Theileria*
*T. mutans*, in Cattle, Sierra Leone, 376
*T. tachyglossi*, n. sp., from Queensland Echnida, 197
*T. parva*, Division-forms of, 235
New Species resembling, 197
*Plasmodia* of Cold Blooded Animals, 192–3
Plasmodiidae or Haemamoebidae, Classification disputed, 204
*Plasmodium* genus and *Haemoproteus* closely allied, 204
*Plasmodium malariae* and Blood Smears, Combined Staining Method, 207–8
*P. minasense*, of Trinidad Iguana, 192
*Proteosoma*, Parasite akin to, in *Lynchia* Flies, 190

**Protozoology**—*cont.*
PROTOZOA—*cont.*
Haemosporidia, &c.—*cont.*
*Toxoplasmata*
*T. ratti*, n. sp., from White Rat's Lung, 200
*Infusoria*
*Balantidium*
*B. Coli*, at Shanghai, 473–4
*Ciliata*
*Paramecium*
*P. caudatum*, Action on, of Drugs, 204–5
*Uronema caudatum*, at Shanghai, 473, 474
*Microsporidia*
*Octosporea monospora*, in Larvae of *Homalomyia scalaris*, Identity discussed; Sporogony, 200
*Neosporidia*
*Rhinosporidium*
*R. equi*, in a Horse, South Africa, 202
*R. kinealyi*, Described, 202–3
*Pneumocystis carinii*, Animals harbouring: Morphology, 208
*Sarcodinae*
*Amoeba*, Fresh-water, Action on, of Papaverine and Emetine, 204–5
*Sarcosporidia*
in Animals and Man, Panama Canal Zone, 200–1
Origin of "Spores," 201
Systematic Position Discussed, 202
*S. bertrami*, in Mule, 201
*S. fusiformis*, in Bovines and Beef, 201
*S. miescheriana*, in Hogs dead of Swine fever, 201
*S. muris*, in Rats, 201
*S. tenella*, in Lamb, 201
*Sporozoa*
*Coccidia*, Disease due to, in Philippine Cattle, 187-8
*Eimeria stiedae* as Causal Agent in Cattle Coccidiosis, 187–8
*Klossiella muris*, Forms seen in Urinary system of White Mice: Theories on, 188–9

UNCERTAIN
*Anaplasmata*, 197–8
Experiments on: Diseases associated with: True Nature, 198
*A. marginale*, Cultural Experiments on, 198–200

**Protozoology**—*cont.*
PROTOZOA—*cont.*
UNCERTAIN—*cont.*
*Grahamella muris*, Name proposed for first-observed Graham-Smith Bodies in America, 208
Kurloff Bodies, Hypotheses on: Transmission and other Experiments, 209–10

**Rat-Bite Fever**
Bibliographical reference, 318
Etiology: Speculations on, 317
Incidence
Age, 317
Class, 317
Geographical
America, 317
Brazil, 317–8
France, 317
Great Britain, 317
Italy, 317, 318
Japan, 317
References to Literature, xxiii, lv
Symptoms, and Course of Disease, 317, 318
Treatment by
Neosalvarsan, 318
Salvarsan, 317

**RELAPSING FEVER, and SPIROCHAETOSIS,** (*see also* **TYPHUS FEVER,** Recurrent), 211–17
HUMAN AND GENERAL
Aniline Dyes as Sterilizing Agents for Spirochaetes: Experiments with, 217
Causal Agent, 422
Diagnostic Errors and Omissions as to, 423
Epidemics, *see under* Incidence, Geographical
Incidence
Class, 211, 212
Geographical
Algeria, 341
America, U.S., 422
Anglo-Egyptian Sudan, 211, 212
British Somaliland (epidemic), 211
Gold Coast Colony, 211
Persia, 352
Russia, 214
Sahara, 342
Serbia (epidemic), 212
Uganda, 211
Race, 213
Kidney, Part played by, in, 213

**Relapsing Fever**—*cont.*
HUMAN AND GENERAL—*cont.*
Mixed Infection Cases, 213
*Ornithodorus savignyi* as Vector: Biting by Day and by Night, 211
References to Literature, xvi–xvii, xlvii
Re-infection in, 212
Salvarsan media for Isolation of Spirochaetes, 217
Spirochaetes in
Action on, of Neosalvarsan, 213
Aniline Dyes as Sterilizing Agents: Experiments with, 217
Biology of; Methods of Investigating, 217
Filterability, Biology, Distribution and Morphology of, 216–17
Isolation of, in Pure Culture by New Method, 217
in Mouths of Healthy Persons, Indistinguishable from those in Bronchial Spirochaetosis, 211, 212
Multiplication, Solely by Fission, 217
One from Uganda, as possible Cause of African Tick Fever, Somaliland, 211
Staining Methods, 211
in Urine, Rarity of, 213
*Sp. biflexa*
Filterability of, 216, 217
Subculture attempted Unsuccessfully, 216
*Sp. bronchialis*, Morphology of, 211–12
*Sp. buccalis*, 212
*Sp. dentium*, 212
*Sp. duttoni*, in Ticks, Observations on, and Filterability of, 216, 217
*Sp. elusa*
Filterability of, 216, 217
Granules in, 216
*Sp. novyi*, Causal agent, 422
*Sp. recurrentis*, Causal agent of European form, 212
Symptoms
Albuminuric, 213
Bronchial, 211–12
Causation, 212
Treatment by
Arrhenal, 214
Neosalvarsan, 213
Administration in reference to Relapse, 213
Speedy effect on Spirochaetes 213
Salvarsan, 213
Urine, in, 213

**Relapsing Fever**—*cont.*
HUMAN AND GENERAL—*cont.*
**Various Forms**
African Tick Fever, epidemic in British Somaliland, 211
Spirochaetosis, Bronchial, at Accra, 211
Spirochaetes in, 212

SPIROCHAETOSIS, AVIAN
Action on, of Atoxyl, 214–15
Curative rather than Prophylactic, 214
Agglutinins, Formation of, on Injection of Atoxyl, 214
Atoxyl as acting on
Spirochaetes, 214, 215
Trypanosomes, 215
Action Increased after Injection into the Blood, 215
Experimental; Immunity after Attack cured by Atoxyl, 214–15
Researches on, 214–15
Spirochaetes in
Action on, of Atoxyl, 214–15
Serum Reactions of, 215–16
Thyroidectomy, or Splenectomy, as influencing Spirochaetal Infection, 217
Trypanosomes in, Action on, of Atoxyl, 215

**Reports**, *see* **HYGIENE, APPLIED, IN THE TROPICS** *under* COUNTRIES

**REVIEWS OF BOOKS**, 75–6, 111–12, 236–8, 357–61, 433–6
Aids to Surgery (Cunning), 3rd ed., 436
Aids to Tropical Medicine (Brooke), 2nd ed., 435–6
Amoebiasis and the Dysenteries (*Phillips*), 75
Défense, La, Contre l'Ophidisme (Brazil: trad. Française par Maibon), 236–7
Diagnostics and Treatment of Tropical Diseases (*Stitt*), 75–6
Elements, The, of Military Hygiene especially arranged for Officers and Men of the Line (Ashburn), 360–1
Handbook, A, of Fevers (McClure), 433–5
Handbook of Medical Entomology (Riley & Johannsen), 357–8
Health in the Camp: A Talk to Soldiers (Kenwood), 361

**Reviews of Books**—*con'.*
Insects and Man: An Account of the More Important Harmful and Beneficial Insects, their Habits and Life-Histories, being an Introduction to Economic Entomology for Students and General Readers (Ealand), 358–9
Malay Poisons and Charm Cures (Gimlette), 111–12
Report on Researches on Sprue in Ceylon (Bahr), 237–8
Studi di Medicina Tropicale. Vol. I. Collezione di Pubblicazioni Scientifiche sull' Eritrea. Compiuti da Ufficiali Medici e Veterinari de R. Corpo di Truppe Coloniali dell' Eritrea, 359–60

**Ringworm**, *see* Tinea Capitis *under* **SKIN DISEASES, TROPICAL**

**Rocky Mountain Spotted Fever**, References to Literature, xxiii, lv

**Sanitary Organisation, Works, and Rulings**, *see under* **HYGIENE, APPLIED, IN THE TROPICS**

**Schistosomiasis**, *see under* **HELMINTHIASIS**

**Sewerage**, *see under* **HYGIENE, APPLIED, IN THE TROPICS**

**SKIN DISEASES, TROPICAL**, (*see also* **LEPROSY**: *and* TROPICAL SORE, *under* **KALA AZAR**), 132–41
DISEASES
Acneiform affection in British New Guinea; peculiar features, 133
Albinism, in British New Guinea, 132
Atrophodermia biotriptica, in Natives, A.-E. Sudan, 139–40
Pathological not Physiological in character, 140
Blastomycosis, *see* Espundia, *infra*
Bullous Eruptions, *see* Pyosis Corletti, *&c.*

**Skin Diseases, Tropical**—*cont.*
DISEASES—*cont.*
Caraate, or Pinta
Incidence
Age, 133
Class, 133
Geographical (Colombia), 133
Three Types, 133
Contracting Sore, in British New Guinea, 132
Creeping Eruption in Florida, 138
Misdiagnosis, 139
Symptoms, 138
Treatment, by Cutting, and Applications of Iodine and Phenol, 139
Cro-cro, on French-Cameroon borders: Treatment by Boric Acid, 348
Cutaneous Diseases on French-Cameroon borders, 348
Dermatite da Canna; Causation and Fungus of, 138
Dermatitis, from Acarus of Dried Beans, Italy, 139
Dermatosis bullosa plantaris, Differential Diagnosis from Pyosis Corletti, 133
Empeine Caballuno, or Horse-Ringworm, in Venezuela, 136
Espundia, in
Bolivia, 136
Peru, 136
Treatment by
Iodides, 136
606 (or Salvarsan), 136
Favus, Differential Diagnosis of, from Tinea Capitis tropicalis, 134
Galapago, in Venezuela, in
Cattle, 136
Girl, 136
Gangosa, Differential Diagnosis of, 141
Incidence
Geographical
British New Guinea, 132, 141, 343
Colombia, 133
Sex, 141
Parasite of, *Cryptococcus mutilans*, 141
Discovered, 343
Symptoms, 141
Horse-Ringworm, *see* Empeine Caballuno, *supra*
Ichthyosis, Differential Diagnosis, 135
Impetigo Contagiosa bullosa, Differential Diagnosis, from Pyosis Corletti, 133

**Skin Diseases, Tropical**—*cont.*
DISEASES—*cont.*
Impetigo, &c.—*cont.*
Incidence, Geographical
Burma, 133
Florida, 133
India, 133
Sudan, 133
Resemblance to, of Pyosis Corletti, 134
Itch, on French-Cameroon borders, 348
Juxta-articular Nodules, Geographical distribution, 132
Khi-Huen, in China, Nature of, 136
Leucoderma, in British New Guinea, 132
Lupus, Differential Diagnosis from Gangosa, 141
Madura Foot (Mycetoma pedis) with Blastomycotic complications, 137, 138
Disease resembling, in British New Guinea, 354
Incidence
Class, 137
Geographical
Colombia, 133
Dutch East Indies, 137–8
India (N.W. Provinces), 137
Sardinia, 138
Symptoms, 137
Treatment by
Potassium Iodide, 137
Surgery, 137, 138
Mango Rash, in the Philippine Islands, 140
Experimental, 140
Natural, 140
Multiple Angiosarcoma of the Skin, in Kamerun Native, 140–1
Mycetoma pedis, *see* Madura Foot, *supra*
Mycotic, or Mycelia, affections, in Venezuela, 136
Nose, Acneiform disease attacking, in British New Guinea, 133
Occupational
Dermatite da Canna, 138
Pruriginous, 139
Pemphigus Acutus, Differential Diagnosis from Pyosis Corletti, 133
Pemphigus Contagiosa *see* Impetigo Contagiosa bullosa, *supra, and* Pyosis mansoni, *infra*
Phthiriasis, on French-Cameroon borders, 345
Piedra, Scalp affection of Indians, Colombia, 133
Pinta, *see* Caraate or Pinta, *supra*

**Skin Diseases, Tropical**—*cont.*
DISEASES—*cont.*
Pityriasis rubra, Differential Diagnosis, 135
Pruriginous Rash, from Acarus of Dried Beans, 139
Pyosis Corletti
Differential Diagnosis, 133–4
Eruption; Rise, Spread and Locale, 134
Incidence
Class, 133
Geographical, 133
Symptoms, 133–4
Treatment by
Autogenous Vaccine, and Local Antisepsis, 134
Isolation, 134
Pyosis Mansoni, Differential Diagnosis from, of Pyosis Corletti, 134
Rashes due to Lymphagogues, 140
Rhinopharyngitis mutilans, or Gangosa (*q.v. supra*), in British New Guinea, 141
Ringworm, Differential Diagnosis 135
Sandfly Eruptions, 133
Syphilis, Differential Diagnosis from
Gangosa, 141
Verruga Peruviana, 322
Incidence, in
British New Guinea, 132
French-Cameroon borders; not spreading, 348
Persia, 352
Tinea, Various forms
Capitis, Diagnostic points, 134
Differential Diagnosis, 134
Incidence,
Class, 134
Geographical
Anglo-Egyptian Sudan, 135
Circinata, Disease allied to, 136
Imbricata, Chronicity and Difficulty of Cure, 135
Conditions favouring, 135
Differential diagnosis from Ichthyosis, &c., 135
Incidence
Age, 135
Geographical
British New Guinea, 132
Burma, 135
Ceylon, 135
China, 135
Malaya, 135
South Pacific Islands, 135
Original home, and Spread of, 135
Treatment by Resorcin and Benzoin, 135

**Skin Diseases, Tropical**—*cont.*
DISEASES—*cont.*
Tinea—*cont.*
Intersecta, Differential Diagnosis, from T. imbricata, 135
Sabouraudi tropicalis Cause: Chinese Name, &c., 136 *&n.*
Toes, disease destroying, in British New Guinea, 132
Tokelau, *see* Tinea imbricata, *supra*
Trichomycosis palmellina
Incidence
Complexion, 137
Geographical
Philippine Islands, 137
Racial, 137
Trichophytosis of Scalp, French-Cameroon borders, 348
Ulcers and Sores
Blastomycotic, *see* Espundia, *supra*
Gastroduodenal, in West Indian labourers, Panama Canal Zone, 425–6
Mutilating, *see* Gangosa, *supra*
Phagedenic, French-Cameroon borders, 348
Tropical Sloughing Phagedaena, in British New Guinea, 132
Ulcus Interdigitale destruens, in British New Guinea, 132
Sex Incidence, 132
Ulcus tropicum, in British New Guinea, 132
Uncinarial Dermatitis or Ground Itch, in Southern States, U.S.A., 139
Mistaken for Creeping Eruption, 139
Uta Venomosa in Peru, Cause: Symptoms: Native Treatment, 428
Xeroderma pigmentosum, after Severe Sun Exposure, 139

PARASITES, FUNGI, &c., Associated with the above DISEASES
Acaridae
*Pediculoides ventricosus*; Acarus of Dried Bean, Rash Caused by, 139
Blastomycetae, in
Mycetoma pedis, 137–8
Espundia; Culture and Viability, 136
*Cryptococcus mutilans*, in Gangosa, 141, 343
*Corynebacterium*, and Trichomycosis palmellina, 137

**Skin Diseases, Tropical**—*cont.*
PARASITES, &c.—*cont.*
*Discomyces carougeaui* and Juxta-articular Nodules, 132
Endodermophyton
*E. concentricum* and *E. indicum*, in Tinea imbricata, Botanical relations; Area invaded by; Culture, &c., 135
*Epidermophyton cruris*, in Dermatosis bullosa plantaris, 134
Larva of Creeping Eruption, not seen, 138
Leishmania, in Espundia, 136
Leishman-Donovan bodies associated with Tropical Sores, 132
*Micrococcus* of Demme, in Pemphigus acutus, 133
Micrococci &c., in Trichomycosis palmellina, 137
Microfilaria in Blood, in Multiple Angiosarcoma, 141
*Monosporium apiospermum* or *M. sclerotiale*, in Madura Foot, 138
*Mycetoma*, in Madura Foot, 137
Organism found in Madura Foot of European development, 138
Spirochaetes in Contracting Sore, where found, 132
*S. schaudinii*, in Ulcus tropicum, 132
*Sporotrichum Dermatodes*, in Dermatite da Canna, 138
*Streptococci* in
Dermatosis bullosa plantaris, 134
Impetigo contagiosa, 133
*Streptothrix* in Mycetoma pedis, 138
*Trichophyton discoides*, in Tinea Capitis tropicalis, 134
Origin, Equine rather than Bovine; Theory on, 135
References to Literature, xvii, xlviii, lv, lvii

**SLEEPING SICKNESS,** 166–78, 363–83
GENERAL
Animals Experimented on, *see* TRYPANOSOMIASIS, ANIMAL, *and* EXPERIMENTAL, *infra*
Biting Flies, other than Glossina. in Senegal, &c., 177
Blepharoplasts of Trypanosomes, as affected by Tryposafrol, 177–8
Boveri's Reaction; Technique; Results, 167–8

**Sleeping Sickness**—*cont.*
GENERAL—*cont.*
Carini's Pneumocysts in Lungs of Dead Rats, 378
Complement Fixation in Diagnosis of Dourine, 382–3
Dragon-fly, Inimical to *G. palpalis*, 375
Jumping Spider Inimical to *G. palpalis*, 375
Liverpool School of Tropical Medicine; 32nd Report (1914–15), 373–5
Lymphocytosis, induced by Boveri's Reaction, 168
Milk, Passage into, of Trypanosomes; Experiments on, 382
Mortality, Principe, 166
Prisoners utilized in Anti-Glossina Campaign, 167
References to Literature, xvii–xix, xlviii–l
Report of 32nd Expedition of Liverpool School of Tropical Medicine (1914–15), 373–5
Sero-Resistance of *T. gambiense*, and of *T. rhodesiense* Contrasted, 381
Tsetse flies, *see* Glossina, *infra*
Vertebrate Blood. Essential to *G. palpalis*, 373–5
Wild Game in relation to, 363

GLOSSINA
Bird-lime to catch: Success, 167
Bites of, Protection against, by
Ointment, 365*n.*
Palm Oil, 365
Red Wood Powder, 365
Control of, in Nyasaland, 174
Destruction, 167
Development in, of Trypanosomes, 363
Distribution in
Congo, Belgian, 375
Nyasaland, 174
Principe, 166
Rhodesia, Northern, 174
Senegal, &c., 177
Methods of, in Obtaining Food, 374–5
*G. morsitans*, 363
Blood found in, Proportion of Mammalian to Non-mammalian, 175
Breeding-places, Rhodesia, 175
Distribution in
Nyasaland, 174
Rhodesia, 175
Senegal, &c., 177
Methods of Catching, and Avoiding, 174

**Sleeping Sickness**—*cont.*
GLOSSINA—*cont.*
*G. morsitans*—*cont.*
Parasites of,
Chalcid, 175
*Mutilla glossinae* (wasp), 175
Range of Flight, 174
of Following, 175
Sex-proportion, Nyasaland, 174
*G. palpalis*
Bionomics of, in Sierra Leone, with special reference to Pupal Habitats, 371–3
Breeding Places, 372, 373
Crusade against, Successful, in Principe, 167
Dependence on Vertebrate Blood, 373–5
Destruction of Breeding-places Advocated, 372, 373
Distribution, in
Congo, Belgian, 375
French Equatorial Africa, 366
Principe, 166
Senegal, &c., 177
Sierra Leone, 373–5, 376
Uganda, 373
Elevation above which not Occurring, 375
Feeding Experiments, 373–5
Food of, Sierra Leone, 373–5
Insect Enemies, 375
Oil Palms as Breeding-places, 372–3
Pupal Habitats, 371–3
Sex proportion, Variation in
at Different Seasons, 375
in Differently-populated Regions, 375
*T. gambiense* in, Devoid of Filterable stages, 380
*G. palpalis*, var. *fuscipes*; Question of Origin of Specimens in Paris Museum, 375

TRYPANOSOMES
Action on, of
$O_1$, and $OK_1$, 168, 169
Oxazine, 177
Tryposafrol, 177
Animal Reservoirs; Principe, 167
Blepharoplastless; Endeavours to secure, 177–8
in Blood or Glands, in Diagnosis, 364
in Blood of Malarial Cases, Nepveu's Study on, 369 *n.*
in Blood of Persons Apparently Healthy, 365
of Camel from Turkestan; Blood-changes in Animals Inoculated with, 172–3

**Sleeping Sickness**—*cont.*
TRYPANOSOMES—*cont.*
in Camels and Horses, with Debab, Sahara, 342
Causing Disease in Man and Animals, in Central Africa, 363
of Central and South Africa, Disease-producing varieties, 363
Classification of, Bruce on, 363
Development, in Glossina, 363
Filterability; Experiments on, 380–1
in *G. palpalis*, Where Found, 376
from Horse, Morocco; Morphology of, and Experiments with, 377
Identity Tests, Biological as well as Morphological requisite, 178
Numeric relation of, to Infection, 380
of Oxen, Sierra Leone, 367
Passage into Milk; Experiments on, 381–2
Quantitative relation to Infection, 380
Refractory to Tryposafrol, 178
Russian, of Animals: Differentiation and Identification of, 172
in Spinal Fluid, 371
Transmission of Known Numbers; Method, 380
Transmissive phase, 178
Wild Animals as Reservoirs of, 167
*T. berberum*, of Debab, 377
in Crossed-Immunity Experiments, 377
*T. brucei*, 363
Blepharoplastless; Continuance of the State, 178
Blepharoplasts of, as affected by Tryposafrol, 177
Filterability-Experiments with, 380, 381
Infection (*see also* Nagana, *infra*) by Known Numbers of, 380
Not that of Russian Dourine, nor that of Bokharan Asses, 172
Passage of, into Milk: Experiments on, 382
*T. brucei* (Uganda), Action on, of Atoxyl and Emetic, Separately and Conjointly, 169–70
*T. caprae*, 363
*T. congolense*, Action on, of Atoxyl and Emetic, Separately and Conjointly, 169–70
in Cattle, Sierra Leone, 376

**Sleeping Sickness**—*cont.*
TRYPANOSOMES—*cont.*
*T. cruzi*, Disease due to, *see* CHAGAS' DISEASE, *under* TRYPANOSOMIASIS, HUMAN, AMERICAN, *infra*
Found in Triatoma
*T. dimidiata*, 383
*T. vitticeps*, 383
*T. dimorphon*, S.C., Infectivity and Virulence of: Variations in: Experiments on, 171–2
*T. duttoni*, Refractory to Tryposafrol, 178
*T. equiperdum*, in Crossed-Immunity Experiments, 377
Infection by Known Numbers, 380
*T. evansi*, Blepharoplastless, Continuance of the State, 178
Passage of, into Milk, Experiments on, 382
Filterability-Experiments with, 380
*T. fringillarum*, Transmissive Phase, 178
*T. gambiense*, action on, of Tryposafrol, 177–8
Baboons refractory to, Infection by, 371
Believed to be Ox-Trypanosome, 367
in Cattle, Sierra Leone, 376
and Congo form of Disease, 363
in Domestic Animals, 367
Filterability-Experiments with, 380, 381
in French Case in Soldier, 369
in *G. palpalis*; No Filterable Stages in, 380
Long-retained Sero-Resistance of, 381
in Lower Animals, 368
Passage of, into Milk, 381
Experiments on, 382
Transmissive Phase, in Vertebrates, 178
*T. lewisi*, in Dead Rats, 378
Filterability of, 380, 381
Infection by Known Numbers of, 380
Multiplication-forms, in Rat, 378
Refractory to Tryposafrol, 178
*T. marocanum*, n. sp., in Horses, Morocco, 376–7
*T. nigeriense*, Cases possibly due to, 368
*T. noctuae* of the Little Owl; Transmissive Phase in, 178
*T. pecaudi*, Dimorphism of, 377
Distribution of, in Senegal, in Domestic Animals, 177

**Sleeping Sickness**—*cont.*
TRYPANOSOMES—*cont.*
*T. pecorum*, 363
*T. rhodesiense*; Action on, of Tryposafrol, 177–8
Passage of, into Milk; Experiments on, 382
Sero-Resistance of, 381
*T. simiae*, 363
*T. soudanense*, Action on, of Tryposafrol, 177–8
in Crossed-Immunity Experiments, 377
*T. soudanense*, var. *berbera*, of Debab; One resembling from a Horse Morocco, 377
*T. theileri*, Non-Pathogenic, 377
in Bison, Russia, Previously called *T. wrubleskyi*, 378
*T. vivax*, 363
in Cattle, Sierra Leone, 376
*T. wrubleskyi*, Nomenclature, 378

TRYPANOSOMIASIS
ANIMAL
Camel-borne Infection in Horse (probable), Morocco, 377
Experiments of Crossed-Immunity; Trypanosomes employed, 377
Immunity, Trypanosomes to be employed in Inoculations for, 178
of White Rats, to *T. dimorphon* Infection, 171
Incidence, all Forms
Algeria, 172
Bokhara, 172
French Senegal, 367, 376
Ivory Coast, 181
Morocco, 376, 377
Russia, 172, 378
Samarcand, 172
Sierra Leone [epidemic], 375–6
Tanganyika region, 367
Turkestan, 172–3
Uganda, 367
Infection of Young, *via* Milk of Mother: Experiments on, 302
Insect Vectors [possible], 376
Prophylaxis, 363
Rat-Susceptibility and Immunity, to *T. dimorphon*, 171
in Various Animals
Ass and Camel Varieties, Trypanosomes Identical, 172
Bisons, Russian, *T. theileri* and, 377
Camels, Bokhara, &c., 172
Cattle, Sierra Leone, 367, 376

**Sleeping Sickness**—*cont.*
TRYPANOSOMIASIS—*cont.*
ANIMAL—*cont.*
in Various Animals—*cont.*
Domestic Animals, Tanganyika district; Trypanosome of, 367
Guinea-pigs; Tryposafrol Treatment, 379
Horse, Morocco; Trypanosomes of; Experiments with, 377–8
Rats (Bournemouth) Trypanosomes of, 378
Nagana in; Tryposafrol Treatment, 379
of Sheep, Ivory Coast, *T. dimorphon* of, 171

DEBAB, *T. berberum*, Causal agent of, 377
in Sahara, 342

DOURINE, Conglutination in Diagnosis, 170–1
Diagnosis by Complement Fixation, 382–3
Experimental; Antimony Trioxide in, 379
Incidence in
Algeria, 172
Russia, 172
Trypanosomes of, Russian and other Identified, and Differentiated, 172
Virus of, differing from that of Horse Epizootic in Morocco, 377

NAGANA, Trypanosome to Use to Secure Immunity by Inoculation, 178
Experimental, Antimony Trioxide in, 379
Treatment by Tryposafrol, 379

SURRA, Trypanosomes to Use to Secure Immunity by Inoculation, 178

EXPERIMENTAL
Action in, of
Antimony Trioxide, 378–9
Technique of Preparation and of Injection, 379
Atoxyl, 169–70
Atropine with Emetic, 170
Emetic, 169–70
Intramuscularly given, 170
Novo-Tryposafrol, 379
Tryposafrol, 379
on *T. brucei* in Mice, 177

**Sleeping Sickness**—*cont.*
TRYPANOSOMIASIS—*cont.*
EXPERIMENTAL—*cont.*
Arneth's formula in Blood of Foal and of Dog, Inoculated with Trypanosome from Turkestan Camel, 173
Blood-Changes in Foal and Dog, with Trypanosome Infection from Camel, 172–3
with *T. brucei* (Uganda) Infection, 169–70
with *T. congolense* infection, Action on of Atoxyl and Emetic, 169–70
Trypanosomes in Patas Monkeys Inoculated from Doubtful Human Case without Trypanosomes 370–1

HUMAN (AFRICAN)
Atoxyl as used against, *see, infra*, Prophylaxis, *and* Treatment
Boveri's Reaction in; Technique: Results: Conclusions, 167–8
Diagnosis
in Europeans: Difficult Cases instanced, 370–1
Diagnostic Methods, 175, 364
Kerandel's Sign: Value of, 370
Sources of Error, 175
Test Reaction with Atoxyl, 371
Diseases for which Liable to be Mistaken, 371
Epidemics due to Insects other than Glossina, 177
Epidemiology (*see also* Incidence, *infra*), 366
Examination-Methods, Senegal, 175
Existence in Apparently Healthy Persons, 365
Incidence
Class, 176
Geographical
Africa
Central, 363
South, 367
West, 368
Algeria, 369
America, U.S., acquired in Africa, 371
Congo, 363
French, 370
England, acquired in Africa, 368
France, probably acquired in Algeria, 368

**Sleeping Sickness**—*cont.*
TRYPANOSOMIASIS—*cont.*
HUMAN—*cont.*
Incidence—*cont.*
Geographical—*cont.*
French Equatorial Africa (Cameroon frontier), 364–6
Nigeria, 368
Nyasaland, 363
Portuguese Guinea, 371
Principe Island, 166–7
Senegal, Bas-M'Bomou, 175–7
Hetman district, 176
Yakoma district, 176,177
Zande People, 176
Sierra Leone, 366–7
Race, 176–7, 364, 365, 371
Europeans, 176, 365, 368, 369, 370
Yakomas, 176
Zandés, 176
Infection acquired in Algeria, Manifesting Eight years after departure, 369
Late Effects Manifesting in Cases Apparently Cured, 368
Mosquitoes as Vectors Causing Epidemics in Senegal, 177
Prophylaxis, 363
Abolition of Heathen Customs, 177
Atoxyl Injections, 167, 366
Blood-Examinations, 167
Clearances, 167, 177
Drainage, 167
Housing, 177
Inspection of Natives before Entry to Disease-free areas, 366
Sanitation, 177
Segregation, 167
Reservoirs
Cattle, Domestic, 367
Game, Wild, 367
Man, the Chief, 176, 366, 367
Symptoms, 364, 365, 371
[in Doubtful Cases], 370
Mental, 369
Ocular, 368
Psychical, 366
Transmission by
Human Carriers, 366
European Colonisation, 366
Family Contagion, 365
Porters, 364
Traders, Hausa, 366
Insect Vectors (*see also* Glossina), 366
Treatment by
Antimony in form of Antiluetin, 368
Arsenophenylglycin, 168, 169

**Sleeping Sickness**—*cont.*
TRYPANOSOMIASIS—*cont.*
HUMAN—*cont.*
Treatment by—*cont.*
Atoxyl, 167, 169, 368
Dosage, 176, 370, 371
Cacodylate of Soda, 370
Derivatives of $O_1$, and $OK_1$, 168–9
Emetic, 170
Neosalvarsan, 369
Peripatetic *versus* Stationary, 177
Salvarsan, 169, 366
Segregation, 167
Soamin, 368
Tryposafrol, 379

HUMAN (AMERICAN) (*T. cruzi* Infection)
Chagas' Disease
Diagnostic Methods, 383
Incidence, Geographical, Actual and Possible
America, U.S., 383
Florida, 383
Texas, 383
Brazil, 383
Costa Rica, 383
Panama, 383
San Salvador, 383
Insect Vectors
*Rhodnius prolixus*, 383
*Triatoma*
*T. dimidiata* var. *maculipennis*, 383
*T. rufotuberculata*, 383
*T. rugulosa*, 383
*T. sanguisuga*, 383
*T. venosa*, 383
*T. vitticeps*, 383

**Snake Bite,** References to Literature, xxiii

**Sprue,** in Barbados, 350
in Queensland, 343
Chronic, Pyorrhoea in, Streptococcal: Treatment, 448
References to Literature, xix, l.

**Strongyloidosis,** *see under* **HELMINTHIASIS**

**Taeniasis,** *see under* **HELMINTHIASIS**

**Three-Day Fever,** *see* **PAPPATACI FEVER**

**Trichinelliasis,** *see under* **HELMINTHIASIS**

**Trichocephaliasis**, *see under* **HELMINTHIASIS**

**Tropical Fever**, *see* **FEVERS IN TROPICS**

**Trypanosomiasis**, *see under* **SLEEPING SICKNESS**

**Tuberculosis in Native Races** (*see also* page 322), Arneth's Leucocyte Count in, 345
of Bone, and Joints, in Samoa, 353
Glandular, associated with Leprosy, 299
Incidence
Geographical
Algeria, 341
Barbados, 349
Guam, 356
Persia, 352
Samoa, 352
Forms met, 353
References to Literature, xix, l.

**TYPHOID (ENTERIC) and PARATYPHOID FEVER IN THE TROPICS**, 13–24
Abortive cases: Diagnostic hints on, 15
Agglutination Reaction after Anti-Typhoid Inoculation, 23–4
Ambulatory cases, in French Military Expedition, 16
Arc Light, as used in Isolation of Bacilli from Faeces, 21
Bacteriological Diagnosis: Queensland, 344
Bacteriology
*B. dysenteriae* (Shiga) from Blood in Relapse case, 458
*B. paratyphosus*, Agglutinated in Chronic Haemorrhagic Colitis, 425
A & B, in association with Bacillary Dysentery, 451, 455, 458
Isolation of
by Arc Light, 21
Tests of Differential Media for; Results: 20–1
in Positive Blood-Cultures: Four Atypical forms observed, 20
*B. typhosus*, Absent from Blood in Earlier, present in Later Stages of the disease, 20
in association with Dysentery, 451, 452, 457, 458, 459

**Typhoid**—*cont.*
Bacteriology—*cont.*
*B. typhosus*, &c.—*cont.*
and *B. paratyphosus*, A & B from one case, 17
and *V. cholera*, from Stools of Healthy Persons in Infected Areas, 29
*B. pyocyaneus*, in association with, 457
*Enterococcus*, in Cases of Bacillary Dysentery, 451
Personal Factor in Test-making, 21
Safety-Apparatus for Washing Cultures from Petri Dishes, 509
Bile-culture in course of, 19-20
Blood-Cultures in: Results
Algeria, 20
Philippine Islands, 15
Carriers, see *under* Transmission
Case-rate Diminution (India); Causes, 13
Clinical features among Filipinos, 15
Diagnosis, Differential, from Typhus, 385
Differential Media for Isolation of Bacilli: Tests: Results: Personal factor in, 20–1
Doerr's Nutrient (Dried) Media, 465
Endo, and other Media, for Isolating Bacilli: Tests; Results, 20–1
Epidemic, recurring three months after Inoculation, 24
Fevers resembling: North Queensland, 344
Immunity, in relation to Age-incidence (China), 14
Immunity to Both, secured by Mixed Vaccines, 22–3
Incidence
Age, 14
Class
Feeble-minded and Epileptics, 24
Lunatics, 23
Sailors, Naval, 17
Soldiers, British, &c., in India, 13, 21
French, 15–16
Geographical
Algeria, 341
Amazon Valley, 350
America, U.S., Minnesota, 24
Australia: Queensland, 343
Barbados, 349
China: Hong-Kong, 13–14
Shanghai, 14
East Africa Protectorate, 341
Egypt, 21
India, 13, 14, 21
Morocco (Epidemic, in French troops), 15–16

**Typhoid**—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Oxford, 22
Persia, 352
Philippine Islands, 14–15
Samoa: American, 352, 353
German, 353
South Africa, 21
West Indies, 21
Post-dysenteric, 458, 463
Race, 13, 14–15, 16
Season, 14
Sex, 14
Infection (*see also* Transmission), Triple, 17
Inoculation, *see under* Prophylaxis, *infra*
Insect Vectors, *see* Flies, *under* Transmission, *infra*
Mild Form, often Misdiagnosed as Malaria, 88
Mixed Infection, in Dysentery, 451, 452, 454, 455, 456, 457–9
Mortality-percentage (Philippines), 15
Race-percentages, Hong-Kong, 13–14
Post-Dysenteric, 458, 463
Prophylaxis
Anti-Typhoid Inoculation (Vaccination), 13
Vaccine for, Mixed for both diseases, 22, 23, 501
Agglutination Reaction after, 23–4
Leishman's opinions on, 21–2
Paratyphoid Immunity not conferred by, 22
Results: Limitations, 24
Statistics, 509–13
Value of, evidenced, 16
References to Literature, xx, l.
Sanitary Deficiencies on Military Expedition, and, 15-16
Symptoms, 15, 16, 18
Transmission (*see also* Infection), by
Carriers, 13, 16, 17
Segregation of: effects, 13
Flies, 353
Milk, Contaminated, 24
Raw Fruit or Vegetables, 14
Sanitary Deficiencies in Military Expedition, 15–16
Water, Contaminated, 16, 352
Treatment
Entero-cleaner, 454
Vaccine, 18–19, 494–5
Autogenous, 18
Living, 17–18
How best Prepared for Hindus, 20
Ichikawa's method, 18–19
Stock Typhoid, 18

**Typhoid**—*cont.*
Treatment—*cont.*
Vaccine—*cont.*
of Typhoid Bacilli, Sensitized by Serum of Convalescents, 18–19
Triple Infection in, 17, 24
Water-supply in relation to, 16, 352
Widal Reaction in, 17
in Apparently Healthy Filipinos, 15
Following Administration of Typhoid Vaccine, 23
Occurring, in cases Clinically resembling Dysentery, 459

**Paratyphoid Fever**
Agglutination of Organism in Relapse Stage by Specific Serum, 17
Bacteriology
*B. paratyphosus A.*, Agglutinated by Specific and not by Typhoid Serum during Relapse, 17
Predominance of, as Agent, 22
Double Infection in, 22
Nature of Infection in, Peace time, 452
Symptoms, 17
Vaccination, &c., *see under* Prophylaxis
Various Forms
"A" form, with Relapse, 17
"B" form, Treatment by Vaccine, 19
Experimental
A, or B. *paratyphosus*, Fatal Dose for Mice, 19
Antiseptics, action of, on Resistance, 19
Calcium Phosphates, or Cacodylates, as Immunizing Agents, 19
Chemotherapy of, 19

**TYPHUS FEVER** (*see also* Pseudo-Typhus, pp. 316–17), 1–12, 384–98
Agglutination in, 384, 386
Alcohol, Contra-indicated in, 391
American Cloth for Hospital Overalls, 396
Animals resistant to; Experimental Infection, 8
Antibody Reactions, 304, 386
Antigen Developed during, 386
Anti-Parasitics, *see, under* Prophylaxis, *infra*, Anti-pediculus Measures, Drugs, &c.
Artificial Stasis as Diagnostic Aid, 390

**Typhus Fever**—*cont.*
Bacteriology
*B. influenzae* present during, 4
*B. typhi-exanthematici*
Cultivation, 384, 385
Experiments with, 384, 386
Identity, in both forms of Disease, and in Experimental Animals, 384, 386
Isolation and Morphology of, 384
*B. typhosus*, in Blood of Suspected Typhus Patients, 5
Action on, of Serum of Typhus Patients, 6
Coccobacillus in Louse-intestine, 7
Coccoid bodies in, 384
Diplo-forms in Leucocytes, as Diagnostic Aid, 9
Blood, and Blood-Cultures from Patients, Inoculation by, of Animals, as Diagnostic Aid, 9
Blood-conditions in, in regard to Diagnosis, 9
Infectivity, 7
Destroyed by Drying or Heating, 2
Blood-examination, in Diagnosis, 9, 388
Causative Agent, Locale, 397
Cerebro-spinal Meningitis Mistaken for, 6
Chronicity in Lower Animals, 2
Clinical Observations on Case, 392
Complement Fixation, &c., in, 384, 386
Complications, due to Neglect of Oral Hygiene, 391
Contact Insecticide, formula, 397
Control, *see* Prophylaxis, *infra*
Death-rates (*see also* Mortality, *infra*), in relation to
Age, 1
Hygienic Conditions, 1
Diagnosis
Artificial Stasis as Aid to, 390
Blood-Examination in, 9, 388
Experimental Inoculation with Blood and Blood Cultures from Patients, 9
Histological Character of the Exanthem, 9
Laboratory methods, 9
Pathological Histology as Aid to, 389–90
Widal Reaction in: Value of, 5, 9
During Disease, 6
Differential
Blood-examination, Bacteriological and Serological, 388
from Typhoid, 388, 390
Difficulty of, 5
Disinfection, *see under* Prophylaxis

**Typhus Fever**—*cont.*
Endemic, Causal agent, 384, 386
Epidemics, *see under* Incidence, Geographical, *infra*
Epidemiology, 387
Etiology, 384–6, 387
Experimental, 384, 386
Bacteriology, 384, 386
Lice-Infectivity Period Ascertained, 7
Spirochaetosis as Preventive of, 8
Extirpation, by Anti-Lice measures, in Tunis, 11
Food-Deficiency as Cause, 387
Germ of, Vaccine from, Suggested use of, 3
German Preparation for the War, Evidenced by Purchases of Sabadilla Seed, 397
Hair as harbouring Lice, How dealt with, 10, 11, 387, 393
Histology, as Diagnostic Aid, 9
Immunity in Animals, Experiments on, 8
in relation to Serological Reactions, 386
Incidence
Age, in reference to Severity, 1
Class
Prisoners, 1
and Attendants in War Camps, 3–4, 388, 395
Soldiers, 3, 4, 387, 389, 391, 398
Geographical
Algeria, 8
Epidemic, 387
America, U.S.
Minneapolis, 6
New York (imported), 392
Asia Minor, 1
Austria, 1, 388
Przemysl, (epidemic), 390–1
War Prisoners' Camps (epidemic), 3–4
Germany, 395
Greece, 387
Hungary, 398
Italy, 389
Mexico, 1–2
Morocco, 8
Tangier, 6
Palestine (epidemic, 1913–14), 1
Persia (epidemic), 352
Philippine Islands, 386
Russia, 4
in 1812, 389
Serbia, 1
Epidemic of 1915, 3, 391
Scotland, 6
Skye, 4
Tripoli, 6
Tunis, 8, 11

**Typhus Fever**—*cont.*
Incidence—*cont.*
Race
Russian Prisoners of War, 3, 4, 398
Season, 1
Incubation-Period, 388
Non-infectivity during, of Patient and Pediculi, 388
Infectivity of
Blood in, Destroyed by Drying or Heating, 2
Lice; Experiments on, 7
Influenza associated with, 4
Insect Vectors (*see* Fleas *and* Pediculi, *under* Transmission, *infra*), Question Considered, 2
Leucocytes as affected in, 9
Lice as Vectors, *see under* Pediculi, *in* Transmission, *infra*
Louse-Repellants, *see* Anti-Pediculus Measures, *under* Prophylaxis
Maculae coeruleae in, 391–2
Mortality, 387
Przemysl epidemic, 391
Oral Hygiene in: Importance of, 391
Pediculi in relation to, *see under* Transmission, *infra*
Precipitation Reactions, and, 384, 386
Prophylaxis
Anti-Pediculus Measures
Disinfection, Advocated, Details to Heed, 5, 6
Objects dealt with, and Methods to Employ
Bed-clothes, 395
Clothes, of Patients, 2, 10, 387, 393, 394, 395, 396
Hospital Wards, 2, 10
Houses, Rooms, &c., 393, 394
Patients, 393, 394
Before entering Camp or Hospital, 387, 388, 391
Hair-Cropping, 10, 11, 387, 394
Persons in Infected Houses, 394
Railway Carriages, 389
Drugs, &c. (Anti-parasitic), Preventive and Disinfectant, Employed
Aetherial Oils, 10
Anisol, 5, 10, 393
Benzine, 10, 389, 393, 394
Bergamol Oil, 10, 389
Camphorated Oil, 387, 393
Carbol Paraffin, 395
Carbolic, 387, 393
Carbon Disulphide, Kerosene and Sanitas Sypol, 397
Chloroform Water, 393

**Typhus Fever**—*cont.*
Prophylaxis—*cont.*
Anti-Pediculus Measures—*cont.*
Drugs, &c.—*cont.*
Cresol, 394, 395
Ether, 10
Eucalyptus Oil, 389
Formalin, 393, 395
Grey Ointment, 10, 394
Hydrocyanic Acid or Dioxide (for Ward Fumigation), 2
Kerosene, 389
Mercuric Chloride and Acetum vini, as Specific against all Varieties of Lice at all Stages, 10
Mercury Perchloride, 387
Naphthalene, 5, 10, 11, 396
Oil and Petrol, 393
Oil of Turpentine, 393
Paraffin (as Hair-Disinfectant), 387
Sabadilla Vinegar, 389, 397
Salfarkose (for Fumigation), 10
Sanitas Sypol, 397
Senfol, 10
Sodium Carbonate, 393
$SO_2$, 396
Sulphur Dioxide (for Fumigation), 2, 10, 393
Sulphur Praecipitatum, 396
Vaseline with Yellow Precipitate, 394
Vaseline and Xylol, 393
Effectiveness of, in Tunis, 11
Fumigation of Hospital Wards, Agents for
Hydrocyanic Acid, 2
Naphthalene, 10
Steam, 10
Sulphur Dioxide, 2, 10, 393
Heat for, in Railway Carriages, 389
Dry, for Destroying Ova as well as Pediculi, 10
Stove, for Clothes, 391
Inoculation, with
Brill's Disease, 3
Vaccine, Autogenous, Suggested, 3, 8
Personal, *see also* Clothes, Hair, & Patients, *under* Disinfection, *supra*
Boots for Medical Attendants, 395
Clothing for Hospital Attendants, 396
Disinfection of Uninfected Persons in Infected Houses, 394
Masks, 4, 12
Quinine, 397–8
Quinine as Prophylactic, 397–8

**Typhus Fever**—*cont.*
Rash
Locale, 1
Stages, 390
Types, 391
Recurrent (*see also* Relapsing Fever), 393
References to Literature, xx–ii, l–iii
Serology: Studies in, 384–6
Serum of Patients, *B. typhosus* as affected by, 6
Widal Reaction given by, 6
Spirochaetosis, in regard to Immunity of [Experimental] Animals, 8
Spleen of Infected Animals, Virulence of, 7
Sputum, Infection in; Viability of, 4, 5, 6
Stages in Development in relation to Diagnosis, 390
Symptoms, 1, 4, 6, 390, 391
Temperature, Atmospheric, High, Lice not Breeding at, 2
Temperature in, as affected by Direct Sun-Rays, 393
Tent-, or Hut-Hospitals for, Advantages of, 6
Transmission by
Air-carriage, 4, 11, 12
Direct Infection, 5
Insect Vectors, Actual and Suspect
Fleas, 388
Pediculi, 1, 2, 3, 4, 5, 7, 8, 10, 387–97
Coccobacillus in Intestine, 7
During Retreat from Moscow, 389
Excreta of, Infectivity of, 7
Ova of, Destruction of, 394, 395
*P. capitis*, in the Philippines, 380
*P. pubis*, Bites of, Spots from, 391–2
Disinfection Methods, 393, 394
*P. vestimenti*, 386, 392
Biology, 395
Destruction Methods, 394-5
Not Breeding at High Temperatures, 2
Urine of Convalescing and Chronic Carriers, 3
Treatment by
Alcohol, Contra-indicated, 391
Camphor Injections (in Pulmonary Cases), 1
Digitalis, Contra-indicated, 1
Fresh or Open Air, 6, 11, 389, 391
Nursing, Air-space, Fresh-air and Sunlight, 1
Quinine, 397, 398
Injections, 1
Serum, Normal Horse, 392

**Typhus Fever**—*cont.*
Treatment by—*cont.*
Sodium Citrate, 2
Sodium Sulpho-Carbolate Injections, 1
Sternberg Yellow Fever method, 2
Stimulants, 1
Brandy, 1
Strychnine, 1
Symptomatic, 391
Vaccine, Sensitized Typhoid, 392
Water, in Quantity, or Lemonade, 2
Two Stages in, 390–1
Types, Two most Fatal, 391
Urine of Convalescents, Infective, 3
Virus of,
Tests of, in Tunis, 8
Viability of, in
Blood, 2–3
Sputum, 4, 5
Widal Reaction
in Diagnosis, 5, 6, 9
During Disease, 6

**Ulcers, Tropical,** *see under* **SKIN DISEASES TROPICAL**; *see also* TROPICAL SORE, *under* **KALA AZAR**

**Uncinariasis,** *see* ANKYLOSTOMIASIS, *under* **HELMINTHIASIS**

**UNDULANT FEVER,** 156–65, *see also* p. 220
Anaphylaxis in, 162
Animals Infected in Tripoli and Italy, percentages, 161
Other than Goats subject to Natural Infection with, 156
Diagnosis, 161
Agglutination Reaction Methods
New, 162–3
Results, 163
Differential, 158
Tests, in order of Value, 158
Experimental, 156
Goats in relation to, 156 *et sqq.*, *passim*
Maltese, more heavily Infected than North African, 161
Goats'-milk Cultures of *M. melitensis*, Virulence of, 163–4
Immunization, Suggestions for, 163
Incidence
Class, 156
Geographical
Algeria, 160, 341
America, U.S.
Texas (endemic), 423

**Undulant Fever**—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Corsica, 156
France, Southern, 156
Gibraltar, 160
Italy, 161
Southern, 160, 161
Malta, 156, 160, 161
Portugal, 159
Sicily, 160
Spain, 160
Tripoli, 161
Tunis, 161
Seasonal, 159
Infection, *see* Transmission, *infra*
Lacto-reaction used in: Limitations; Value and Technique, 158
Medulla as affected in, 165
Micro-organisms of
*Micrococcus melitensis*, 156, 160
High Infectivity to Experimenters, 161
in Milk: New Agglutination method for, 162–3
Morphological Differences in Cultures, 160
and its Toxins: Action of, on Central and Peripheral Nervous Systems, 164–5
Viability, Extra-corporeal, 156
Virulence; Studies on, 163–4
*M. paramelitensis*, 156, 160
Goat-milk Culture of, as Acting on Rabbit, 164
Unaltered Virulence in Goats' Milk Cultures, 163
*M. pseudo-melitensis*, 160
Route of Entry, 161
Milk of Goats, Cheese, &c., in relation to, 156, 159
Misdiagnosis in
Portugal, 159
U.S.A., 423
in Man, Mortality of, in Spain, 160
Nervous System, Action on, of *M. melitensis*, and its Toxins, 164–5
Neuritis of; Causation, 164–5
Pasteur Institut's Work on, at Tunis, 161
Prophylaxis, 159
Disinfection, 159
Sanitary measures, 159, 160, 161
References to Literature, xxii, lii-iii
Sanitation in reference to, *see under* Prophylaxis, *supra*
Septicaemia, Absent in Laboratory-infected Animals, and in some Goats, 156
Symptoms, 156, 161, 164–5
Transmission by
Ambulant Human Cases, 156

**Undulant Fever**—*cont.*
Transmission by—*cont.*
Contact, 159
Dirt of Hands, 160
Excreta, 161
Fingers, 156
Flies, 156
Food, 156, 159
Goats, and other Infected Ruminants, 156
Hand-Infection in Milkers, 156
Inoculation, 159
Man to Man, 156, 161
Milk, &c., 156, 159
Treatment by
Mercury Perchloride, 159
Protargol, 159
Salvarsan, 159
Serum, 160, 161
from Goats, 159
Trambusti-Donzello's, 161–2
Vaccine, 161
Polyvalent, 159
Sensitized, 159
Yeast, 158–9

**Uta,** *see* TROPICAL SORE, *under* **KALA AZAR**

**VERRUGA PERUVIANA AND OROYA FEVER,** 322–4
Angiofibroma cutis circumscriptum contagiosum, *see* Bassewitz's Disease, *infra*
Bartonia bodies in Animals experimented on with *Phlebotomus verrucarum*, 323
Incidence, Geographical
Andes, 324
Peru, 324
Insect vectors [suspect]
Mosquitoes, 324
*Phlebotomus verrucarum*, 323
Mosquitoes as [possible] Vectors, 323
Night-acquired Infection, 324
*Phlebotomus verrucarum* as Vector: Experiments with, 323
Habits and Food, 324
Prophylaxis, 324
Mosquito Curtains, 324
Sleeping Precautions, 324
References to Literature, xxiii, lv
Tissues in; Microscopic Appearances in, 323
Transmission by
Mosquitoes [probable], 323
*Phlebotomus verrucarum*; Experiments on, 323

Oroya Fever, Differential Diagnosis, 322

**Verruga Peruviana**—*cont.*
Verruga
Bassewitz's Disease as related to, 322, 323
Differential Diagnosis, 322
Framboesia &c., Differentiated from, 322
Histo-pathology, 322–3
Inoculation Experiments, 322
Lesions
Absence in, of Spirochaetes, 322, 323
Internal, not Common: Usual Cause, 322
Nodules, Histo-pathology of, 322–3
Spirochaetes Absent from Lesion, 322
Syphilis, Differentiated from, 322
Tubercular Disease as Cause of Internal Lesions, 322
Treatment by Salvarsan, 322
Yaws Differentiated from, 322

**Vital Statistics**, *see under* **HYGIENE, APPLIED, IN THE TROPICS**

**Vomiting Sickness**, in Jamaica, 426–7
Ackees, as Cause of, 426–8
Effect of, on Animals, 427
Etiological Problems, 427
Incidence
Age, 426, 427
Race, 427
Season, 427

**Waste Disposal**, *see under* **HYGIENE, APPLIED, IN THE TROPICS**

**Yaws**
Differentiated from Verruga Peruviana, 322
Incidence, Geographical
Amazon Valley, 350
British New Guinea, 132, 355
Colombia, 133

**Yaws**—*cont.*
Incidence, &c.—*cont.*
French-Cameroon borders, 348
Jamaica, 350
Samoa, 352, 353
Joint-Affections Associated with, 354
References to Literature, xxii

**YELLOW FEVER**, 233–5
Cholerythrogen in Intestines and Urine, in Persons in Yellow Fever regions, 233
Endemicity of, in Tropical and Atlantic Region: Reason for, 233
Experimental, in Guinea-pigs: Pathology of, 234
Fumigation of Buildings, Amazon Valley, 351
Incidence, Geographical
Amazon Valley, 350
Endemic, 351
Atlantic regions, 233
Panama, on U.S.N. Ship, "Jamestown," 233
Tropical regions, 233
Intra-corpuscular bodies in Parasite in, and in Guinea-pigs' Blood, 235
Necrobiosis of Liver in, in
(*a*) Man, 234
(*b*) Experimental Animals, 234
Parasite of, so-called, 235
*Paraplasma flavigenum*, in Organs of Guinea-pigs; Division forms of, 234–5
Pathology of, in
Guinea-pigs, 234
Human beings, 234
References to Literature, xxii–iii, liii–v, lvi
*Stegomyia fasciata*, in relation to Cholerythrogen, 233
*Theileria parva*, Division-forms (Koch's "blue-bodies"), Stage of *Paraplasma flavigenum* resembling, 235

# INDEX OF APPLIED HYGIENE IN THE TROPICS.


**HYGIENE, APPLIED, IN THE TROPICS,** 239–94, 514–79

**Countries referred to**
Africa, South, *see* Union of, *infra*
America, United States
Anti-Typhoid Measures: Results, 530
Copper Sulphate Treatment of Stored Water, 532–3
Milk Purity, Regulations *re*, Chicago, 545
Reports on
Epidemic Disease throughout the World, 555
on Public Health (1915), 255–7, 258, 263, 264
Rubbish - Dumping, Chicago, 567–8
Sanitary Exhibitions by, and in, 558
Sewage Disposal by Dilution, Chicago, 567
Silt Disposal, 247–8
Tennessee, Small-pox in, Virulent form, 263–4
Water Disinfection in, 266–8,
Antigua
Anti-malarial Measures, 526
Mosquitoes of, 526
Asia Minor, Cholera in, 555
Assam
Diseases Prevalent
Kala Azar, Differential Diagnosis, 250
Epidemic Waves, and Immunity, 251
Infection Statistics, 250–2
Theories, 251
Sex-Incidence, 250
Verification Methods, 250
Jails, Death-rates, 243
Diseases Prevalent
Ankylostome Infections, 243
Dysentery, 243
Treatment, 243
Malarial Fevers, 243
Quinine Prophylaxis, 243
Report of Jail Administration (1914), 242–3
Report Supplement (1913), 250–2, 269–70
on Extent of Kala Azar, 250–2

**Hygiene, Applied**—*cont.*
Countries referred to—*cont.*
Australia
New South Wales
Law *re* Unhealthy Building Areas, 577
Public Health Ministry, 547–8
Private Hospital Act (1908), 555
Quarantine Regulations, 564
Rubbish, &c., Disposal of, in the Sea, 568
Sanitary Exhibitions, 557
Sydney: Health Office Records at, 558–9
Trade Waste Fluids, Disposal of, 568
Typhoid in: Water Carriage of Sewage, and Reduction of Death-rate, 530
Queensland
Prickly Pear Destruction, 578–9
Sanitary Exhibitions, 557
Tasmania, Dessication of Faeces, 566
Victoria
Melbourne: Dessication of Faeces, 566
Western Australia
Medico-Legal Work of Laboratory of Public Health Service, 559
Typhoid in: Loss of Economic Life-Value from, 563
Value in, of Applied Hygiene
Curative, 561–3
Preventive, 561, 563
Austria, Cholera in, 555
Bahamas, Report (1914), 269
Balkan Area, Cholera in, 555
Basutoland, Enteric in, 523
Black Sea Shores, Cholera along, 555
British Guiana
Anti-Mosquito Measures: Success of, 240
Applied Hygiene in, 240–1
Anti-malarial Measures, 240
Appointment of Sanitary Officials, 239–40
Diseases Absent, 239
Diseases Prevalent
Ankylostomiasis, 239

**Hygiene, Applied**—*cont.*
Countries referred to—*cont.*
British Guiana—*cont.*
Disease Prevention—*cont.*
Bowel Complaints, 253
Malaria, 240
Malarial Fevers, 239
Syphilis, 239
Typhoid Fever, 240
Fly-destruction and Reduction of Bowel Affections, 253
Forest and Savannah Regions, Healthiness of, 240
Meteorological Observations (1907–12), 239
Reports (1913–14), 239–41, 253
of Society for Prevention, &c., of Tuberculosis, 263
Sanitary Measures, 239–41
Sugar Estate Labour, 240
Mortality Rates, 241
Vital Statistics, 239, 240, 241
Burma
Cattle-Insurance and Anti-Epizootic Measures, 262 *n*†.
Deratization of Vessels, Rangoon, 556–7
Jail Diet, 272
Statistics, 516
Port Officer's Routine Duties at Rangoon, Utility Exemplified, 556–7
Rat Control in, 255, 556–7
Sewerage System (Shore) in, 280 *et sqq.*
Wood-Pavement, Rangoon, 290
Canada, Water-Disinfection in, 267–8
Canary Islands, Prickly Pear in, 578
Cayman Islands, Vital Statistics, 292–3
China
Education of the Public in Hygiene, 548–50
Plague in, 550
Hong Kong
Anti-Malarial Works (1913), 244
Rat-Control, 255
Vital Statistics, 244
Shanghai
Beriberi in Jail, 540
Yellow Fever Risks at, and the *Stegomyia scutellaris*, 248–9
Cuba, Sanitary Exhibits from, 558
Ecuador
Guayaquil
Diseases Prevalent
Plague, 523
Bubonic, Case, and Mortality Rates: Treatment, 524
Small-pox, 523–4
Yellow Fever, 523, 524

**Hygiene, Applied**—*cont.*
Countries referred to—*cont.*
Egypt, Plague in, 555
England
Cholera in, 555
Food-Inspection, 554
Vessel-Disinfection, 554
Europe, Quarantine or Surveillance Measures in, 553
Formosa, Anti-malarial Campaign in; Results, 246
Malaria in, 246
Plague Factors at, 254–5
France, Ultra-violet Ray Water Disinfection, 268
Vessel-Disinfection, 554
French Cochin-China
Saigon, Congress at, Views expressed at, on Education of the Public on Hygiene, 548 *et sqq.*
Germany, Cholera in, 555
Emigrant-Observation Depôt, 554
Food-Inspection (Imported goods), 554
Vessel-Disinfection, 554
Gibraltar
Anti-malarial Measures, 242
Anti-typhoid Inoculation, 242
Applied Hygiene at, 242
Anti-Typhoid Inoculation, 242
Conservancy, 241–2
Milk-boiling, 242
Tuberculosis Home, &c., 242
Diseases Prevalent
Tuberculosis, 242
Typhoid Fever, 242
Undulant Fever, 242
Drinking Water: Sources, 242
Dwellings, Form and Density of, 241
Physical Characteristics, 241
Report (1914), 241–2
Source of Infections, 242
Vital Statistics, 241, 242
Greece, Plague in, 555
Grenada, Vital Statistics, 292
Hawaii, Leprosy at, and Sanitary Care of Lepers, 529
Holland, Vessel-Disinfection in, 554
Hungary, Cholera in, 555
India
Anti-Malarial Measures in Jails, 515, 516, 517
Canals
Artesian Wells and, 571
Waterproofing of, 570–1
Diseases Prevalent
Beriberi, in British Troops, 539–40
Tuberculosis, 260–1
Bovine, 261–2
Epidemic Prevention, 553–5

**Hygiene, Applied**—*cont.*
Countries referred to—*cont.*
India—*cont.*
Jail Administration and Health of Convicts (1914), 515–18
Boy-Convicts, Results with, 515–16, 518
Death-rates (1900–9 and 1911–13), 243, 515, 516, 517, 518
Diet, in Various Parts, 270–4, 533–7
Sick-rates, 515, 516, 517, 518
Tuberculosis Statistics and Treatment, 261
Medico-Legal Work, 559–60
Prickly Pear Problems, 578–9
Report of Sanitary Commissioner (1913), 253–4
Sickness-Rates in Jails, 515–18
Subsoil Drainage, 569–70
Travelling Facilities for Sanitary Staffs, 560
Vital Statistics
Jail Mortality and Diet, 270–4, 515-18, 534, 535
Wood Pavement in: Variant Views, 289–90
Water - Waste Prevention, 572–3
Bengal
Jail Death-rate in 1861, 343
Diets, 271
Report of I.G. of Prisons (1913), 261
Bihar and Orissa, Jail Diet, 272
Statistics, 515–16
Bombay
Jail Statistics, 516–17
Report of Bacteriological Laboratory (1912), 262
Calcutta, Plague at (1897), 556
Width for New Road in, 576
Madras, Anti-Malarial Measures, 247
Jail Diets, and Improved Death-rates, 270–4
Diseases Prevalent
Ankylostomiasis, 531
Carriers, Percentage, 531
Cholera, Age-Incidence, 259
Leprosy Treated by Gurjun Oil, 530
Tuberculosis, 260–1
Pumps for Lifting Water Supplies, 282–3
Report on Jail Administration (1913), 270 *et sqq.*
Mysore, Rat-Control in, 255
Punjab, Jail Statistics, 517–18
Secunderabad, Dysentery and Liver Abscess at, Reduction in, 253–4

**Hygiene, Applied**—*cont.*
Countries referred to—*cont.*
India—*cont.*
Southern
Currents Interfering with Rubbish Disposal in the Sea, 568
Leprosy, Treatment by Gurjun Oil, &c., 530
United Provinces, Jail Statistics, 518
Italy, Cholera in, 555
Jamaica
Anti-Malarial Measures, 245
Diseases Prevalent
Enteric, 523
Tuberculosis, 523
Vomiting Sickness, 249
Etiological Hypothesis, 249
Vital Statistics, 523
Japan, *see also* Formosa, *supra*
Beriberi, in Navy, 538
Sanitary Exhibit by, at San Francisco Exhibition, 558
Java, Sumatra, and Borneo, Mosquitoes of, compared with those of the Malay Peninsula, 525
Malaya, Anti-Malarial Works, &c., 244, 527
Diseases Prevalent
Ankylostomiasis: Race-Incidence, 531
Malaria: Prophylaxis, Million (fish)-Breeding, 525
Mosquitoes, Malaria-Carrying, 525–6
Malta, Undulant Fever: Case-Rates and Death - Rates (1913-14), 242
Mauritius, Anti-Malarial Measures in, 245
Mexico, Tuberculosis in, 263
Montserrat
Anopheles in, 526
Fever in, 526
Nigeria, Southern, Anti-Malarial Measures in, 244
Nyasaland, Pellagra in: Diet in, 542–3
Panama Canal Zone
Food-Protection rules, 275
Locations *v.* Barracks, 522
as Model of Sanitary Control, 523
Risks of Spread of Disease *viâ*, 553
Report (1915), 263, 275, 293
Tuberculosis in, 293
Race Incidence, 263
Papua
Anopheline Breeding-places in, 246–7
Birth-rate, Conditions favouring, 294

**Hygiene, Applied**—*cont.*
Countries referred to—*cont.*
Papua—*cont.*
Houses in, 288–9
Jungle Clearing Methods in, 291
Report (1913–14), 288–9, 291, 294
Philippine Islands
Anti-Cholera Precautions, 258
Malaria, Larvicidal Fish and, 525
Milk, Skimmed, Legislation *re*, 544
Pump-Priming in, How to Avoid, 531–2
Yellow Fever Menace to, of Panama Canal Opening, 249
Rhodesia
Diseases Prevalent
Blackwater Fever, 245
Malaria, 245
Report (1914), 245
Vital Statistics, 245
Russia, Cholera in, 555
St. Kitts-Nevis, Anti-Malarial Measures in, 244
St. Vincent, Syphilis in, 292
Vital Statistics, 292
Siam
Sanitary Rulings, 276–7
Small-pox in
Age-Incidence, 265
Compulsory Vaccination, 276, 277
Death-rates, 276
Sierra Leone
Clinical Laboratory Report, 560–1
Diseases Prevalent
Craw Craw; Is it Small-pox? 266
Filariasis, 561
Leprosy, 561
Malaria, 245, 561
Parasites Present, Percentage in Various Forms, 245
Tuberculosis, 561
Typhoid and Paratyphoid Fevers, 561
Lifting of Petty Water Supplies, 282–3
Reports (1914), 245, 282, 560–1
Somaliland
Diarrhoea in, from Euphorbia Juice in Camels' Milk, 252
Report (1914), 252
Spain, Enteric from, brought into Gibraltar, 242
Trinidad, Vital Statistics, 293
Turkey-in-Asia
Cholera in, 555
Plague in, 555

**Hygiene, Applied**—*cont.*
Countries referred to—*cont.*
Uganda, Anti-Malarial Works, 244
Union of South Africa
Mine-Prophylaxis, 522
Tuberculosis in
(*a*) Human, 518–23
Death-rates
European, 519 *et sqq.*
Others, 519 *et sqq.*
(*b*) Bovine, 543–4
Legislation *re*, on
Milk from Tuberculous Cows, 543–4
Sale of Meat from Affected Animals, 546
Vital Statistics, 518 *et sqq.*
West Indies, Vital Statistics, 292-3
Zanzibar
Anti-Malarial Measures, 244
Diseases Prevalent
Anaemia, 293, 294
Beriberi in Jails, 540
Cholera in Jail (1912), 257–8
Age-Incidence, 259
Debility, 293, 294
Dementia, 293
Diarrhoea, 293
Dysentery, 293, 294
Helminthiasis
Ankylostomiasis, 293
Elephantiasis, 293
Filarial forms, 526
Malaria, and Malarial Fever, 293, 294, 526
Mortality-Decrease, 526
Tuberculosis, 293
Report, 257–8, 293, 526

**Disease Prevention,** 244–75, 525–46

Diseases Referred to
Anæmia, 293, 294
Beriberi, 538–42
Blackwater Fever, 245
Bowel Affections (*see also under Names*), 271
Bronchitis, 293
Cholera, 257–60, 518 535, 555, 556, 573, 574
Craw-craw, 266
Debility, 293, 294
Dementia, 293
Diarrhoea, 252, 253, 292, 293, 516.
Dysentery, 253, 292, 293, 294
Jail, 243, 271, 515, 516, 534, 535, 536,
and Liver Abscess, 253–4
Enteric (Typhoid) Fever, 240, 242, 523, 530, 561, 563, 574
Enteritis, 292, 293
Fever (possibly Malarial), 526

**Hygiene, Applied**—*cont.*
Disease Prevention—*cont.*
DISEASES REFERRED TO—*cont.*
Helminthiasis
Ankylostomiasis, 239, 243, 293, 529, 531
Elephantiasis, 293
Filariasis, and Filarial diseases, 526, 561
Kala Azar, 250, 251
Leprosy, 529–30, 561
Liver Abscess, see Dysentery, and, *supra*
Malaria, 239, 240, 243, 244, 245, 246, 293, 294, 525, 527, 558, 561, 569
Malarial Fevers, 515, 516, 517, 526
Miners' Phthisis, &c., 520, 523
Mumps, 516
Pellagra, 542–3
Plague, 254–7, 550, 555, 556
Pneumonia, 516, 519 *et sqq.*
Scurvy, 521
Small-pox, 263–6, 276–7, 527–8, 556, 564
Syphilis, 239, 292
Tetanus after Vaccination, 264–5
Tuberculosis
Bovine, 261–2
Human, 242, 260–3, 293, 516–23, 531, 561, 564
Pulmonary, 515
Typhoid Fever, *see* Enteric, *supra*
Undulant Fever, 242
Varicella, 527–8
Vomiting Sickness, 249
Yellow Fever, 248–9, 558

METHODS EMPLOYED, *see also* Land and Buildings, *and* Sanitary Orders, Rulings, Works, *infra*
Anti-Ankylostome Precautions, 243
Anti Cholera Transmission Precautions
Philippine Islands, 258
Zanzibar Jail, 258
Anti - Epizootic Measures, Burma, 262 *n*
Anti-Fly Campaigns, 253
Anti-Malarial and Anti-Mosquito Measures and Works, 240, 243, 244, 245, 246, 247, 248, 290–1, 515, 525–7
Anti-Plague Measures
Immigrant Inspection, 554, 556
Serum Treatment, 524
Anti-Tuberculosis Measures, 515–18
Anti-Typhoid Inoculation, 242, 563
Appointment of Sanitary Officers, 239–40

**Hygiene, Applied**—*cont.*
Disease Prevention—*cont.*
METHODS EMPLOYED—*cont.*
Attention to Disease Foci, 524
Bacteriological Examination of
Milk and Goats, 242
Water, 531–2
Diagnostic use of Manson's Mixture, 243
Drainage, Canalization and Cleansing of Rivers, Oiling of Pools, Swamp Oiling of Pools, Swamp Reclamation, &c., *see* Anti-Malarial Measures, *supra*
Disinfection of Emigrants and their belongings, 556
in Jails, India, 516
of Railway Carriages, 531
of Wells, 532
Eugenics, Exhibit Illustrating, at San Francisco, 558
Food, Choice of
Diet in
Beriberi, 538–42
Famine, 274
Jail, 270–4, 516–18, 533–7
Pellagra, 542–3
Protection of, at Colon, 275
Need of, in Jails, 271
Milk
Boiling of, 242
Purity: Rules on, Chicago, 545
Skimmed: Legislation on, Philippines, 544
from Tuberculous Cows: Legislation on, South Africa, 543–4
Jungle-Clearing, 290–1
Leper-Control, Sanitation and Treatment, 529, 530
Milk Precautions, 242, 543–5
Mine-Prophylaxis, 522
Nascent Iodine, in Tuberculosis, Indian Jails, 517
Pasteurization of Milk, 545
Quarantine; Measure Substituted; New South Wales, 564
Quinine Prophylaxis, 243, 246, 515, 516, 517
Rat-Destruction and Control, 254–7
Sanatoria for
Lepers, 529
Tubercular Convicts, Segregation and, 515, 516
Serum Treatment for Plague, 524
Spleen-Puncture in Kala Azar Diagnosis, 250
Mode of securing Leismania without, 252

**Hygiene, Applied**—*cont.*
Disease Prevention—*cont.*
METHODS EMPLOYED—*cont.*
Tuberculin Test for Cattle, South Africa, 543–4
Tuberculous Cattle, Milk from; Views on, of Tuberculosis Committee, South Africa, 543–4
Tuberculosis Home, &c., at Gibraltar, 242
Vaccination, *see also* Anti-Typhoid Inoculation, *supra*
Bacteria-Free for Small-pox, 264
Compulsory, Siam, 276–7
Tetanus after, 264–5
Water-Carriage of Sewerage, 530
Water-Disinfection and Reduction of Typhoid Death-rate, 530
Water-Purification, 523
Water-Supplies
Emergency Disinfection of, 266–8
Sound, Provision of, 523
Stored, Copper Sulphate, Treatment of, 532–3

GENERAL REFERENCES
Adulteration of Milk, Somaliland, 252
African Natives: Tuberculosis and Prophylaxis, 521
*Aedes* (*Stegomyia*) *calopus*, in the Philippines, and possibilities of Yellow Fever, 249
Anopheles of Malaya, Comparative Study of, 525–6
Anti-Mosquito Campaign, Manila; Results, 249
Measures, Urged, for Shanghai, 249
Bacterial Standards of Water Purity, 269–70
Black's Land-clearing Machine, 290–1
Bowel Affections, Reduction in, by Fly-Destruction, British Guiana, 253
Bugs, as Vectors of Beriberi, 540
Carriers of Malaria, Detection and Treatment, 246
Caste, and Sanitation, 283
Cattle, and Cholera, 259–60
Chaulmoogra Oil, for Leprosy, 529
Chlorine, Liquid, for Water-Purification, 266–7
Cochineal Insect, and Prickly Pear Destruction, 578-9
Conservancy, *see under* **Sanitary Works,** *infra*

**Hygiene, Applied**—*cont.*
GENERAL REFERENCES—*cont.*
Convicts, Health of, in Jails
Assam, 242–3
India, 515–18, 533 *et sqq*
Copper Sulphate, for Evil-Smelling Stored Water, 532–3
Crab holes, as Mosquito Breeding-Places, 246–7
Curative and Preventive Medicine; Relative values, 561–3
Dirt in Wells, Fatal to Larvicidal Fish, 247
Drainage as Anti-Malarial Measure, 527
Dust of Mines, S. Africa, in regard to Pulmonary Complaints, 522–3
Emetine, in Dysentery, 253
*Entamoeba histolytica* and Dysentery, India, 254
Euphorbia Juice as
Milk Adulterator, 252
Vaccine Substitute, 253
Famine Diets, *see under* Diets, in DISEASE PREVENTION; METHODS, *supra*
Fish, Larvicidal, 247, 525
Fleas in relation to Plague, 254–5
Flies, as Vectors of
Cholera, 518
Dysentery, 534
Fly-Destruction, Success of, British Guiana, 253
Food in relation to Disease, *see* Diet, under Food, in DISEASE PREVENTION: METHODS, *supra*
Formaldehyde Disinfection of Railway Carriages, 531
Formalin Spray for Fly-Destruction, 253
Fresh Water found close to Sea-shore, 269
Geology, and Bacterial Purity of Water, 270
Goats, and Undulant Fever, 242
Gurjun Oil for Leprosy, 530
Hand-Washing after Defaecation as Anti-Cholera Measure, Zanzibar, 258
Home and House, Native Ideas on, Southern India, 288
Housing, in relation to Tuberculosis, &c., 241, 242
Hypochlorite of Lime Disinfection of Water Supplies, and Reduced Enteric Death-rates, 530
Immunity and Age, in Small-pox, 265
Inorganic Matter Contaminated with *B. pestis*, as source of Infection, 255

**Hygiene, Applied**—*cont.*
General References—*cont.*
Insect Vectors of Disease, *see Aedes*, Anopheles, Bugs, Fleas, Flies, Mosquitoes
Suspect, in connection with Beriberi, 539
Indians in South Africa, Disease among
Ankylostomiasis, 521
Tuberculosis, 520–1
Ipecacuanha in Dysentery and Hepatic Abscess, 253
Irrigation, Silting-up, and Anti-Malarial Works, 248
Jail Administration
Assam, 242–3
India, 515–18, 533 *et sqq.*
Jungle Clearing, 206–1
Papua, 291
U.S.A., 290–1
Kerosene Oil Engine, for Irrigation and Sanitary purposes, 283–4
Laboratory Method for Differential Diagnosis of Small-pox from Varicella, 527–8
Lanoline, Material for, Lost in Trade Waste, 568
Larvicides and Larvicidal Measures
Fish, 247, 525
Pond-Filling, &c., 526
Laws of Manu on Town Planning, 289
Leishmania Cultures, from Peripheral Blood, 252
*Loemopsylla cheopis* as Plague-vector, 255
Maize in relation to Pellagra, 543
Malaria-Bearers, Detection of, 246
Death rates, Formosa, before and during Anti malaria Campaign, 246
Meat, Tuberculous ; Sale of, 546
Memorandum on Rat Destruction at Hong Kong, 255
Migratory Habits of Rats : India and U.S.A., 255–7
Milk, Boiling of, in reference to Undulant Fever, 242
Milk-Control Regulations, 543–5
Milk, Camels, Adulteration by Euphorbia Juice, 252
Mine Sanitation, South Africa : Defects, Diseases, and Suggestions, 520,521–3
Mosquitoes and Vectors of Disease, see *Aedes*, Anopheles, *Stegomyia*
Antiguan, 526
Breeding Places, 242
Crab holes as, 246–7
Malayan and Spice Island, 525–6
of Montserrat, 526

**Hygiene, Applied**—*cont.*
General References—*cont.*
Oil Films for Anti-Mosquito Work; Quantity needed, 248
Panama Canal Opening, and Spread of Yellow Fever, 248–9
Plague, Factors of
Fleas, 254–5
Rats
Control of, 255
Migration of, in relation to, 255–7
Poison (Hypothetical) from Food, as Cause of Vomiting Sickness, 249
Prisoners' Diet in Indian Jails, 515 *et sqq.*, 533 *et sqq.*
Pumps for Lifting Water Supplies, 282–4
Kerosene-Oil Driven, 283–4
Priming of, How Avoided, 531–2
Race Incidence of Tuberculosis, 263
Railway Carriage Disinfection, 531
Rainfall in relation to
General Health, 239
Malaria, 243
Rats, *see under* Plague, *supra*
References to Literature, xxvii–viii, lx–i.
Refuse-Removal and Rat-Control, Hong Kong, &c., 255
Rice in relation to Beriberi, 538 *et sqq.*
Bye-products of, Mineral Constitutents of, 542
Rice Meal, Analysis of, 541
Sanitary Care of Lepers, 529–30
Sanitary Conditions in George Town, British Guiana, 239–40
Sewerage, *see under* **Sanitary Works**, *infra*
Shone System of Sewerage, 279
at Rangoon, 280–2
at Warrington, 279–80, 282 *n*
Slum Dwellings, Jamaica, as Disease Foci, 523
*Stegomyia, see also Aedes, supra*
*S. fasciata*, Carrier of Yellow Fever, 249
*S. scutellaris*, as Possible Vector of Yellow Fever, China, 249
Sulphur Dioxide in Anti-Rat Fumigation of Vessels, 556–7 *& n.*
Tanks, Small Domestic, as Mosquito Breeding Places, 242
Troops, and Jail Population, Physique contrasted, 243
British and Indian, Malaria in, Hong Kong (1909–13), 244

**Hygiene, Applied**—*cont.*
General References—*cont.*
Tropical Diseases Research Fund, Report to, on Finger Puncture in Kala Azar Diagnosis, 252
Ultra-Violet Rays for Water Disinfection, 268
Vaccine, Euphorbia Juice Substituted for, 253
Vitamine-Theory of Beriberi, 538, 540
Water Supplies
Disinfection by Ultra Violet Rays, 268
Emergency by
Hypochloride of Lime, 266
Apparatus, 267–8
Liquid Chlorine, 266–7
Distilled Sea Water, Gibraltar, 242
Potable, Search for, 269
Purity of, Bacterial Standards of, 269–70
Tanks, Rainfed, 242
Wells, and Caste in India, 283
Contamination of by Priming of Pumps, 532
Larvicidal Fish for, 247
Women, Eastern, Teaching Sanitation to, 551

**Lands and Buildings,** 288–91 576–9
Destruction of Prickly Pear: Possible Uses of the Plant, 578–9
Land Reclamation: Costs, 290
Roads, First-Class, Width of, in Cities, 576
Town-Planning; General Principles, 576–7
Madras, 288
Preliminaries, 288
Primitive
India, 289
Papua, 288
Unhealthy Building Areas, 577
Wood Pavements, 289–90
Calcutta, 289
Kurachee, 289
London, 289
Rangoon, 290
Zones round Towns, 288–9

**Reports,** 239–43, 515–24, for Details, *see under* each Country
Advisory Committee for Tropical Diseases Research Fund, 1914, 244–5

**Hygiene, Applied**—*cont.*
**Sanitary Organisation,** 547–62
Anti-Typhoid Vaccine; Free Supply: W. Australia, 563
Clinical Laboratories in Hospital Administration, 560–1
Deratization of Vessels, 553, 556–7
Education in Hygiene of Future Officials, 547
Education of the Public on Hygiene, 547, 548–52, 557–8
Epidemic Disease, World Spread of; U.S.A. Mode of Gathering and Issuing Information on, 555
Epidemic Prevention, International, 553–5
Food-Inspection, Tendency to Shift to Export Centre or Source of Origin, 554–5
Health Office Records, 558–9
Maritime Sanitary Service
Commercial, French, Organisation of, 553
Disinfection of Vessels: Apparatus for, 553, 556–7
Inspection of
Food Stuffs, 554
Imported, 554
Intelligence of Diseases Spread in Countries Trading with India, 553, 556
Observation Depôts for Emigrants, 554
Medico-Legal or Public Health Duties, 559–60
Port Health Duties, Routine, Scope of Utility of, 556–7
Public Health Ministry, New South Wales, 547–8
Public Health Service, Evolution of, New South Wales, 547–8
Sanitary Conscience
in China, 549
Re-awakening of, 549–50
Formation of, in Tropics, 550–2
Sanitary Exhibitions and Museums, 557–8
Sanitary Mission of New South Wales Public Health Service, 547
Surveillance *v.* Quarantine, 553
Travelling Facilities for Sanitary Staffs, 560
Value of Applied Hygiene in Life-Saving, Western Australian Statistics on, 561–3

**Hygiene, Applied**—*cont.*
**Sanitary Rulings,** 276–7, 564–5
Concerning
Private Hospital Act (New South Wales), 565
Quarantine (New South Wales), 564
Tuberculosis Notification (U.S. Africa), 564
Vaccination (Siam), 276–7
Wall-paper in Private Hospitals (New South Wales), 555

**Sanitary Works,** 278–87, 569–75
Canals
Artesian Wells as Supplementary Supplies, 571
Waterproofing of, 570–1
Conservancy Systems Combined, Economy, &c., of, 282
Excreta, Transport of, 278–9
Transition stages from Night Soil Conservancy to Sewerage and Water Carriage, 279
Sewage Disinfection, 373–4
on Railway Trains, 574–5
by Water Carriage, and Reduction in Typhoid Mortality, Sydney, New South Wales, 530
Sewerage, Open Surface or Underground ? 284–7
Ship-Sanitation and Sewage Disinfection, 573–4
Subsoil Drainage, 569–70
Water Supplies, Petty
Lifting of, 282–4
Pumps for, 282–4
Kerosene-driven, 283–4
Water-Waste Prevention, 572–3

**Vital Statistics,** 292–4
Birth Rate(s)
Conditions Favouring, 294
British Guiana, 239, 240–1
Panama Canal Zone, 293
Papua, 294
West Indies, 292–3
Jamaica, 523
Swahili, Smallness of, 294
Zanzibar, 293
Death-rates
All Causes: Indians in South Africa, 520–1

**Hygiene, Applied**—*cont.*
Vital Statistics—*cont.*
Death-rates—*cont.*
America, U.S., Small-pox, 263
Typhoid, Reduced, 530
Australia, New South Wales, Sydney (Typhoid ; Reduced) 530
British Guiana, 239–41
European in South Africa, (Tuberculosis), 519, 520
Formosa (Malaria, &c.), 246
Gibraltar, 241, 242
Guayaquil (Plague), 524
Hong Kong, 244
Jail
Assam, 243
India, 261, 270 *et sqq.*, 515, *et sqq.*, 533 *et. sqq.*
Madras (Dysentery and Liver Abscess), 254
Malaya, Reduced (1912–14), 527
Panama Canal Zone, Racial Incidence, 293
Rand Mines, 521
Rhodesia, Southern, 245
Siam (Small-pox), 276
Age-Incidence in relation to Lack of Vaccination, 265
Union of South Africa, 519
West Indies, 292–3
Jamaica, 523
Zanzibar, 293
Jail (Cholera), 257
Malarial Fevers, 326
Infant Mortality
Panama Canal Zone, 293
West Indies, 292, 293
Invalidity Rates ; Hong-Kong, 244
Race, and Tuberculosis, British Guiana, 263
Sickness Rates ; Syphilis, West Indies, 292

**Waste, Disposal and Treatment,** 566–8
Faeces, Dessication of, 566
Rubbish
Disposal of, in the Sea, 568
Dumping of, Chicago, 567–8
Sewage Disposal, by Dilution, 566–7
Trade-Waste Fluids, Disposal of, 568